

Notices

This section of the **FEDERAL REGISTER** contains documents other than rules or proposed rules that are applicable to the public. Notices of hearings and investigations, committee meetings, agency decisions and rulings, delegations of authority, filing of petitions and applications and agency statements of organization and functions are examples of documents appearing in this section.

DEPARTMENT OF AGRICULTURE

Animal and Plant Health Inspection Service

[Docket No. 02-095-1]

Secretary's Advisory Committee on Foreign Animal and Poultry Diseases; Meeting

AGENCY: Animal and Plant Health Inspection Service, USDA.

ACTION: Notice of meeting.

SUMMARY: Pursuant to the Federal Advisory Committee Act (5 U.S.C. App. II), we are giving notice of a meeting of the Secretary's Advisory Committee on Foreign Animal and Poultry Diseases.

DATES: Sessions will be held from 8 a.m. to 5 p.m. on September 24–25, 2002, and from 8 a.m. to noon on September 26, 2002.

ADDRESSES: The meeting will be held at the USDA Center at Riverside in Conference Center D, 4700 River Road, Riverdale, MD.

FOR FURTHER INFORMATION CONTACT: Dr. Joseph Annelli, Chief Staff Veterinarian, Emergency Programs Staff, VS, APHIS, 4700 River Road Unit 41, Riverdale, MD 20737-1231; (301) 734-8073.

SUPPLEMENTARY INFORMATION: The Secretary's Advisory Committee on Foreign Animal and Poultry Diseases (the Committee) advises the Secretary of Agriculture on actions necessary to prevent the introduction of foreign diseases of livestock and poultry into the United States. In addition, the Committee advises the Secretary on contingency planning and on maintaining a state of preparedness to deal with these diseases, if introduced.

The meeting will focus on the U.S. animal health emergency management system and the foreign animal disease situation worldwide and its relevance to the United States. The meeting will be open to the public. However, due to the time constraints, the public will not be

allowed to participate in the Committee's discussions.

You may obtain an agenda for the meeting by contacting Dr. Joseph Annelli at the address listed under **FOR FURTHER INFORMATION CONTACT**.

You may file written statements on meeting topics with the Committee before or after the meeting by sending them to Dr. Joseph Annelli at the address listed under **FOR FURTHER INFORMATION CONTACT**. You may also file written comments at the time of the meeting. Please refer to Docket No. 02-095-1 when submitting your comments.

Parking and Security Procedures at the USDA Center

Please note that a fee of \$2.25 is required to enter the parking lot at the USDA Center. The machine accepts \$1 bills and quarters.

Upon entering the building, visitors should inform security personnel that they are attending the Advisory Committee Meeting on Foreign Animal and Poultry Diseases. Identification is required. Visitor badges must be worn at all times while inside the building.

Done in Washington, DC, this 5th day of September, 2002.

Peter Fernandez,

Acting Administrator, Animal and Plant Health Inspection Service.

[FR Doc. 02-22919 Filed 9-6-02; 8:45 am]

BILLING CODE 3410-34-P

DEPARTMENT OF AGRICULTURE

Forest Service

Northeast Oregon Forests Resource Advisory Committee (RAC)

AGENCY: Forest Service, USDA.

ACTION: Notice of meetings.

SUMMARY: Pursuant to the authorities in the Federal Advisory Committees Act (Pub. L. 92-463), the Northeast Oregon Forests Resource Advisory Committee (RAC) will meet on September 26–27, 2002 in Enterprise, Oregon. The purpose of the meeting is to meet as a Committee to complete business items identified at the June 14 meeting and tour Title II project sites on the Wallowa-Whitman National Forest.

DATES: The meeting will be held as follows: September 2, 2002, 8 a.m. to 5 p.m., Enterprise, Oregon; September 27,

Federal Register

Vol. 67, No. 174

Monday, September 9, 2002

2002, 8 a.m. to 3 p.m., Enterprise, Oregon.

ADDRESSES: The September 26, 2002 meeting will be held at the Wallowa Mountains Visitor Center, located at 88401 Highway 82, Enterprise, Oregon. The September 27, 2002 Title II project tour will start at Wallowa Mountains Visitor Center, located at 88401 Highway 82, Enterprise, Oregon and proceed through the Wallowa-Whitman National Forest.

FOR FURTHER INFORMATION CONTACT: Jennifer Harris, Designated Federal Official, USDA, Malheur National Forest, PO Box 909, John Day, Oregon 97845. Phone: (541) 575-3008.

SUPPLEMENTARY INFORMATION: At the September 26 meeting the RAC will receive an update of how the fiscal year 2002 projects are progressing, discuss replacement of alternate RAC members, initiate annual monitoring report procedures, and review project issues. A public input opportunity will be provided at 1:15 p.m. on September 26, and individuals will have the opportunity to address the committee at that time. After public comment the RAC will depart Enterprise to tour a Title II project site, from 1:45 p.m. to 5 p.m. On September 27 the committee will tour the Wallowa-Whitman National Forest and review fiscal year 2002 projects.

Dated: August 28, 2002.

Jennifer L. Harris,

Designated Federal Official.

[FR Doc. 02-22781 Filed 9-6-02; 8:45 am]

BILLING CODE 3410-DK-M

DEPARTMENT OF COMMERCE

International Trade Administration

[A-588-824]

Certain Corrosion-Resistant Carbon Steel Flat Products From Japan: Notice of Final Results of Changed Circumstances Review, and Revocation in Part of Antidumping Duty Order

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

ACTION: Notice of Final Results of Changed Circumstances Review, and Revocation in Part of Antidumping Duty Order.

SUMMARY:

On July 22, 2002, the Department of Commerce (“the Department”) published a notice of initiation and preliminary results of a changed circumstances review with the intent to revoke, in part, the antidumping duty order on certain corrosion-resistant carbon steel flat products from Japan. *See Certain Corrosion-Resistant Carbon Steel Flat Products From Japan: Notice of Initiation and Preliminary Results of Changed Circumstances Review of the Antidumping Order and Intent to Revoke Order in Part*, 67 FR 47766 (July 22, 2002) (“*Initiation and Preliminary Results*”). In our *Initiation and Preliminary Results*, we gave interested parties an opportunity to comment; however, we did not receive any comments. We are now revoking this order, in part, with respect to the particular carbon steel flat products described below, based on the fact that domestic parties have expressed no interest in the continuation of the order with respect to these particular carbon steel flat products. The Department will instruct the U.S. Customs Service (“Customs”) to proceed with liquidation, without regard to antidumping duties, of all unliquidated entries of certain corrosion-resistant carbon steel flat products meeting the specifications indicated below, entered or withdrawn from warehouse, for consumption on or after August 1, 1998, the day after the most recent time period that was subject to final results of an administrative review (08/01/97 - 07/31/98).

EFFECTIVE DATE: September 9, 2002.

FOR FURTHER INFORMATION CONTACT:

Catherine Bertrand, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, N.W., Washington, D.C. 20230; telephone: (202) 482-3207.

SUPPLEMENTARY INFORMATION:**THE APPLICABLE STATUTE AND REGULATIONS**

Unless otherwise indicated, all citations to the statute are references to the provisions effective January 1, 1995, the effective date of the amendments made to the Tariff Act of 1930 (“the Act”) by the Uruguay Round Agreements Act. In addition, unless otherwise indicated, all citations to the Department’s regulations are to the regulations as codified at 19 C.F.R. Part 351 (2002).

Background

On May 29, 2002, Uchiyama America, Inc. (“Uchiyama”) requested that the

Department revoke in part the antidumping duty order on certain corrosion-resistant carbon steel flat products from Japan. Specifically, Uchiyama requested that the Department revoke the order with respect to imports meeting the following specifications: (1) Widths ranging from 10 millimeters (0.394 inches) through 100 millimeters (3.94 inches); (2) thicknesses, including coatings, ranging from 0.11 millimeters (0.004 inches) through 0.60 millimeters (0.024 inches); and (3) a coating that is from 0.003 millimeters (0.00012 inches) through 0.005 millimeters (0.000196 inches) in thickness and that is comprised of either two evenly applied layers, the first layer consisting of 99% zinc, 0.5% cobalt, and 0.5% molybdenum, followed by a layer consisting of phosphate, or three evenly applied layers, the first layer consisting of 99% zinc, 0.5% cobalt, and 0.5% molybdenum followed by a layer consisting of phosphate, and finally a layer consisting of silicate.

On July 3, 2002, domestic producers of the like product, Bethlehem Steel Corporation; National Steel Corporation; and United States Steel Corporation, informed the Department that they have no interest in the importation or sale of steel from Japan with these specialized characteristics. Subsequently, as noted above, we gave interested parties an opportunity to comment on the *Initiation and Preliminary Results*. We received no comments from interested parties.

New Scope based on Changed Circumstances Review

The merchandise covered by this changed circumstances review is certain corrosion-resistant carbon steel flat products from Japan. This changed circumstances administrative review covers all manufacturers/exporters of carbon steel flat products meeting the specifications as noted above in the background section. The new scope of this order is as follows: the products covered by the antidumping duty order include flat-rolled carbon steel products, of rectangular shape, either clad, plated, or coated with corrosion-resistant metals such as zinc, aluminum, or zinc-, aluminum-, nickel- or iron-based alloys, whether or not corrugated or painted, varnished or coated with plastics or other nonmetallic substances in addition to the metallic coating, in coils (whether or not in successively superimposed layers) and of a width of 0.5 inch or greater, or in straight lengths which, if of a thickness less than 4.75 millimeters, are of a width of 0.5 inch or greater and which measures at least 10 times the thickness or if of a

thickness of 4.75 millimeters or more are of a width which exceeds 150 millimeters and measures at least twice the thickness, as currently classifiable in the HTSUS under item numbers 7210.30.0030, 7210.30.0060, 7210.41.0000, 7210.49.0030, 7210.49.0090, 7210.61.0000, 7210.69.0000, 7210.70.6030, 7210.70.6060, 7210.70.6090, 7210.90.1000, 7210.90.6000, 7210.90.9000, 7212.20.0000, 7212.30.1030, 7212.30.1090, 7212.30.3000, 7212.30.5000, 7212.40.1000, 7212.40.5000, 7212.50.0000, 7212.60.0000, 7215.90.1000, 7215.90.3000, 7215.90.5000, 7217.20.1500, 7217.30.1530, 7217.30.1560, 7217.90.1000, 7217.90.5030, 7217.90.5060, 7217.90.5090. Included in this order are corrosion-resistant flat-rolled products of non-rectangular cross-section where such cross-section is achieved subsequent to the rolling process (i.e., products which have been “worked after rolling”) for example, products which have been beveled or rounded at the edges.

Excluded from this order are flat-rolled steel products either plated or coated with tin, lead, chromium, chromium oxides, both tin and lead (“terne plate”), or both chromium and chromium oxides (“tin-free steel”), whether or not painted, varnished or coated with plastics or other nonmetallic substances in addition to the metallic coating.

Also excluded from this order are clad products in straight lengths of 0.1875 inch or more in composite thickness and of a width which exceeds 150 millimeters and measures at least twice the thickness.

Also excluded from this order are certain clad stainless flat-rolled products, which are three-layered corrosion-resistant carbon steel flat-rolled products less than 4.75 millimeters in composite thickness that consist of a carbon steel flat-rolled product clad on both sides with stainless steel in a 20%-60%-20% ratio.

Also excluded from this order are certain corrosion-resistant carbon steel flat products meeting the following specifications: (1) widths ranging from 10 millimeters (0.394 inches) through 100 millimeters (3.94 inches); (2) thicknesses, including coatings, ranging from 0.11 millimeters (0.004 inches) through 0.60 millimeters (0.024 inches); and (3) a coating that is from 0.003 millimeters (0.00012 inches) through 0.005 millimeters (0.000196 inches) in thickness and that is comprised of either two evenly applied layers, the first layer consisting of 99% zinc, 0.5% cobalt,

and 0.5% molybdenum, followed by a layer consisting of chromate, or three evenly applied layers, the first layer consisting of 99% zinc, 0.5% cobalt, and 0.5% molybdenum followed by a layer consisting of chromate, and finally a layer consisting of silicate.

Also excluded from this order are carbon steel flat products measuring 1.84 millimeters in thickness and 43.6 millimeters or 16.1 millimeters in width consisting of carbon steel coil (SAE 1008) clad with an aluminum alloy that is balance aluminum, 20% tin, 1% copper, 0.3% silicon, 0.15% nickel, less than 1% other materials and meeting the requirements of SAE standard 783 for Bearing and Bushing Alloys.

Also excluded from this order are carbon steel flat products measuring 0.97 millimeters in thickness and 20 millimeters in width consisting of carbon steel coil (SAE 1008) with a two-layer lining, the first layer consisting of a copper-lead alloy powder that is balance copper, 9% to 11% tin, 9% to 11% lead, less than 1% zinc, less than 1% other materials and meeting the requirements of SAE standard 792 for Bearing and Bushing Alloys, the second layer consisting of 45% to 55% lead, 38% to 50% PTFE, 3% to 5% molybdenum disulfide and less than 2% other materials.

Also excluded from this order are doctor blades meeting the following specifications: carbon steel coil or strip, plated with nickel phosphorous, having a thickness of 0.1524 millimeters (0.006 inches), a width between 31.75 millimeters (1.25 inches) and 50.80 millimeters (2.00 inches), a core hardness between 580 to 630 HV, a surface hardness between 900 - 990 HV; the carbon steel coil or strip consists of the following elements identified in percentage by weight: 0.90% to 1.05% carbon; 0.15% to 0.35% silicon; 0.30% to 0.50% manganese; less than or equal to 0.03% of phosphorous; less than or equal to 0.006% of sulfur; other elements representing 0.24%; and the remainder of iron.

Also excluded from this order are products meeting the following specifications: carbon steel flat products measuring 1.64 millimeters in thickness and 19.5 millimeters in width consisting of carbon steel coil (SAE 1008) with a lining clad with an aluminum alloy that is balance aluminum; 10 to 15% tin; 1 to 3% lead; 0.7 to 1.3% copper; 1.8 to 3.5% silicon; 0.1 to 0.7% chromium, less than 1% other materials and meeting the requirements of SAE standard 783 for Bearing and Bushing Alloys.

Also, excluded from this order are products meeting the following

specifications: carbon steel coil or strip, measuring 1.93 millimeters or 2.75 millimeters (0.076 inches or 0.108 inches) in thickness, 87.3 millimeters or 99 millimeters (3.437 inches or 3.900 inches) in width, with a low carbon steel back comprised of: carbon under 8%, manganese under 0.4%, phosphorous under 0.04%, and sulfur under 0.05%; clad with aluminum alloy comprised of: 0.7% copper, 12% tin, 1.7% lead, 0.3% antimony, 2.5% silicon, 1% maximum total other (including iron), and remainder aluminum.

Also excluded from this order are products meeting the following specifications: carbon steel coil or strip, clad with aluminum, measuring 1.75 millimeters (0.069 inches) in thickness, 89 millimeters or 94 millimeters (3.500 inches or 3.700 inches) in width, with a low carbon steel back comprised of: carbon under 8%, manganese under 0.4%, phosphorous under 0.04%, and sulfur under 0.05%; clad with aluminum alloy comprised of: 0.7% copper, 12% tin, 1.7% lead, 2.5% silicon, 0.3% antimony, 1% maximum total other (including iron), and remainder aluminum.

Also excluded from this order are products meeting the following specifications: carbon steel coil or strip, measuring a minimum of and including 1.10mm to a maximum of and including 4.90mm in overall thickness, a minimum of and including 76.00mm to a maximum of and including 250.00mm in overall width, with a low carbon steel back comprised of: carbon under 0.10%, manganese under 0.40%, phosphorous under 0.04%, sulfur under 0.05%, and silicon under 0.05%; clad with aluminum alloy comprised of: under 2.51% copper, under 15.10% tin, and remainder aluminum as listed on the mill specification sheet.

Also excluded from this order are products meeting the following specifications: (1) diffusion annealed, non-alloy nickel-plated carbon products, with a substrate of cold-rolled battery grade sheet ("CRBG") with both sides of the CRBG initially electrolytically plated with pure, unalloyed nickel and subsequently annealed to create a diffusion between the nickel and iron substrate, with the nickel plated coating having a thickness of 0-5 microns per side with one side equaling at least 2 microns; and with the nickel carbon sheet having a thickness of from 0.004" (0.10mm) to 0.030" (0.762mm) and conforming to the following chemical specifications (%): C \leq 0.08; Mn \leq 0.45; P \leq 0.02; S \leq 0.02; Al \leq 0.15; and Si \leq 0.10; and the following physical specifications:

Tensile = 65 KSI maximum; Yield = 32 - 55 KSI; Elongation = 18% minimum (aim 34%); Hardness = 85 - 150 Vickers; Grain Type = Equiaxed or Pancake; Grain Size (ASTM) = 7-12; Delta r value = aim less than +/- 0.2; Lankford value = \geq 1.2.; and (2) next generation diffusion-annealed nickel plate meeting the following specifications: (a) nickel-graphite plated, diffusion annealed, tin-nickel plated carbon products, with a natural composition mixture of nickel and graphite electrolytically plated to the top side of diffusion annealed tin-nickel plated carbon steel strip with a cold rolled or tin mill black plate base metal conforming to chemical requirements based on AISI 1006; having both sides of the cold rolled substrate electrolytically plated with natural nickel, with the top side of the nickel plated strip electrolytically plated with tin and then annealed to create a diffusion between the nickel and tin layers in which a nickel-tin alloy is created, and an additional layer of mixture of natural nickel and graphite then electrolytically plated on the top side of the strip of the nickel-tin alloy; having a coating thickness: top side: nickel-graphite, tin-nickel layer \geq 1.0 micrometers; tin layer only \geq 0.05 micrometers, nickel-graphite layer only $>$ 0.2 micrometers, and bottom side: nickel layer \geq 1.0 micrometers; (b) nickel-graphite, diffusion annealed, nickel plated carbon products, having a natural composition mixture of nickel and graphite electrolytically plated to the top side of diffusion annealed nickel plated steel strip with a cold rolled or tin mill black plate base metal conforming to chemical requirements based on AISI 1006; with both sides of the cold rolled base metal initially electrolytically plated with natural nickel, and the material then annealed to create a diffusion between the nickel and the iron substrate; with an additional layer of natural nickel-graphite then electrolytically plated on the top side of the strip of the nickel plated steel strip; with the nickel-graphite, nickel plated material sufficiently ductile and adherent to the substrate to permit forming without cracking, flaking, peeling, or any other evidence of separation; having a coating thickness: top side: nickel-graphite, tin-nickel layer \geq 1.0 micrometers; nickel-graphite layer \geq 0.5 micrometers; bottom side: nickel layer \geq 1.0 micrometers; (c) diffusion annealed nickel-graphite plated products, which are cold-rolled or tin mill black plate base metal conforming to the chemical requirements based on AISI 1006; having the bottom side of the base metal

first electrolytically plated with natural nickel, and the top side of the strip then plated with a nickel-graphite composition; with the strip then annealed to create a diffusion of the nickel-graphite and the iron substrate on the bottom side; with the nickel-graphite and nickel plated material sufficiently ductile and adherent to the substrate to permit forming without cracking, flaking, peeling, or any other evidence of separation; having coating thickness: top side: nickel-graphite layer ≥ 1.0 micrometers; bottom side: nickel layer ≥ 1.0 micrometers; (d) nickel-phosphorous plated diffusion annealed nickel plated carbon product, having a natural composition mixture of nickel and phosphorus electrolytically plated to the top side of a diffusion annealed nickel plated steel strip with a cold rolled or tin mill black plate base metal conforming to the chemical requirements based on AISI 1006; with both sides of the base metal initially electrolytically plated with natural nickel, and the material then annealed to create a diffusion of the nickel and iron substrate; another layer of the natural nickel-phosphorous then electrolytically plated on the top side of the nickel plated steel strip; with the nickel-phosphorous, nickel plated material sufficiently ductile and adherent to the substrate to permit forming without cracking, flaking, peeling or any other evidence of separation; having a coating thickness: top side: nickel-phosphorous, nickel layer ≥ 1.0 micrometers; nickel-phosphorous layer ≥ 0.1 micrometers; bottom side : nickel layer ≥ 1.0 micrometers; (e) diffusion annealed, tin-nickel plated products, electrolytically plated with natural nickel to the top side of a diffusion annealed tin-nickel plated cold rolled or tin mill black plate base metal conforming to the chemical requirements based on AISI 1006; with both sides of the cold rolled strip initially electrolytically plated with natural nickel, with the top side of the nickel plated strip electrolytically plated with tin and then annealed to create a diffusion between the nickel and tin layers in which a nickel-tin alloy is created, and an additional layer of natural nickel then electrolytically plated on the top side of the strip of the nickel-tin alloy; sufficiently ductile and adherent to the substrate to permit forming without cracking, flaking, peeling or any other evidence of separation; having coating thickness: top side: nickel-tin-nickel combination layer ≥ 1.0 micrometers; tin layer only ≥ 0.05 micrometers; bottom side: nickel layer ≥ 1.0 micrometers; and (f) tin mill

products for battery containers, tin and nickel plated on a cold rolled or tin mill black plate base metal conforming to chemical requirements based on AISI 1006; having both sides of the cold rolled substrate electrolytically plated with natural nickel; then annealed to create a diffusion of the nickel and iron substrate; then an additional layer of natural tin electrolytically plated on the top side; and again annealed to create a diffusion of the tin and nickel alloys; with the tin-nickel, nickel plated material sufficiently ductile and adherent to the substrate to permit forming without cracking, flaking, peeling or any other evidence of separation; having a coating thickness: top side: nickel-tin layer ≥ 1 micrometer; tin layer alone ≥ 0.05 micrometers; bottom side: nickel layer ≥ 1.0 micrometer.

Also excluded from this order are products meeting the following specifications: (1) widths ranging from 10 millimeters (0.394 inches) through 100 millimeters (3.94 inches); (2) thicknesses, including coatings, ranging from 0.11 millimeters (0.004 inches) through 0.60 millimeters (0.024 inches); and (3) a coating that is from 0.003 millimeters (0.00012 inches) through 0.005 millimeters (0.000196 inches) in thickness and that is comprised of either two evenly applied layers, the first layer consisting of 99% zinc, 0.5% cobalt, and 0.5% molybdenum, followed by a layer consisting of phosphate, or three evenly applied layers, the first layer consisting of 99% zinc, 0.5% cobalt, and 0.5% molybdenum followed by a layer consisting of phosphate, and finally a layer consisting of silicate.

Final Results of Review; Partial Revocation of Antidumping Duty Order

The affirmative statement of no interest by petitioners concerning carbon steel flat products, as described herein, constitutes changed circumstances sufficient to warrant partial revocation of this order. Also, no party commented on the *Initiation and Preliminary Results*. Therefore, the Department is partially revoking the order on certain corrosion-resistant carbon steel flat products from Japan with regard to products which meet the specifications detailed above, in accordance with sections 751(b) and (d) and 782(h) of the Act and 19 CFR 351.216(d).

The Department will instruct the Customs to proceed with liquidation, without regard to antidumping duties, of all unliquidated entries of certain corrosion-resistant carbon steel flat products meeting the specifications indicated above, entered or withdrawn

from warehouse, for consumption on or after August 1, 1998, the day after the most recent time period that was subject to final results of an administrative review (08/01/97 - 07/31/98). The Department will further instruct Customs to refund with interest any estimated duties collected with respect to unliquidated entries of certain corrosion-resistant carbon steel flat products meeting the specifications indicated above, entered or withdrawn from warehouse, for consumption on or after August 1, 1998, in accordance with section 778 of the Act.

This notice serves as a reminder to parties subject to administrative protective orders ("APOs") of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.306. Timely written notification of the return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and terms of an APO is a sanctionable violation.

This changed circumstances administrative review, partial revocation of the antidumping duty order and notice are in accordance with sections 751(b) and (d) and 782(h) of the Act and sections 351.216(e) and 351.222(g) of the Department's regulations.

Dated: August 29, 2002.

Faryar Shirzad,

Assistant Secretary for Import Administration.

[FR Doc. 02-22840 Filed 9-6-02; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

International Trade Administration

[A-570-502]

Iron Construction Castings from the People's Republic of China; Amended Final Results of Antidumping Duty Administrative Reviews in Accordance with Court Decision

AGENCY: Import Administration, International Trade Administration, U.S. Department of Commerce.

ACTION: Notice of Amended Final Results of Antidumping Duty Administrative Reviews in accordance with Court Decision.

SUMMARY: On February 10, 2000, the Court of International Trade affirmed the remand determinations of the Department of Commerce (the Department) arising from the 1987-88, 1988-89 and 1989-90 administrative