

Dated: September 30, 2002.

Michael J. Kurtz,

*Assistant Archivist for Record Services—
Washington, DC.*

[FR Doc. 02-25242 Filed 10-3-02; 8:45 am]

BILLING CODE 7515-01-P

NATIONAL ARCHIVES AND RECORDS ADMINISTRATION

Information Quality Guidelines

AGENCY: National Archives and Records Administration (NARA).

ACTION: Notice of availability of final information quality guidelines.

SUMMARY: NARA is giving notice of availability of its Information Quality Guidelines (guidelines). The guidelines contain NARA's standards of quality, utility, objectivity, and integrity for information that is disseminated to the public, and the administrative procedures for preparing, reviewing, and correcting information products. The guidelines also describe the mechanisms for the public to request correction of information, and to request reconsideration of a NARA decision to deny a request for correction.

The guidelines are available electronically at http://www.archives.gov/about_us/information_quality/guidelines.html. For a paper copy of the guidelines, contact the person listed in **FOR FURTHER INFORMATION CONTACT**.

EFFECTIVE DATE: The guidelines were effective October 1, 2002.

FOR FURTHER INFORMATION CONTACT: Lisa Weber at 301-837-3112.

Dated: October 1, 2002.

Nancy Allard,

Federal Register Liaison.

[FR Doc. 02-25393 Filed 10-3-02; 8:45 am]

BILLING CODE 7515-01-P

NATIONAL COUNCIL ON DISABILITY

International Watch Advisory Committee Meeting (Conference Call)

AGENCY: National Council on Disability (NCD).

DATES: 12 noon, EST, November 21, 2002.

ADDRESSES: National Council on Disability, 1331 F Street, NW., Suite 850, Washington, DC.

Status: All parts of this meeting will be open to the public. Those interested in participating in the conference call should contact the appropriate staff member listed below. Due to limited resources, only a few telephone lines will be available for the conference call.

Agenda: Roll call, announcements, overview of accomplishments, planning for FY 2003, reports, new business, adjournment.

FOR FURTHER INFORMATION CONTACT: Joan Durocher, Attorney Advisor and Designated Federal Official, National Council on Disability, 1331 F Street NW, Suite 850, Washington, DC 20004; 202-272-2004 (voice), 202-272-2074 (TTY), 202-272-2022 (fax), jdurocher@ncd.gov (e-mail).

International Watch Advisory Committee Mission: The purpose of NCD's International Watch is to share information on international disability issues and to advise NCD on developing policy proposals that will advocate for a foreign policy that is consistent with the values and goals of the Americans with Disabilities Act.

Dated: October 1, 2002.

Ethel D. Briggs,

Executive Director.

[FR Doc. 02-25253 Filed 10-3-02; 8:45 am]

BILLING CODE 6820-MA-P

NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-254 and 50-265]

Exelon Generation Company, LLC; Notice of Consideration of Issuance of Amendment to Facility Operating License, Proposed No Significant Hazards Consideration Determination, and Opportunity for a Hearing

The U.S. Nuclear Regulatory Commission (the Commission) is considering issuance of an amendment to Facility Operating License Nos. DPR-29 and DPR-30 issued to Exelon Generation Company, LLC (Exelon, the licensee), for operation of the Quad Cities Nuclear Power Station, Units 1 and 2, located in Rock Island County, IL.

The proposed amendment would revise the Updated Safety Analysis Report (UFSAR) to allow lifting heavier loads with the reactor building crane during the Unit 1 refueling outage beginning in November 2002.

Before issuance of the proposed license amendment, the Commission will have made findings required by the Atomic Energy Act of 1954, as amended (the Act), and the Commission's regulations.

The Commission has made a proposed determination that the amendment request involves no significant hazards consideration. Under the Commission's regulations in Title 10 of the Code of Federal Regulations (10

CFR), Section 50.92, this means that operation of the facility in accordance with the proposed amendment would not (1) involve a significant increase in the probability or consequences of an accident previously evaluated; or (2) create the possibility of a new or different kind of accident from any accident previously evaluated; or (3) involve a significant reduction in a margin of safety. As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. The proposed changes do not involve a significant increase in the probability or consequences of an accident previously evaluated.

The proposed changes will allow use of the reactor building crane at Quad Cities Nuclear Power Station (QCNPS) during power operations to lift heavy loads up to 125 tons for removal and re-installation activities for the reactor cavity shield blocks during the Unit 1 refueling outage (*i.e.*, Q1R17). The reactor building crane has additional margin for a total lifted load of 125 tons with single failure-proof features if a Design Basis Earthquake (DBE) is not assumed. Exelon has qualitatively demonstrated that the probability of a DBE occurring during the limited duration (estimated to be 24 hours) of the request is very small. The probability of load drop accidents previously evaluated is not increased since the capacity of the reactor building crane equals or exceeds the weight of the reactor cavity shield blocks.

Therefore, the proposed changes do not involve a significant increase in the probability or consequences of an accident previously evaluated.

2. The proposed changes do not create the possibility of a new or different kind of accident from any accident previously evaluated.

The proposed changes allow use of the QCNPS reactor building crane for a limited duration to lift heavy loads up to a total of 125 tons during removal and reinstallation activities for the reactor cavity shield blocks. The reactor building crane has additional margin for a lifted load of 125 tons with single failure-proof features if a DBE is not assumed. The probability of a DBE during the limited duration of the request is very small. Therefore, the single failure-proof features ensure that the proposed changes provide an equivalent level of safety and will not create the possibility of a new or different kind of accident from any accident previously evaluated.

3. The proposed changes do not involve a significant reduction in a margin of safety.

The reactor building crane is rated for lifting loads up to 125 tons. The NRC has approved qualification of the QCNPS reactor building crane as single failure-proof for loads of up to 110 tons. The proposed change allows use of the crane for a limited duration to lift loads up to 125 tons. Existing safety margins are enhanced when lifting loads up to 125 tons if a DBE is not assumed, and Exelon has demonstrated that the probability

of a DBE during the limited duration of the request is very small. Therefore, it is concluded that the proposed changes do not result in a significant reduction in the margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

The Commission is seeking public comments on this proposed determination. Any comments received within 30 days after the date of publication of this notice will be considered in making any final determination.

Normally, the Commission will not issue the amendment until the expiration of the 30-day notice period. However, should circumstances change during the notice period such that failure to act in a timely way would result, for example, in derating or shutdown of the facility, the Commission may issue the license amendment before the expiration of the 30-day notice period, provided that its final determination is that the amendment involves no significant hazards consideration. The final determination will consider all public and State comments received. Should the Commission take this action, it will publish in the **Federal Register** a notice of issuance and provide for opportunity for a hearing after issuance. The Commission expects that the need to take this action will occur very infrequently.

Written comments may be submitted by mail to the Chief, Rules and Directives Branch, Division of Administrative Services, Office of Administration, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and should cite the publication date and page number of this **Federal Register** notice. Written comments may also be delivered to Room 6D59, Two White Flint North, 11545 Rockville Pike, Rockville, Maryland, from 7:30 a.m. to 4:15 p.m. Federal workdays. Documents may be examined, and/or copied for a fee, at the NRC's Public Document Room, located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland.

The filing of requests for hearing and petitions for leave to intervene is discussed below.

By November 4, 2002, the licensee may file a request for a hearing with respect to issuance of the amendment to the subject facility operating license and any person whose interest may be

affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings" in 10 CFR Part 2. Interested persons should consult a current copy of 10 CFR 2.714,¹ which is available at the Commission's Public Document Room, located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland, or electronically on the Internet at the NRC Web site <http://www.nrc.gov/reading-rm/doc-collections/cfr/>. If there are problems in accessing the document, contact the Public Document Room Reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to pdr@nrc.gov. If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or an Atomic Safety and Licensing Board, designated by the Commission or by the Chairman of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the designated Atomic Safety and Licensing Board will issue a notice of hearing or an appropriate order.

As required by 10 CFR 2.714, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following factors: (1) The nature of the petitioner's right under the Act to be

¹ The most recent version of Title 10 of the Code of Federal Regulations, published January 1, 2002, inadvertently omitted the last sentence of 10 CFR 2.714(d) and subparagraphs (d)(1) and (2), regarding petitions to intervene and contentions. Those provisions are extant and still applicable to petitions to intervene. Those provisions are as follows: "In all other circumstances, such ruling body or officer shall, in ruling on—

(1) A petition for leave to intervene or a request for hearing, consider the following factors, among other things:

(i) The nature of the petitioner's right under the Act to be made a party to the proceeding.

(ii) The nature and extent of the petitioner's property, financial, or other interest in the proceeding.

(iii) The possible effect of any order that may be entered in the proceeding on the petitioner's interest.

(2) The admissibility of a contention, refuse to admit a contention if:

(i) The contention and supporting material fail to satisfy the requirements of paragraph (b)(2) of this section; or

(ii) The contention, if proven, would be of no consequence in the proceeding because it would not entitle petitioner to relief."

made party to the proceeding; (2) the nature and extent of the petitioner's property, financial, or other interest in the proceeding; and (3) the possible effect of any order which may be entered in the proceeding on the petitioner's interest. The petition should also identify the specific aspect(s) of the subject matter of the proceeding as to which petitioner wishes to intervene. Any person who has filed a petition for leave to intervene or who has been admitted as a party may amend the petition without requesting leave of the Board up to 15 days prior to the first prehearing conference scheduled in the proceeding, but such an amended petition must satisfy the specificity requirements described above.

Not later than 15 days prior to the first prehearing conference scheduled in the proceeding, a petitioner shall file a supplement to the petition to intervene which must include a list of the contentions which are sought to be litigated in the matter. Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the petitioner shall provide a brief explanation of the bases of the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner must also provide references to those specific sources and documents of which the petitioner is aware and on which the petitioner intends to rely to establish those facts or expert opinion. Petitioner must provide sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the petitioner to relief. A petitioner who fails to file such a supplement which satisfies these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing, including the opportunity to present evidence and cross-examine witnesses.

If a hearing is requested, the Commission will make a final determination on the issue of no significant hazards consideration. The final determination will serve to decide when the hearing is held.

If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing held would take place after issuance of the amendment.

If the final determination is that the amendment request involves a significant hazards consideration, any hearing held would take place before the issuance of any amendment.

A request for a hearing or a petition for leave to intervene must be filed with the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemakings and Adjudications Staff, or may be delivered to the Commission's Public Document Room (PDR), located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland, by the above date. Because of the continuing disruptions in delivery of mail to United States Government offices, it is requested that petitions for leave to intervene and requests for hearing be transmitted to the Secretary of the Commission either by means of facsimile transmission to 301-415-1101 or by e-mail to hearingdocket@nrc.gov. A copy of the petition for leave to intervene and request for hearing should also be sent to the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and because of continuing disruptions in delivery of mail to United States Government offices, it is requested that copies be transmitted either by means of facsimile transmission to 301-415-3725 or by e-mail to OGCMailCenter@nrc.gov. A copy of the request for hearing and petition for leave to intervene should also be sent to Mr. Edward J. Cullen, Deputy General Counsel, Exelon BSC—Legal, 2301 Market Street, Philadelphia, PA 19101, attorney for the licensee.

Nontimely filings of petitions for leave to intervene, amended petitions, supplemental petitions and/or requests for hearing will not be entertained absent a determination by the Commission, the presiding officer or the presiding Atomic Safety and Licensing Board that the petition and/or request should be granted based upon a balancing of the factors specified in 10 CFR 2.714(a)(1)(i)-(v) and 2.714(d).

For further details with respect to this action, see the application for amendment dated October 1, 2002, which is available for public inspection at the Commission's PDR, located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be

accessible from the Agencywide Documents Access and Management System's (ADAMS) Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm/adams.html>. Persons who do not have access to ADAMS or who encounter problems in accessing the documents located in ADAMS, should contact the NRC PDR Reference staff by telephone at 1-800-397-4209, 301-415-4737, or by e-mail to pdr@nrc.gov.

Dated at Rockville, Maryland, this 2nd day of October 2002.

For the Nuclear Regulatory Commission.

Carl F. Lyon,

Project Manager, Section 2, Project Directorate III, Division of Licensing Project Management, Office of Nuclear Reactor Regulation.

[FR Doc. 02-25385 Filed 10-3-02; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[Docket No. 50-395]

South Carolina Electric and Gas Co., Virgil C. Summer Nuclear Station; Notice of Acceptance for Docketing of the Application and Notice of Opportunity for a Hearing Regarding Renewal of Facility Operating License No. NPF-12 for an Additional 20-Year Period

The U.S. Nuclear Regulatory Commission (the Commission) is considering an application for the renewal of Operating License No. NPF-12, which authorizes South Carolina Electric & Gas Company to operate Virgil C. Summer Nuclear Station, at 2900 megawatts thermal. The renewed license would authorize the applicant to operate the Virgil C. Summer Nuclear Station for an additional 20 years beyond the period specified in the current license. The current operating license for Virgil C. Summer Nuclear Station expires on August 6, 2022.

On August 6, 2002, the Commission received an application from South Carolina Electric & Gas Company to renew the operating license for the Virgil C. Summer Nuclear Station. A Notice of Receipt of Application, "Virgil C. Summer Nuclear Station; Notice of Receipt of Application for Renewal of Facility Operating License No. NPF-12 for an Additional 20-year Period," was published in the **Federal Register** on September 3, 2002, (67 FR 56316).

The Commission's staff (the staff) has determined that South Carolina Electric & Gas Company has submitted information in accordance with 10 CFR

54.19, 54.21, 54.22, 54.23, and 51.53(c) that is complete and acceptable for docketing. The current Docket No. 50-395 for Operating License No. NPF-12 will be retained. The docketing of the renewal application does not preclude requesting additional information as the review proceeds, nor does it predict whether the Commission will grant or deny the application.

Before issuance of each requested renewed license, the Commission will have made the findings required by the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. In accordance with 10 CFR 54.29, the Commission will issue a renewed license on the basis of its review if it finds that actions have been identified and have been or will be taken with respect to (1) managing the effects of aging during the period of extended operation on the functionality of structures and components that have been identified as requiring aging management review, and (2) time-limited aging analyses that have been identified as requiring review, such that there is reasonable assurance that the activities authorized by the renewed license will continue to be conducted in accordance with the current licensing basis (CLB) and that any changes made to the plant's CLB comply with the Act and the Commission's regulations.

Additionally, in accordance with 10 CFR 51.95(c), the Commission will prepare an environmental impact statement that is a supplement to NUREG-1437, "Generic Environmental Impact Statement for License Renewal of Nuclear Power Plants" (May 1996). Pursuant to 10 CFR 51.26, and as part of the environmental scoping process, the staff intends to hold a public scoping meeting. Detailed information regarding this meeting will be included in a future **Federal Register** notice. The Commission also intends to hold public meetings to discuss the license renewal process and the schedule for conducting the review. The Commission will provide prior notice of these meetings. As discussed further herein, in the event that a hearing is held, issues that may be litigated will be confined to those pertinent to the foregoing.

Within 30 days from the date of publication of this **Federal Register** notice, the applicant may file a request for a hearing, and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene with respect to the renewal of the licenses in accordance with the provisions of 10 CFR 2.714.