

## 7. Administrative Requirements

Under Executive Order 12866 (58 FR 51735, October 4, 1993), this proposed action is not a "significant regulatory action" and therefore is not subject to review by the Office of Management and Budget. This proposed action merely proposes to approve state law as meeting federal requirements and imposes no additional requirements beyond those imposed by state law. Accordingly, the Administrator certifies that this proposed rule will not have a significant economic impact on a substantial number of small entities under the Regulatory Flexibility Act (5 U.S.C. 601 *et seq.*). Because this rule proposes to approve pre-existing requirements under state law and does not impose any additional enforceable duty beyond that required by state law, it does not contain any unfunded mandate or significantly or uniquely affect small governments, as described in the Unfunded Mandates Reform Act of 1995 (Pub. L. 104-4). This proposed rule also does not have a substantial direct effect on one or more Indian tribes, on the relationship between the Federal Government and Indian tribes, or on the distribution of power and responsibilities between the Federal Government and Indian tribes, as specified by Executive Order 13175 (65 FR 67249, November 9, 2000), nor will it have substantial direct effects on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government, as specified in Executive Order 13132 (64 FR 43255, August 10, 1999), because it merely proposes to approve a state rule implementing a federal standard, and does not alter the relationship or the distribution of power and responsibilities established in the Clean Air Act. This proposed rule also is not subject to Executive Order 13045 (62 FR 19885, April 23, 1997), because it is not economically significant.

In reviewing SIP submissions, EPA's role is to approve state choices, provided that they meet the criteria of the Clean Air Act. In this context, in the absence of a prior existing requirement for the State to use voluntary consensus standards (VCS), EPA has no authority to disapprove a SIP submission for failure to use VCS. It would thus be inconsistent with applicable law for EPA, when it reviews a SIP submission, to use VCS in place of a SIP submission that otherwise satisfies the provisions of the Clean Air Act. Thus, the requirements of section 12(d) of the National Technology Transfer and

Advancement Act of 1995 (15 U.S.C. 272 note) do not apply. As required by section 3 of Executive Order 12988 (61 FR 4729, February 7, 1996), in issuing this proposed rule, EPA has taken the necessary steps to eliminate drafting errors and ambiguity, minimize potential litigation, and provide a clear legal standard for affected conduct. EPA has complied with Executive Order 12630 (53 FR 8859, March 15, 1988) by examining the takings implications of the rule in accordance with the "Attorney General's Supplemental Guidelines for the Evaluation of Risk and Avoidance of Unanticipated Takings" issued under the executive order. This proposed rule does not impose an information collection burden under the provisions of the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 *et seq.*).

### List of Subjects in 40 CFR Part 52

Environmental protection, Air pollution control, Carbon monoxide, Intergovernmental relations, Nitrogen dioxide, Ozone, Reporting and recordkeeping requirements, Volatile organic compounds.

**Authority:** 42 U.S.C. 7401 *et seq.*

Dated: October 28, 2002.

**William J. Muszynski,**

*Deputy Regional Administrator, Region 2.*

[FR Doc. 02-28076 Filed 11-4-02; 8:45 am]

**BILLING CODE 6560-50-P**

## ENVIRONMENTAL PROTECTION AGENCY

### 40 CFR Part 62

[MS-200301(b); FRL-7404-3]

### Approval and Promulgation of State Plan for Designated Facilities and Pollutants; State of Mississippi

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Proposed rule.

**SUMMARY:** EPA is proposing to approve the small Municipal Waste Combustion (MWC) units section 111(d) negative declaration submitted by the State of Mississippi. This negative declaration certifies that small MWC units subject to the requirements of section 111(d) and 129 of the Clean Air Act (CAA) do not exist in Mississippi.

In the Final Rules Section of this **Federal Register**, the EPA is approving the State's submittal as a direct final rule without prior proposal because the Agency views this as a noncontroversial submittal and anticipates no adverse comments. A detailed rationale for the

approval is set forth in the direct final rule. If no adverse comments are received in response to this action, no further activity is contemplated. If EPA receives adverse comments, the direct final rule will be withdrawn and all public comments received will be addressed in a subsequent final rule based on this proposed rule. The EPA will not institute a second comment period on this document. Any parties interested in commenting on this document should do so at this time.

**DATES:** Written comments must be received on or before December 5, 2002.

**ADDRESSES:** Written comments should be addressed to Joydeb Majumder, at the EPA Regional Office listed below. The interested persons wanting to examine these documents should make an appointment with the appropriate office at least 24 hours before the visiting day. Copies of the documents relative to this action are available for public inspection during normal business hours at the following locations: EPA Region 4, Air Toxics and Monitoring Branch, Sam Nunn Atlanta Federal Center, 61 Forsyth Street, SW., Atlanta, Georgia 30303-8960.

**FOR FURTHER INFORMATION CONTACT:** Joydeb Majumder at (404) 562-9121 or Michele Notarianni at (404) 562-9031.

**SUPPLEMENTARY INFORMATION:** For additional information see the direct final rule which is published in the Final Rules Section of this **Federal Register**.

Dated: October 24, 2002.

**A. Stanley Meiburg,**

*Acting Regional Administrator, Region 4.*

[FR Doc. 02-28080 Filed 11-4-02; 8:45 am]

**BILLING CODE 6560-50-P**

## FEDERAL COMMUNICATIONS COMMISSION

### 47 CFR Part 90

[WT Docket No. 02-285; FCC 02-255; RM-10077]

### Frequency Coordination of Public Safety Frequencies in the Private Land Mobile Radio Below 470 MHz Band

**AGENCY:** Federal Communications Commission.

**ACTION:** Proposed rule.

**SUMMARY:** In this document the Federal Communications Commission (Commission) seeks comment on whether to modify the frequency coordination procedures for Public Safety Pool frequencies in the Private Land Mobile Radio (PLMR) Services

below 470 MHz by expanding competitive coordination. The Commission also solicits comments on potential rule changes, whether modification of the existing frequency coordination process is warranted to ensure the quality of recommendations, minimize unwarranted application processing costs and delays, and encourage sharing and new technologies where appropriate while preserving the integrity of public safety communications systems in the Public Safety Pool below 470 MHz. Also, the Commission grants a Petition for Rulemaking (Petition) filed by the Association of Public-Safety Communications Officials-International, Inc. (APCO). The Petition requests the commencement of a proceeding to amend Commission's Rules for expansion of competitive frequency coordination for Public Safety Pool frequencies in the PLMR Services frequencies below 470 MHz. Finally, the Commission also seeks comment on retaining the existing frequency coordination rules and policies and alternatives to competitive frequency coordination.

**DATES:** Comments are due on or before December 5, 2002 and reply comments are due on or before December 20, 2002.

**ADDRESSES:** Federal Communications Commission, 445 12th Street, SW., TW-A325, Washington, DC 20554. See Supplementary Information for filing instructions.

**FOR FURTHER INFORMATION CONTACT:** John Evanoff, Esquire, at (202) 418-0848, [jevanoff@fcc.gov](mailto:jevanoff@fcc.gov), Policy and Rules Branch, Public Safety and Private Wireless Division, Wireless Telecommunications Bureau.

**SUPPLEMENTARY INFORMATION:** This is a summary of the Commission's *Notice of Proposed Rulemaking (NPRM)*, FCC 02-255, adopted on September 16, 2002, and released on September 19, 2002. The full text of this document is available for inspection and copying during normal business hours in the FCC Reference Center, 445 12th Street, SW., Washington, DC 20554. The complete text may be purchased from the Commission's copy contractor, Qualex International, 445 12th Street, SW., Room CY-B402, Washington, DC 20554. The full text may also be downloaded at: <http://www.fcc.gov>. Alternative formats are available to persons with disabilities by contacting Brian Millin at (202) 418-7426 or TTY (202) 418-7365 or at [bmillin@fcc.gov](mailto:bmillin@fcc.gov).

1. In this NPRM, we solicit comment on whether to modify the existing frequency coordination procedures for

the Public Safety Pool below 470 MHz by expanding competitive frequency coordination. We also grant the February 21, 2001 Petition for Rulemaking (Petition) filed by the Association of Public-Safety Communications Officials-International, Inc. (APCO) requesting the commencement of a proceeding to amend § 90.20(c) of the Commission's Rules.

## I. Procedural Matters

### A. *Ex Parte Rules—Permit-But-Disclose Proceeding*

2. This is a permit-but-disclose notice and comment rulemaking proceeding. Ex parte presentations are permitted, except during the Sunshine Agenda period, if they are disclosed as provided in the Commission's Rules. See generally 47 CFR 1.1200(a), 1.1203, and 1.1206.

### B. *Initial Regulatory Flexibility Analysis*

3. As required by section 603 of the regulatory Flexibility Act, 5 U.S.C. 603, the Commission has prepared an Initial Regulatory Flexibility Analysis (IRFA) of the expected impact on small entities of the proposals suggested in this document. The IRFA is set forth in Appendix A of the NPRM. Written public comments are requested on the IRFA. These comments must be filed in accordance with the same filing deadlines as comments filed in this NPRM, but they must have a separate and distinct heading designating them as responses to the IRFA. The Commission's Consumer Information Bureau, Reference Information Center, SHALL SEND a copy of this NPRM, including the IRFA, to the Chief Counsel for Advocacy of the Small Business Administration (SBA) in accordance with Section 603(a) of the Regulatory Flexibility Act, 5 U.S.C. 603(a).

### C. *Initial Paperwork Reduction Analysis*

4. This NPRM contains a proposed information collection. As part of its continuing effort to reduce paperwork burdens, we invite the general public and the Office of Management and Budget (OMB) to take this opportunity to comment on the information collections contained in this NPRM, as required by the Paperwork Reduction Act of 1995, Public Law 104-13. Public and agency comments are due at the same time as other comments on this NPRM; OMB comments are due on or before January 6, 2003. Comments should address: (a) Whether the proposed collection of information is necessary for the proper performance of

the functions of the Commission, including whether the information shall have practical utility; (b) the accuracy of the Commission's burden estimates; (c) ways to enhance the quality, utility, and clarity of the information collected; and (d) ways to minimize the burden of the collection of information on the respondents, including the use of automated collection techniques or other forms of information technology.

### D. *Alternative Formats*

5. Alternative formats (computer diskette, large print, audio cassette and Braille) are available from Brian Millin at (202) 418-7426, TTY (202) 418-7365, or at [bmillin@fcc.gov](mailto:bmillin@fcc.gov). This NPRM can also be downloaded at <http://www.fcc.gov>.

### E. *Pleading Dates*

6. Pursuant to §§ 1.415 and 1.419 of the Commission's rules, 47 CFR 1.415, 1.419, interested parties may file comments on or before December 5, 2002, and reply comments on or before December 20, 2002. Comments may be filed using the Commission's Electronic Comment Filing System (ECFS) or by filing paper copies. See Electronic Filing of Documents in Rulemaking Proceedings, 63 FR 24121 (1998).

7. Comments filed through the ECFS can be sent as an electronic file via the Internet to <http://www.fcc.gov/e-file/ecfs.htm>. Generally, only one copy of an electronic submission must be filed. If multiple docket or rulemaking numbers appear in the caption of this proceeding, however, commenters must transmit one electronic copy of the comments to each docket or rulemaking number referenced in the caption. In completing the transmittal screen, commenters should include their full name, U.S. Postal Service mailing address, and the applicable docket or rulemaking number. Parties may also submit an electronic comment by Internet e-mail. To get filing instructions for e-mail comments, commenters should send an e-mail to [ecfs@fcc.gov](mailto:ecfs@fcc.gov), and should include the following words in the body of the message, "get form <your e-mail address>." A sample form and directions will be sent in reply. Parties who choose to file by paper must file an original and four copies of each filing. If more than one docket or rulemaking number appear in the caption of this proceeding, commenters must submit two additional copies for each additional docket or rulemaking number. Filings can be sent by hand or messenger delivery, by commercial overnight courier, or by first-class or overnight U.S. Postal Service mail (although we continue to experience

delays in receiving U.S. Postal Service mail). The Commission's contractor, Vistrionix, Inc., will receive hand-delivered or messenger-delivered paper filings for the Commission's Secretary at 236 Massachusetts Avenue, NE., Suite 110, Washington, DC 20002. The filing hours at this location are 8:00 a.m. to 7:00 p.m. All hand deliveries must be held together with rubber bands or fasteners. Any envelopes must be disposed of before entering the building. Commercial overnight mail (other than U.S. Postal Service Express Mail and Priority Mail) must be sent to 9300 East Hampton Drive, Capitol Heights, MD 20743. U.S. Postal Service first-class mail, Express Mail, and Priority Mail should be addressed to 445 12th Street, SW., Washington, DC 20554. All filings must be addressed to the Commission's Secretary, Office of the Secretary, Federal Communications Commission.

8. Written comments by the public on the proposed information collections are due on or before December 5, 2002. Written comments must be submitted by the OMB on the proposed information collections on or before January 6, 2003. In addition to filing comments with the Secretary, a copy of any comments on the information collections contained herein should be submitted to Judy Boley, Federal Communications Commission, Room 1-C804, 445 12th Street, SW., Washington, DC 20554, or via the Internet to [jboley@fcc.gov](mailto:jboley@fcc.gov) and to Kim Johnson, OMB Desk Officer, 10236 NEOP, 725 17th Street, NW., Washington, DC 20503, or via the Internet [Kim\\_A.\\_Johnson@omb.eop.gov](mailto:Kim_A._Johnson@omb.eop.gov).

## II. Initial Regulatory Flexibility Analysis

9. As required by the Regulatory Flexibility Act (RFA), the Commission has prepared this present Initial Regulatory Flexibility Analysis (IRFA) of the possible significant economic impact on small entities by the policies and rules proposed in this NPRM. Written public comments are requested on this IRFA. Comments must be identified as responses to the IRFA and must be filed by the deadlines for comments on this NPRM provided above in paragraph 6, *supra*. The Commission will send a copy of the NPRM, including this IRFA, to the Chief Counsel for Advocacy of the Small Business Administration. In addition, the NPRM and IRFA (or summaries thereof) will be published in the **Federal Register**.

### A. Need for, and Objectives of, the Proposed Rules

10. The Commission has stated that it would revisit competitive coordination

in the PLMR public safety frequencies below 470 MHz. On February 21, 2001, the Association of Public Safety Communications Officials, International, Inc. (APCO) filed a petition for rulemaking recommending that the Commission introduce competitive coordination. Because the APCO Petition required changes to the Commission's Rules, APCO asked the Commission to adopt these rule changes. Presently, certain below 470 MHz frequencies are coordinated by designated frequency coordinators. APCO believes these proposed rule changes are needed in order to reduce cost and delays in processing applications for public safety frequencies below 470 MHz. Because of the continuing need for public safety spectrum, APCO believes that implementation of the rule changes proposed in its Petition is in the public interest. Therefore, the Commission seeks comment on whether to amend part 90 of its rules in order to effectuate the changes suggested in the Petition.

11. Commenters disagree with the Petition and urge the Commission to maintain the current coordination processes, or consider alternatives to the existing coordination processes. Commenters contend that the APCO proposal would undermine public safety communications if implemented. Because of the need to improve efficiency in the licensing of public safety spectrum and the need to protect public safety communications, commenters suggest that the Commission should seek comment on maintaining the existing system or examine alternatives to the rule changes proposed in the Petition. With regard to alternatives, commenters suggest the Commission consider whether a contour overlap analysis would be appropriate in the Public Safety Pool below 470 MHz. Therefore, the Commission seeks comment on whether to maintain or amend Part 90 of its rules in order to retain the current processes as suggested in the comments or effectuate the changes suggested in the comments.

### B. Legal Basis

12. Authority for the proposed rules included in this issuance of this NPRM is contained in sections 1, 4(i), 302, 303(f), and (r), and 332 of the Communications Act of 1934, as amended, 47 U.S.C. 1, 154(i), 302, 303(f) and (r), and 332.

### C. Description and Estimate of the Number of Small Entities To Which the Proposed Rules Will Apply

13. The RFA directs agencies to provide a description of, and, where

feasible, an estimate of the number of small entities that may be affected by the proposed rules, if adopted. The RFA defines the term "small entity" as having the same meaning as the terms "small business," "small organization," and "small business concern" under section 3 of the Small Business Act. A small business concern is one which: (1) Is independently owned and operated; (2) is not dominant in its field of operation; and (3) satisfies any additional criteria established by the SBA. Nationwide, as of 1992, there were approximately 275,801 small organizations. "Small governmental jurisdiction" generally means "governments of cities, counties, towns, townships, villages, school districts, or special districts, with a population of less than 50,000." As of 1992, there were approximately 85,006 such jurisdictions in the United States. This number includes 38,978 counties, cities, and towns; of these, 37,566, or ninety-six percent, have populations of fewer than 50,000. The Census Bureau estimates that this ratio is approximately accurate for all governmental entities. Thus, of the 85,006 governmental entities, we estimate that 81,600 (ninety-one percent) are small entities. Below, we further describe and estimate the number of small entity licensees and regulatees that may be affected by the proposed rules, if adopted.

14. Public Safety Pool and Governmental entities. As a general matter, Public Safety Radio Pool licensees include police, fire, local government, forestry conservation, highway maintenance, and emergency medical services. The SBA rules contain a definition for small radiotelephone (wireless) companies, which encompasses business entities engaged in radiotelephone communications employing no more than 1,500 persons. There are a total of approximately 127,540 licensees within these services. Governmental entities as well as private businesses comprise the licensees for these services. The RFA also includes small governmental entities as a part of the regulatory flexibility analysis. "Small governmental jurisdiction" generally means "governments of cities, counties, towns, townships, villages, school districts, or special districts, with a population of less than 50,000." As of 1992, there were approximately 85,006 such jurisdictions in the United States. This number includes 38,978 counties, cities and towns; of these, 37,566, or 96 percent, have populations of fewer than 50,000. The Census Bureau estimates that this ratio is approximately accurate

for all governmental entities. Thus, of the 85,006 governmental entities, the Commission estimates that 81,600 (91 percent) are small entities.

15. Estimates for PLMR Licensees. Private land mobile radio systems serve an essential role in a vast range of industrial, business, land transportation, and public safety activities. These radios are used by companies of all sizes operating in all U.S. business categories. Because of the vast array of PLMR users, the Commission has not developed a definition of small entities specifically applicable to PLMR users, nor has the SBA developed any such definition. The SBA rules do, however, contain a definition for small radiotelephone (wireless) companies. Included in this definition are business entities engaged in radiotelephone communications employing no more than 1,500 persons. According to the Bureau of the Census, only twelve radiotelephone firms, out of a total of 1,178 such firms that operated during 1992, had 1,000 or more employees. For the purpose of determining whether a licensee is a small business as defined by the SBA, each licensee would need to be evaluated within its own business area. The Commission's fiscal year 1994 annual report indicates that, at the end of fiscal year 1994, there were 1,101,711 licensees operating 12,882,623 transmitters in the PLMR bands below 512 MHz.

16. Estimates for Frequency Coordinators. Neither the Commission nor the SBA has developed a definition of small entities specifically applicable to spectrum frequency coordinators. Therefore the Commission concluded that the closest applicable definition under SBA rules is Business Associations (SIC 8611). The SBA defines a small business association as an entity with \$5 million or less in annual receipts. There are 18 entities certified to perform frequency coordination functions under Part 90 of our Rules. However, the Commission is unable to ascertain how many of these frequency coordinators are classified as small entities under the SBA definition. The Census Bureau indicates that 97% of business associations have annual receipts of \$4.999 million or less and would be classified as small entities. The Census Bureau category is very broad and does not include specific figures for firms that are engaged in frequency coordination. Therefore, for the purposes of this IRFA, the Commission estimates that almost all of the 18 spectrum frequency coordinators are small as defined by the SBA.

#### *D. Description of Projected Reporting, Recordkeeping and Other Compliance Requirements*

17. As part of our consideration of whether to introduce competitive coordination in the below-470 MHz public safety band, thereby reducing application processing costs and delays, we continue to believe that each public safety frequency coordinator that chooses to recommend below-470 MHz Public Safety frequencies must be knowledgeable about public safety plans. In this connection, we seek comment on whether to require certified public safety coordinators to adopt a system for information exchange to ensure that applications, once submitted, are not in conflict with relevant public safety plans or other applications being submitted simultaneously or concurrently. In this connection, we will leave the issue of whether to use a real-time common database to the coordinators' discretion.

18. We seek comment on whether to require that coordinators provide notification of all frequency recommendations for Public Safety below-470 MHz frequencies to every certified in-pool coordinator that is also certified to coordinate that frequency within one business day of making such recommendations. This notification requirement, we believe, could improve the speed and quality of recommendations. In the interests of efficiency and fairness, notification must be made to all in-pool coordinators at approximately the same time. To encourage and facilitate the cooperation between in-pool coordinators, we propose to require that each coordinator communicate at least once each business day with each other in-pool coordinator. Even on days when there are no coordinations, communication between coordinators would be required.

19. We seek comment on whether to maintain the existing concurrence mechanism for frequency recommendations for Public Safety below-470 MHz frequencies. Presently, coordinators are required to obtain the concurrence of certain coordinators when coordinating certain below-470 MHz public safety frequencies. This requirement, we believe, could continue to ensure that frequency coordination recommendations are consistent with existing public safety plans.

20. We seek comment on whether to amend the existing concurrence procedure by requiring coordinators to conduct a contour overlap analysis. Presently, coordinators in the Industrial/Business Pool are required to

determine whether concurrence from a designated frequency coordinator or an affected licensee is required before coordinating certain frequencies. This requirement could continue to ensure that frequency coordination recommendations are consistent with existing public safety plans while improving efficiency in the licensing of public safety spectrum below-470 MHz.

#### *E. Steps Taken To Minimize Significant Economic Impact on Small Entities, and Significant Alternatives Considered*

21. The RFA requires an agency to describe any significant alternatives that it has considered in reaching its proposed approach, which may include the following four alternatives: (1) The establishment of differing compliance or reporting requirements or timetables that take into account the resources available to small entities; (2) the clarification, consolidation, or simplification of compliance or reporting requirements under the rule for small entities; (3) the use of performance, rather than design, standards; and (4) an exemption from coverage of the rule or any part thereof for small entities.

22. Presently, the majority of below-470 MHz frequencies are coordinated by designated frequency coordinators. Any of the four certified public safety coordinators, however, may coordinate frequencies designated for frequency coordination by a specific frequency coordinator. Under such circumstances, a frequency coordinator must obtain the consent of the designated frequency coordinator prior to coordinating an application. While this consent requirement may delay application processing and increase application costs it may also ensure that frequency recommendations are consistent with relevant public safety plans. We seek comment on whether maintaining the existing concurrence requirement would affect small entities.

23. As part of our consideration of whether to introduce competitive coordination in the below-470 MHz public safety band, each public safety frequency coordinator that chooses to recommend below-470 MHz Public Safety frequencies may be required to provide notification of all frequency recommendations for Public Safety below-470 MHz frequencies. We believe that the proposed notification system could minimize the economic impact on small entities by reducing application processing delays and costs, however, commenters believe that the notification system could impair public safety systems. We also believe that the suggested contour overlap analysis

could reduce application processing costs and delays while ensuring applications are filed consistent with relevant public safety plans. We seek comment on how the changes proposed and alternatives suggested in the NPRM would affect small entities.

24. The proposal contained herein has been analyzed with respect to the Paper Reduction Act of 1980 and found to contain a proposed information collection that will not increase or decrease burden hours imposed on the public. We seek comment on how the proposed information collection contained herein will affect the public.

*F. Federal Rules That May Duplicate, Overlap, or Conflict With the Proposed Rules*

25. None.

**III. Ordering Clauses**

26. Pursuant to sections 1, 4(j), 302, 303(f) and (r), and 332 of the Communications Act of 1934, as amended, 47 U.S.C. 1, 154(j), 302, 303(f) and (r), 332, the Petition for Rulemaking filed by the Association of Public Safety Communications Officials, International, Inc., on February 21, 2001, is granted to the extent indicated herein.

27. Pursuant to Sections 1, 4(j), 302, 303(f) and (r), and 332 of the Communications Act of 1934, as amended, 47 U.S.C. 1, 154(j), 302, 303(f) and (r), 332, Notice is hereby given of the proposed regulatory changes described

in this Notice of Proposed Rulemaking, and that comment is sought on these proposals.

28. The Commission's Consumer Information Bureau, Reference Information Center, SHALL SEND a copy of this Notice of Proposed Rulemaking, RM-10077, including the Initial Regulatory Flexibility Analysis, to the Chief Counsel for Advocacy of the Small Business Administration in accordance with Section 603(a) of the Regulatory Flexibility Act.

**List of Subjects in 47 CFR Part 90**

Communications equipment, Radio, Reporting and recordkeeping requirements.

Federal Communications Commission.

**Marlene H. Dortch,**  
*Secretary.*

**Potential Rule Changes**

Part 90 of Chapter 1 of Title 47 of the Code of Federal Regulations is proposed to be amended as follows:

**PART 90—PRIVATE LAND MOBILE RADIO SERVICES**

1. The authority citation for part 90 continues to read as follows.

**Authority:** Sections 4(i), 11, 303(g), 303(r), and 332(c)(7) of the Communications Act of 1934, as amended, 47 U.S.C. 154(i), 161, 303(g), 303(r), 332(c)(7).

2. Section 90.20 would be amended by adding paragraph (c)(2)(iii) and by

revising paragraph (c)(3) to read as follows:

**§ 90.20 Public Safety Pool.**

\* \* \* \* \*

(c) \* \* \*

(2) \* \* \*

(iii) Applications for new or modified facilities on frequencies allocated prior to radio service consolidation in the former Emergency Medical Radio Service, the Fire Radio Service, the Forestry Conservation Radio Service, the Highway Maintenance Radio Service, and the Police Radio Service, may be coordinated by any certified Public Safety coordinator. However, in the event that the interference contour of a proposed station would overlap the service contour of an existing station licensed on one of these previously shared frequencies, the written concurrence of the coordinator associated with the public safety radio service for which the existing station license was issued, or the written concurrence of the licensee of the existing station, shall be obtained. For the purposes of this § 90.20, the service contour for UHF stations is the 39 dBu contour; and the interference contour for UHF stations is the 21 dBu contour; the service contour for VHF stations is the 37 dBu contour; and the interference contour for VHF stations is the 19 dBu contour.

(3) *Frequencies.*

**PUBLIC SAFETY POOL FREQUENCY TABLE**

Frequency or band	Class of station(s)	Limitations	Coordinator
<b>Kilohertz</b>			
530 .....	Base (T.I.S.) .....	1 .....	PX
1610 .....	Base or mobile .....	1 .....	PX
1630 .....	.....do .....	2, 3 .....	PF
1722 .....	.....do .....	2, 3 .....	PP
1730 .....	.....do .....	4 .....	PP
2212 .....	.....do .....	4 .....	PO
2226 .....	.....do .....	4 .....	PO
2236 .....	.....do .....	4 .....	PO
2244 .....	.....do .....	4 .....	PO
2366 .....	.....do .....	2, 4 .....	PP
2382 .....	.....do .....	2 .....	PP
2390 .....	.....do .....	2, 4 .....	PP
2406 .....	.....do .....	2 .....	PP
2430 .....	.....do .....	2 .....	PP
2442 .....	.....do .....	2 .....	PP
2450 .....	.....do .....	2 .....	PP
2458 .....	.....do .....	2 .....	PP
2482 .....	.....do .....	2 .....	PP
2490 .....	.....do .....	2, 3 .....	PP
2726 .....	.....do .....	5 .....	PX, PS
3201 .....	.....do .....	.....	PS
2000 to 3000 .....	Fixed .....	75 .....	PS
2000 to 10,000 .....	Fixed, base, or mobile .....	6 .....	PX
<b>Megahertz</b>			
30.86 .....	Base or mobile .....	7 .....	PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
30.90	.....do	7	PX
30.94	.....do	7	PX
30.98	.....do	7	PX
31.02	.....do	7	PX
31.06	.....do	7, 8, 9	PX
31.10	.....do	7, 8, 9	PX
31.14	.....do	7, 8, 9	PX
31.18	.....do	8, 9	PX
31.22	.....do	8, 9	PX
31.26	.....do	8, 9	PX
31.30	.....do	8, 9	PX
31.34	.....do	8, 9	PX
31.38	.....do	8, 9	PX
31.42	.....do	8, 9	PX
31.46	.....do	8, 9	PX
31.50	.....do	8, 9	PX
31.54	.....do	8, 9	PX
31.58	.....do	8, 9	PX
31.62	.....do	8, 9	PX
31.66	.....do	8, 9	PX
31.70	.....do	8, 9	PX
31.74	.....do	8, 9	PX
31.78	.....do	8, 9	PX
31.82	.....do	8, 9	PX
31.86	.....do	8, 9	PX
31.90	.....do	8, 9	PX
31.94	.....do	8, 9	PX
31.98	.....do	8, 9	PX
33.02	.....do	10	PX, PS
33.04	.....do		PS
33.06	.....do	10	PX, PS
33.08	.....do		PS
33.10	.....do	10	PX, PS
33.42	Mobile or fixed	11	PX
33.44	Base or mobile		PX
33.46	Mobile		PX
33.48	Base or mobile		PX
33.50	Mobile		PX
33.52	Base or mobile		PX
33.54	Mobile		PX
33.56	Base or mobile		PX
33.58	Mobile		PX
33.60	Base or mobile		PX
33.62	Mobile		PX
33.64	Base or mobile		PX
33.66	Mobile		PX
33.68	Base or mobile		PX
33.70	.....do		PX
33.72	.....do		PX
33.74	.....do		PX
33.76	.....do		PX
33.78	.....do		PX
33.80	.....do		PX
33.82	.....do		PX
33.84	.....do		PX
33.86	.....do		PX
33.88	.....do		PX
33.90	.....do		PX
33.92	.....do		PX
33.94	.....do		PX
33.96	.....do		PX
33.98	.....do		PX
35.02	Mobile	12, 77	PS
35.64	Base	13	PS
35.68	.....do	13	PS
37.02	Mobile		PX
37.04	Base or mobile		PX
37.06	.....do		PX
37.08	.....do		PX
37.10	.....do		PX
37.12	.....do		PX
37.14	.....do		PX

PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
37.16	.....do		PX
37.18	.....do		PX
37.20	.....do		PX
37.22	.....do		PX
37.24	.....do		PX
37.26	.....do		PX
37.28	.....do		PX
37.30	.....do		PX
37.32	.....do		PX
37.34	Mobile		PX
37.36	Base or mobile		PX
37.38	Mobile		PX
37.40	Base or mobile		PX
37.42	Mobile		PX
37.90	Base or mobile	10	PX, PS
37.92	.....do		PX
37.94	.....do	10	PX, PS
37.96	.....do		PX
37.98	.....do	10	PX, PS
39.02	.....do		PX
39.04	.....do		PX
39.06	.....do	14	PX
39.08	.....do		PX
39.10	.....do		PX
39.12	.....do		PX
39.14	.....do		PX
39.16	.....do		PX
39.18	.....do		PX
39.20	.....do		PX
39.22	.....do		PX
39.24	.....do		PX
39.26	Mobile		PX
39.28	Base or mobile		PX
39.30	Mobile		PX
39.32	Base or mobile		PX
39.34	Mobile		PX
39.36	Base or mobile		PX
39.38	Mobile		PX
39.40	Base or mobile		PX
39.42	.....do		PX
39.44	.....do		PX
39.46	.....do	15	PX
39.48	.....do		PX
39.50	.....do		PX
39.52	.....do		PX
39.54	.....do		PX
39.56	.....do		PX
39.58	.....do		PX
39.60	.....do		PX
39.62	.....do		PX
39.64	.....do		PX
39.66	Mobile		PX
39.68	Base or mobile		PX
39.70	Mobile		PX
39.72	Base or mobile		PX
39.74	Mobile		PX
39.76	Base or mobile		PX
39.78	Mobile		PX
39.80	Base or mobile		PX
39.82	.....do		PX
39.84	.....do		PX
39.86	.....do		PX
39.88	.....do		PX
39.90	.....do		PX
39.92	.....do		PX
39.94	.....do		PX
39.96	.....do		PX
39.98	.....do		PX
42.02	.....do	2, 3, 16	PX
42.04	.....do	2, 3, 16	PX
42.06	.....do	2, 3, 16	PX
42.08	.....do	2, 3, 16	PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
42.10	.....do	2, 3, 16	PX
42.12	.....do	2, 3, 16	PX
42.14	.....do	2, 3, 16	PX
42.16	.....do	2, 3, 16	PX
42.18	Mobile	2, 16	PX
42.20	.....do	2, 16	PX
42.22	.....do	2, 16	PX
42.24	.....do	2, 16	PX
42.26	.....do	2, 16	PX
42.28	.....do	2, 16	PX
42.30	.....do	2, 16	PX
42.32	Base or mobile	2, 3, 16	PX
42.34	.....do	2, 3, 16	PX
42.36	.....do	2, 3, 16	PX
42.38	.....do	2, 3, 16	PX
42.40	.....do	2, 3, 16, 27	PX
42.42	.....do	2, 3, 16	PX
42.44	.....do	2, 3, 16	PX
42.46	.....do	2, 3, 16	PX
42.48	.....do	2, 3, 16	PX
42.50	.....do	2, 3, 16	PX
42.52	.....do	2, 3, 16	PX
42.54	.....do	2, 3, 16	PX
42.56	.....do	2, 3, 16	PX
42.58	.....do	2, 3, 16	PX
42.60	.....do	2, 3, 16	PX
42.62	.....do	2, 3, 16	PX
42.64	.....do	2, 3, 16	PX
42.66	Mobile	2, 16	PX
42.68	.....do	2, 16	PX
42.70	.....do	2, 16	PX
42.72	.....do	2, 16	PX
42.74	.....do	2, 16	PX
42.76	.....do	2, 16	PX
42.78	.....do	2, 16	PX
42.80	Base or mobile	13	PX
42.82	.....do	2, 3, 16	PX
42.84	.....do	2, 3, 16	PX
42.86	.....do	2, 3, 16	PX
42.88	.....do	2, 3, 16	PX
42.90	.....do	2, 3, 16	PX
42.92	.....do	2, 3, 16	PX
42.94	.....do	2, 3, 16	PX
43.64	Base	13, 18	PS
43.68	.....do	13	PS
44.62	Base or mobile	2, 3, 16	PX
44.64	.....do		PX
44.66	.....do	2, 3, 16	PX
44.68	.....do		PX
44.70	.....do	2, 3, 16	PX
44.72	.....do		PX
44.74	.....do	2, 3, 16	PX
44.76	.....do		PX
44.78	Mobile	2, 16	PX
44.80	Base or mobile		PX
44.82	Mobile	2, 16	PX
44.84	Base or mobile		PX
44.86	Mobile	2, 16	PX
44.88	Base or mobile		PX
44.90	Mobile	2, 16	PX
44.92	Base or mobile		PX
44.94	.....do	2, 3, 16	PX
44.96	.....do		PX
44.98	.....do	2, 3, 16	PX
45.00	.....do		PX
45.02	.....do	2, 3, 16	PX
45.04	.....do		PX
45.06	.....do	2, 3, 16	PX
45.08	.....do		PX
45.10	.....do		PX
45.12	.....do		PX
45.14	.....do		PX

PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
45.16	.....do		PX
45.18	.....do		PX
45.20	.....do		PX
45.22	.....do		PX
45.24	.....do		PX
45.26	Mobile		PX
45.28	Base or mobile		PX
45.30	Mobile		PX
45.32	Base or mobile		PX
45.34	Mobile		PX
45.36	Base or mobile		PX
45.38	Mobile		PX
45.40	Base or mobile		PX
45.42	.....do		PX
45.44	.....do		PX
45.46	.....do		PX
45.48	.....do		PX
45.50	.....do		PX
45.52	.....do		PX
45.54	.....do		PX
45.56	.....do		PX
45.58	.....do		PX
45.60	.....do		PX
45.62	.....do		PX
45.64	.....do		PX
45.66	.....do		PX
45.68	.....do		PX
45.70	.....do		PX
45.72	.....do		PX
45.74	Mobile		PX
45.76	Base or mobile		PX
45.78	Mobile		PX
45.80	Base or mobile		PX
45.82	Mobile		PX
45.84	Base or mobile		PX
45.86	.....do	15	PX
45.88	.....do	19	PX
45.90	.....do	20	PX
45.92	.....do	10	PS
45.94	.....do		PX
45.96	.....do	10	PS
45.98	.....do		PX
46.00	.....do	10	PS
46.02	.....do		PX
46.04	.....do	10	PS
46.06	.....do		PX
46.08	.....do		PX
46.10	.....do		PX
46.12	.....do		PX
46.14	.....do		PX
46.16	.....do		PX
46.18	.....do		PX
46.20	.....do		PX
46.22	Mobile		PX
46.24	.....do		PX
46.26	.....do		PX
46.28	.....do		PX
46.30	Mobile or fixed	11	PX
46.32	Mobile		PX
46.34	.....do		PX
46.36	Base or mobile		PX
46.38	.....do		PX
46.40	.....do		PX
46.42	.....do		PX
46.44	.....do		PX
46.46	.....do		PX
46.48	.....do		PX
46.50	.....do		PX
46.52	.....do		PX
46.54	.....do		PX
46.56	.....do		PX
46.58	.....do		PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
47.02	.....do	21, 22	PX
47.04	.....do	21, 22	PX
47.06	.....do	21, 22	PX
47.08	.....do	21, 22	PX
47.10	.....do	21, 22	PX
47.12	.....do	21, 22	PX
47.14	.....do	21, 22	PX
47.16	.....do	21, 22	PX
47.18	.....do	21, 22	PX
47.20	.....do	21, 22	PX
47.22	.....do	21, 22	PX
47.24	.....do	21, 22	PX
47.26	.....do	21, 22	PX
47.28	.....do	21, 22	PX
47.30	.....do	21, 22	PX
47.32	.....do	21, 22	PX
47.34	.....do	21, 22	PX
47.36	.....do	21, 22	PX
47.38	.....do	21, 22	PX
47.40	.....do	21, 22	PX
47.42	.....do	10, 23	PS
47.46	.....do	10	PS
47.50	.....do	10	PS
47.54	.....do	10	PS
47.58	.....do	10	PS
47.62	.....do	10	PS
47.66	.....do	10	PS
72.00 to 76.00	Operational fixed	24.	
72.44	Mobile	25	PX
72.48	.....do	25	PX
72.52	.....do	25	PX
72.56	.....do	25	PX
72.6	.....do	25	PX
75.44	.....do	25	PX
75.48	.....do	25	PX
75.52	.....do	25	PX
75.56	.....do	25	PX
75.6	.....do	25	PX
150 to 170	Base or mobile	26.	
150.775	Mobile		PX
150.7825	.....do	27	PX
150.790	.....do		PX
150.7975	.....do		PX
150.805	.....do		PX
150.995	Base or mobile	28	PX
151.0025	.....do	27, 28	PX
151.010	.....do	28	PX
151.0175	.....do	27, 28	PX
151.025	.....do	28	PX
151.0325	.....do	27, 28	PX
151.040	.....do	28	PX
151.0475	.....do	27, 28	PX
151.055	.....do	28	PX
151.0625	.....do	27, 28	PX
151.070	.....do	28	PX
151.0775	.....do	27, 28	PX
151.085	.....do	28	PX
151.0925	.....do	27, 28	PX
151.100	.....do	28	PX
151.1075	.....do	27, 28	PX
151.115	.....do	28	PX
151.1225	.....do	27, 28	PX
151.130	.....do	28, 81	PX
151.1375	.....do	27, 28, 80	PX
151.145	.....do	28, 81	PX
151.1525	.....do	27, 28	PX
151.160	.....do	28	PX
151.1675	.....do	27, 28	PX
151.175	.....do	28	PX
151.1825	.....do	27, 28	PX
151.190	.....do	28	PX
151.1975	.....do	27, 28	PX

PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
151.205	.....do	28	PX
151.2125	.....do	27, 28	PX
151.220	.....do	28	PX
151.2275	.....do	27, 28	PX
151.235	.....do	28	PX
151.2425	.....do	27, 28	PX
151.250	.....do	28	PX
151.2575	.....do	27, 28	PX
151.265	.....do	28	PX
151.2725	.....do	27, 28	PX
151.280	.....do	28	PX
151.2875	.....do	27, 28	PX
151.295	.....do	28	PX
151.3025	.....do	27, 28	PX
151.310	.....do	28	PX
151.3175	.....do	27, 28	PX
151.325	.....do	28	PX
151.3325	.....do	27, 28	PX
151.340	.....do	28	PX
151.3475	.....do	27, 28	PX
151.355	.....do	28	PX
151.3625	.....do	27, 28	PX
151.370	.....do	28	PX
151.3775	.....do	27, 28	PX
151.385	.....do	28	PX
151.3925	.....do	27, 28	PX
151.400	.....do	28	PX
151.4075	.....do	27, 28	PX
151.415	.....do	28	PX
151.4225	.....do	27, 28	PX
151.430	.....do	28	PX
151.4375	.....do	27, 28	PX
151.445	.....do	28	PX
151.4525	.....do	27, 28	PX
151.460	.....do	28	PX
151.4675	.....do	27, 28	PX
151.475	.....do	28	PX
151.4825	.....do	27, 28	PX
151.490	.....do	7, 28	PX
151.4975	.....do	7, 27, 28	PX
152.0075	Base	13, 19, 30	PS
153.740	Mobile		PX
153.7475	.....do	27	PX
153.755	.....do		PX
153.7625	.....do	27	PX
153.770	.....do		PX
153.7775	.....do	27	PX
153.785	.....do		PX
153.7925	.....do	27	PX
153.800	.....do		PX
153.8075	.....do	27	PX
153.815	.....do		PX
153.8225	.....do	27	PX
153.830	.....do	31	PX
153.8375	.....do	27, 31	PX
153.845	.....do		PX
153.8525	.....do	27	PX
153.860	.....do		PX
153.8675	.....do	27	PX
153.875	.....do		PX
153.8825	.....do	27	PX
153.890	.....do		PX
153.8975	.....do	27	PX
153.905	.....do		PX
153.9125	.....do	27	PX
153.920	.....do		PX
153.9275	.....do	27	PX
153.935	.....do		PX
153.9425	.....do	27	PX
153.950	.....do		PX
153.9575	.....do	27	PX
153.965	.....do		PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
153.9725	.....do	27	PX
153.980	.....do		PX
153.9875	.....do	27	PX
153.995	.....do		PX
154.0025	.....do	27	PX
154.010	.....do		PX
154.0175	.....do	27	PX
154.025	Base or mobile		PX
154.0325	.....do	27	PX
154.040	.....do	28	PX
154.0475	.....do	27, 28	PX
154.055	.....do	28	PX
154.0625	.....do	27, 28	PX
154.070	Mobile	28	PX
154.0775	.....do	27, 28	PX
154.085	Base or mobile	28	PX
154.0925	.....do	27, 28	PX
154.100	.....do	28	PX
154.1075	.....do	27, 28	PX
154.115	.....do	28	PX
154.1225	.....do	27, 28	PX
154.130	.....do	28	PX
154.1375	.....do	27, 28	PX
154.145	.....do	28	PX
154.1525	.....do	27, 28	PX
154.160	.....do	28	PX
154.1675	.....do	27, 28	PX
154.175	.....do	28	PX
154.1825	.....do	27, 28	PX
154.190	.....do	28	PX
154.1975	.....do	27, 28	PX
154.205	.....do	28	PX
154.2125	.....do	27, 28	PX
154.220	.....do	28	PX
154.2275	.....do	27, 28	PX
154.235	.....do	28	PX
154.2425	.....do	27, 28	PX
154.250	.....do	28	PX
154.2575	.....do	27, 28	PX
154.265	.....do	19, 28	PX
154.2725	.....do	19, 27, 28	PX
154.280	.....do	19, 28	PX
154.2875	.....do	19, 27, 28	PX
154.295	.....do	19, 28	PX
154.3025	.....do	19, 27, 28	PX
154.310	.....do	28	PX
154.3175	.....do	27, 28	PX
154.325	.....do	28	PX
154.3325	.....do	27, 28	PX
154.340	.....do	28	PX
154.3475	.....do	27, 28	PX
154.355	.....do	28	PX
154.3625	.....do	27, 28	PX
154.370	.....do	28	PX
154.3775	.....do	27, 28	PX
154.385	.....do	28	PX
154.3925	.....do	27, 28	PX
154.400	.....do	28	PX
154.4075	.....do	27, 28	PX
154.415	.....do	28	PX
154.4225	.....do	27, 28	PX
154.430	.....do	28	PX
154.4375	.....do	27, 28	PX
154.445	.....do	28, 81	PX
154.4525	.....do	27, 28, 80	PX
154.45625	Fixed or mobile	32, 33, 34, 35	PX
154.46375	.....do	33, 34, 35, 36, 37	PX
154.47125	.....do	33, 34, 35, 36	PX
154.47875	.....do	33, 34, 35, 37	PX
154.650	Mobile		PX
154.6575	.....do	27	PX
154.665	Base or mobile	16	PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
154.6725	.....do	16, 27	PX
154.680	.....do	16	PX
154.6875	.....do	16, 27	PX
154.695	.....do	16	PX
154.7025	.....do	16, 27	PX
154.710	Mobile		PX
154.7175	.....do	27	PX
154.725	Base or mobile		PX
154.7325	.....do	27	PX
154.740	.....do		PX
154.7475	.....do	27	PX
154.755	.....do		PX
154.7625	.....do	27	PX
154.770	Mobile		PX
154.7775	.....do	27	PX
154.785	Base or mobile		PX
154.7925	.....do	27	PX
154.800	.....do		PX
154.8075	.....do	27	PX
154.815	.....do		PX
154.8225	.....do	27	PX
154.830	Mobile		PX
154.8375	.....do	27	PX
154.845	Base or mobile		PX
154.8525	.....do	27	PX
154.860	.....do		PX
154.8675	.....do	27	PX
154.875	.....do		PX
154.8825	.....do	27	PX
154.890	Mobile		PX
154.8975	.....do	27	PX
154.905	Base or mobile	16	PX
154.9125	.....do	16, 27	PX
154.920	.....do	16	PX
154.9275	.....do	16, 27	PX
154.935	.....do	16	PX
154.9425	.....do	16, 27	PX
154.950	Mobile		PX
154.9575	.....do	27	PX
154.965	Base or mobile		PX
154.9725	.....do	27	PX
154.980	.....do		PX
154.9875	.....do	27	PX
154.995	.....do		PX
155.0025	.....do	27	PX
155.010	.....do		PX
155.0175	.....do	27	PX
155.025	.....do		PX
155.0325	.....do	27	PX
155.040	.....do		PX
155.0475	.....do	27	PX
155.055	.....do		PX
155.0625	.....do	27	PX
155.070	.....do		PX
155.0775	.....do	27	PX
155.085	.....do		PX
155.0925	.....do	27	PX
155.100	.....do		PX
155.1075	.....do	27	PX
155.115	.....do		PX
155.1225	.....do	27	PX
155.130	.....do		PX
155.1375	.....do	27	PX
155.145	.....do		PX
155.1525	.....do	27	PX
155.160	.....do	10	PS
155.1675	.....do	10, 27	PS
155.175	.....do	10	PS
155.1825	.....do	10, 27	PS
155.190	.....do		PX
155.1975	.....do	27	PX
155.205	.....do	10	PS

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
155.2125	.....do	10, 27	PS
155.220	.....do	10	PS
155.2275	.....do	10, 27	PS
155.235	.....do	10	PS
155.2425	.....do	10, 27	PS
155.250	.....do		PX
155.2575	.....do	27	PX
155.265	.....do	10	PS
155.2725	.....do	10, 27	PS
155.280	.....do	10	PS
155.2875	.....do	10, 27	PS
155.295	.....do	10	PS
155.3025	.....do	10, 27	PS
155.310	.....do		PX
155.3175	.....do	27	PX
155.325	.....do	38, 39	PX
155.3325	.....do	27, 38, 39	PX
155.340	.....do	39, 40	PX
155.3475	.....do	27, 39, 40	PX
155.355	.....do	38, 39	PX
155.3625	.....do	27, 38, 39	PX
155.370	.....do		PX
155.3775	.....do	27	PX
155.385	.....do	38, 39	PX
155.3925	.....do	27, 38, 39	PX
155.400	.....do	38, 39	PX
155.4075	.....do	27, 38, 39	PX
155.415	.....do		PX
155.4225	.....do	27	PX
155.430	.....do		PX
155.4375	.....do	27	PX
155.445	.....do	16	PX
155.4525	.....do	16, 27	PX
155.460	.....do	16	PX
155.4675	.....do	16, 27	PX
155.475	.....do	41	PX
155.4825	.....do	27, 41	PX
155.490	.....do		PX
155.4975	.....do	27	PX
155.505	.....do	16	PX
155.5125	.....do	16, 27	PX
155.520	.....do		PX
155.5275	.....do	27	PX
155.535	.....do		PX
155.5425	.....do	27	PX
155.550	.....do		PX
155.5575	.....do	27	PX
155.565	.....do		PX
155.5725	.....do	27	PX
155.580	.....do		PX
155.5875	.....do	27	PX
155.595	.....do		PX
155.6025	.....do	27	PX
155.610	.....do		PX
155.6175	.....do	27	PX
155.625	.....do		PX
155.6325	.....do	27	PX
155.640	.....do		PX
155.6475	.....do	27	PX
155.655	.....do		PX
155.6625	.....do	27	PX
155.670	.....do		PX
155.6775	.....do	27	PX
155.685	.....do		PX
155.6925	.....do	27	PX
155.700	.....do		PX
155.7075	.....do	27	PX
155.715	.....do		PX
155.7225	.....do	27	PX
155.730	.....do		PX
155.7375	.....do	27	PX
155.745	.....do	81	PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
155.7525	.....do	27, 80, 83	PX
155.760	.....do	81	PX
155.7675	.....do	27	PX
155.775	.....do		PX
155.7825	.....do	27	PX
155.790	.....do		PX
155.7975	.....do	27	PX
155.805	.....do		PX
155.8125	.....do	27	PX
155.820	.....do		PX
155.8275	.....do	27	PX
155.835	.....do		PX
155.8425	.....do	27	PX
155.850	Mobile		PX
155.8575	.....do	27	PX
155.865	Base or mobile		PX
155.8725	.....do	27	PX
155.880	.....do		PX
155.8875	.....do	27	PX
155.895	.....do		PX
155.9025	.....do	27	PX
155.910	Mobile		PX
155.9175	.....do	27	PX
155.925	Base or mobile		PX
155.9325	.....do	27	PX
155.940	.....do		PX
155.9475	.....do	27	PX
155.955	.....do		PX
155.9625	.....do	27	PX
155.970	Mobile		PX
155.9775	.....do	27	PX
155.985	.....do		PX
155.9925	.....do	27	PX
156.000	.....do		PX
156.0075	.....do	27	PX
156.015	.....do		PX
156.0225	.....do	27	PX
156.030	.....do		PX
156.0375	.....do	27	PX
156.045	.....do	42	PX
156.0525	.....do	27, 42	PX
156.060	.....do	42	PX
156.0675	.....do	27, 42	PX
156.075	.....do		PX
156.0825	.....do	27	PX
156.090	.....do		PX
156.0975	.....do	27	PX
156.105	Base or mobile		PX
156.1125	.....do	27	PX
156.120	.....do		PX
156.1275	.....do	27	PX
156.135	.....do		PX
156.1425	.....do	27	PX
156.150	Mobile		PX
156.1575	.....do	27	PX
156.165	Base or mobile	42, 43	PX
156.1725	.....do	27, 42, 43	PX
156.180	.....do	42, 43	PX
156.1875	.....do	27, 42, 43	PX
156.195	.....do	43	PX
156.2025	.....do	27, 43	PX
156.210	.....do		PX
156.2175	.....do	27	PX
156.225	.....do	43	PX
156.2325	.....do	27, 43	PX
156.240	.....do	43, 79	PX
157.450	.....do	13, 45, 30	PS
158.7225	.....do	44	PX
158.730	.....do	81	PX
158.7375	.....do	27, 80	PX
158.745	Base or mobile	81	PX
158.7525	.....do	27	PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
158.760	.....do		PX
158.7675	.....do	27	PX
158.775	.....do		PX
158.7825	.....do	27	PX
158.790	Base or mobile		PX
158.7975	.....do	27	PX
158.805	Base and mobile		PX
158.8125	.....do	27	PX
158.820	.....do		PX
158.8275	.....do	27	PX
158.835	.....do		PX
158.8425	.....do	27	PX
158.850	Base or mobile		PX
158.8575	.....do	27	PX
158.865	Mobile		PX
158.8725	.....do	27	PX
158.880	.....do		PX
158.8875	.....do	27	PX
158.895	.....do		PX
158.9025	.....do	27	PX
158.910	.....do		PX
158.9175	.....do	27	PX
158.925	.....do		PX
158.9325	.....do	27	PX
158.940	.....do		PX
158.9475	.....do	27	PX
158.955	.....do		PX
158.9625	.....do	27	PX
158.970	.....do		PX
158.9775	.....do	27	PX
158.985	.....do	43	PX
158.9925	.....do	27, 43	PX
159.000	.....do	43	PX
159.0075	.....do	27, 43	PX
159.015	.....do	43	PX
159.0225	.....do	27, 43	PX
159.030	.....do		PX
159.0375	.....do	27	PX
159.045	.....do	43	PX
159.0525	.....do	27, 43	PX
159.060	.....do	43	PX
159.0675	.....do	27, 43	PX
159.075	.....do	43	PX
159.0825	.....do	27, 43	PX
159.090	Base or mobile		PX
159.0975	.....do	27	PX
159.105	.....do	43	PX
159.1125	.....do	27, 43	PX
159.120	.....do	43	PX
159.1275	.....do	27, 43	PX
159.135	.....do	43	PX
159.1425	.....do	27, 43	PX
159.150	.....do		PX
159.1575	.....do	27	PX
159.165	.....do	43	PX
159.1725	.....do	27, 43	PX
159.180	.....do		PX
159.1875	.....do	27	PX
159.195	.....do		PX
159.2025	.....do	27	PX
159.210	.....do		PX
159.2175	.....do	27	PX
159.225	.....do		PX
159.2325	.....do	27	PX
159.240	.....do	46	PX
159.2475	.....do	27, 46	PX
159.255	.....do	46	PX
159.2625	.....do	27, 46	PX
159.270	.....do	46	PX
159.2775	.....do	27, 46	PX
159.285	.....do	46	PX
159.2925	.....do	27, 46	PX

PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
159.300	.....do	46	PX
159.3075	.....do	27, 46	PX
159.315	.....do	46	PX
159.3225	.....do	27, 46	PX
159.330	.....do	46	PX
159.3375	.....do	27, 46	PX
159.345	.....do	46	PX
159.3525	.....do	27, 46	PX
159.360	.....do	46	PX
159.3675	.....do	27, 46	PX
159.375	.....do	46	PX
159.3825	.....do	27, 46	PX
159.390	.....do	46	PX
159.3975	.....do	27, 46	PX
159.405	.....do	46	PX
159.4125	.....do	27, 46	PX
159.420	.....do	46	PX
159.4275	.....do	27, 46	PX
159.435	.....do	46	PX
159.4425	.....do	27, 46	PX
159.450	.....do		PX
159.4575	.....do	27	PX
159.465	.....do	81	PX
159.4725	.....do	27, 80	PX
163.250	.....do	13, 30	PS
166.250	.....do	47	PX
169 to 172	Mobile	48.	
170.150	Base or mobile	47	PX
170.425	.....do	9, 49, 50	PX
170.475	.....do	9, 49, 51	PX
170.575	.....do	9, 49, 50	PX
171.425	.....do	9, 49, 51	PX
171.475	.....do	9, 50, 52	PX
171.575	.....do	9, 49, 51	PX
172.225	.....do	9, 49, 50	PX
172.275	.....do	9, 51, 52	PX
172.375	.....do	9, 49, 50	PX
173.075	.....do	53	PX
173.20375	Fixed or mobile	33, 34, 35, 36	PX
173.210	.....do	33, 34, 35, 36	PX
173.2375	.....do	32, 33, 34, 35	PX
173.2625	.....do	32, 33, 34, 35	PX
173.2875	.....do	32, 33, 34, 35	PX
173.3125	.....do	32, 33, 34, 35	PX
173.3375	.....do	32, 33, 34, 35	PX
173.3625	.....do	32, 33, 34, 35	PX
173.390	.....do	32, 33, 34, 35	PX
173.39625	.....do	33, 34, 35, 36	PX
220 to 222	Base and mobile	55.	
220.8025	Base	55	PX, PS
220.8075	.....do	55	PX, PS
220.8125	.....do	55	PX, PS
220.8175	.....do	55	PX, PS
220.8225	.....do	55	PX, PS
220.8275	.....do	55	PX, PS
220.8325	.....do	55	PX, PS
220.8375	.....do	55	PX, PS
220.8425	.....do	55	PX, PS
220.8475	.....do	55	PX, PS
220.9025	.....do	55	PX
220.9075	.....do	55	PX
220.9125	.....do	55	PX
220.9175	.....do	55	PX
220.9225	.....do	55	PX
221.8025	Mobile	55	PX, PS
221.8075	.....do	55	PX, PS
221.8125	.....do	55	PX, PS
221.8175	.....do	55	PX, PS
221.8225	.....do	55	PX, PS
221.8275	.....do	55	PX, PS
221.8325	.....do	55	PX, PS
221.8375	.....do	55	PX, PS

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
221.8425	.....do	55	PX, PS
221.8475	.....do	55	PX, PS
221.9025	.....do	55	PX
221.9075	.....do	55	PX
221.9125	.....do	55	PX
221.9175	.....do	55	PX
221.9225	.....do	55	PX
450 to 470	Fixed, base, or mobile	26, 56.	
453.0125	Mobile	57, 78	PX
453.03125	Base or mobile	44, 59, 60, 61, 62	PX
453.0375	.....do	27, 59, 60, 61, 62	PX
453.04375	.....do	44, 59, 60, 61, 62	PX
453.050	.....do		PX
453.05625	.....do	44	PX
453.0625	.....do	27	PX
453.06875	.....do	44	PX
453.075	Central control, fixed base, or mobile	58, 59, 60, 61, 62	PX
453.08125	Base or mobile	44, 59, 60, 61, 62	PX
453.0875	.....do	27, 59, 60, 61, 62	PX
453.09375	.....do	44, 59, 60, 61, 62	PX
453.100	.....do		PX
453.10625	.....do	44	PX
453.1125	.....do	27	PX
453.11875	.....do	44	PX
453.125	Central control, fixed base, or mobile	58, 59, 60, 61, 62	PX
453.13125	Base or mobile	44, 59, 60, 61, 62	PX
453.1375	.....do	27, 59, 60, 61, 62	PX
453.14375	.....do	44, 59, 60, 61, 62	PX
453.150	.....do		PX
453.15625	.....do	44	PX
453.1625	.....do	27	PX
453.16875	.....do	44	PX
453.175	Central control, fixed base, or mobile	58, 59, 60, 61, 62	PX
453.18125	Base or mobile	44, 59, 60, 61, 62	PX
453.1875	.....do	27, 59, 60, 61, 62	PX
453.19375	.....do	44, 59, 60, 61, 62	PX
453.200	.....do	81	PX
453.20625	.....do	44, 82	PX
453.2125	.....do	27, 80, 83	PX
453.21875	.....do	44, 82	PX
453.225	.....do	81	PX
453.23125	.....do	44	PX
453.2375	.....do	27	PX
453.24375	.....do	44	PX
453.250	.....do		PX
453.25625	.....do	44	PX
453.2625	.....do	27	PX
453.26875	.....do	44	PX
453.275	.....do		PX
453.28125	.....do	44	PX
453.2875	.....do	27	PX
453.29375	.....do	44	PX
453.300	.....do		PX
453.30625	.....do	44	PX
453.3125	.....do	27	PX
453.31875	.....do	44	PX
453.325	.....do		PX
453.33125	.....do	44	PX
453.3375	.....do	27	PX
453.34375	.....do	44	PX
453.350	.....do		PX
453.35625	.....do	44	PX
453.3625	.....do	27	PX
453.36875	.....do	44	PX
453.375	.....do		PX
453.38125	.....do	44	PX
453.3875	.....do	27	PX
453.39375	.....do	44	PX
453.400	.....do		PX
453.40625	.....do	44	PX
453.4125	.....do	27	PX
453.41875	.....do	44	PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
453.425	.....do		PX
453.43125	.....do	44	PX
453.4375	.....do	27	PX
453.44375	.....do	44	PX
453.450	.....do	81	PX
453.45625	.....do	44, 82	PX
453.4625	.....do	27, 80	PX
453.46875	.....do	44, 82	PX
453.475	.....do	81	PX
453.48125	.....do	44	PX
453.4875	.....do	27	PX
453.49375	.....do	44	PX
453.500	.....do		PX
453.50625	.....do	44	PX
453.5125	.....do	27	PX
453.51875	.....do	44	PX
453.525	.....do		PX
453.53125	.....do	44	PX
453.5375	.....do	27	PX
453.54375	.....do	44	PX
453.550	.....do		PX
453.55625	.....do	44	PX
453.5625	.....do	27	PX
453.56875	.....do	44	PX
453.575	.....do		PX
453.58125	.....do	44	PX
453.5875	.....do	27	PX
453.59375	.....do	44	PX
453.600	.....do		PX
453.60625	.....do	44	PX
453.6125	.....do	27	PX
453.61875	.....do	44	PX
453.625	.....do		PX
453.63125	.....do	44	PX
453.6375	.....do	27	PX
453.64375	.....do	44	PX
453.650	.....do		PX
453.65625	.....do	44	PX
453.6625	.....do	27	PX
453.66875	.....do	44	PX
453.675	.....do		PX
453.68125	.....do	44	PX
453.6875	.....do	27	PX
453.69375	.....do	44	PX
453.700	.....do	81	PX
453.70625	.....do	44, 82	PX
453.7125	.....do	27, 80	PX
453.71875	.....do	44, 82	PX
453.725	.....do	81	PX
453.73125	.....do	44	PX
453.7375	.....do	27	PX
453.74375	.....do	44	PX
453.750	.....do		PX
453.75625	.....do	44	PX
453.7625	.....do	27	PX
453.76875	.....do	44	PX
453.775	.....do		PX
453.78125	.....do	44	PX
453.7875	.....do	27	PX
453.79375	.....do	44	PX
453.800	.....do		PX
453.80625	.....do	44	PX
453.8125	.....do	27	PX
453.81875	.....do	44	PX
453.825	.....do		PX
453.83125	.....do	44	PX
453.8375	.....do	27	PX
453.84375	.....do	44	PX
453.850	.....do	81	PX
453.85625	.....do	44, 82	PX
453.8625	.....do	27, 80	PX
453.86875	.....do	44, 82	PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
453.875	.....do	81	PX
453.88125	.....do	44	PX
453.8875	.....do	27	PX
453.89375	.....do	44	PX
453.900	.....do		PX
453.90625	.....do	44	PX
453.9125	.....do	27	PX
453.91875	.....do	44	PX
453.925	.....do		PX
453.93125	.....do	44	PX
453.9375	.....do	27	PX
453.94375	.....do	44	PX
453.950	.....do		PX
453.95625	.....do	44	PX
453.9625	.....do	27	PX
453.96875	.....do	44	PX
453.975	.....do		PX
453.98125	.....do	44	PX
453.9875	.....do	27	PX
453.99375	.....do	44	PX
458.0125	Mobile	57	PS
458.025	Central control, fixed base, or mobile	58, 59, 61, 62, 63	PX
458.03125	Mobile	44, 59, 61, 62	PX
458.0375	.....do	27, 59, 61, 62	PX
458.04375	.....do	44, 59, 61, 62	PX
458.050	.....do		PX
458.05625	.....do	44	PX
458.0625	.....do	27	PX
458.06875	.....do	44	PX
458.075	Central control, fixed base, or mobile	58, 59, 61, 62, 63	PX
458.08125	Mobile	44, 59, 61, 62	PX
458.0875	.....do	27, 59, 61, 62	PX
458.09375	.....do	44, 59, 61, 62	PX
458.100	.....do		PX
458.10625	.....do	44	PX
458.1125	.....do	27	PX
458.11875	.....do	44	PX
458.125	Central control, fixed base, or mobile	58, 59, 61, 62, 63	PX
458.13125	Mobile	44, 59, 61, 62	PX
458.1375	.....do	27, 59, 61, 62	PX
458.14375	.....do	44, 59, 61, 62	PX
458.150	.....do		PX
458.15625	.....do	44	PX
458.1625	.....do	27	PX
458.16875	.....do	44	PX
458.175	Central control, fixed base, or mobile	58, 59, 61, 62, 63	PX
458.18125	Mobile	44, 59, 61, 62	PX
458.1875	.....do	27, 59, 61, 62	PX
458.19375	.....do	44, 59, 61, 62	PX
458.200	.....do	81	PX
458.20625	.....do	44, 82	PX
458.2125	.....do	27, 80, 83	PX
458.21875	.....do	44, 82	PX
458.225	.....do	81	PX
458.23125	.....do	44	PX
458.2375	.....do	27	PX
458.24375	.....do	44	PX
458.250	.....do		PX
458.25625	.....do	44	PX
458.2625	.....do	27	PX
458.26875	.....do	44	PX
458.275	.....do		PX
458.28125	.....do	44	PX
458.2875	.....do	27	PX
458.29375	.....do	44	PX
458.300	.....do		PX
458.30625	.....do	44	PX
458.3125	.....do	27	PX
458.31875	.....do	44	PX
458.325	.....do		PX
458.33125	.....do	44	PX
458.3375	.....do	27	PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
458.34375	.....do	44	PX
458.350	.....do		PX
458.35625	.....do	44	PX
458.3625	.....do	27	PX
458.36875	.....do	44	PX
458.375	.....do		PX
458.38125	.....do	44	PX
458.3875	.....do	27	PX
458.39375	.....do	44	PX
458.400	.....do		PX
458.40625	.....do	44	PX
458.4125	.....do	27	PX
458.41875	.....do	44	PX
458.425	.....do		PX
458.43125	.....do	44	PX
458.4375	.....do	27	PX
458.44375	.....do	44	PX
458.450	.....do	81	PX
458.45625	.....do	44, 82	PX
458.4625	.....do	27, 80	PX
458.46875	.....do	44, 82	PX
458.475	.....do	81	PX
458.48125	.....do	44	PX
458.4875	.....do	27	PX
458.49375	.....do	44	PX
458.500	.....do		PX
458.50625	.....do	44	PX
458.5125	.....do	27	PX
458.51875	.....do	44	PX
458.525	.....do		PX
458.53125	.....do	44	PX
458.5375	.....do	27	PX
458.54375	.....do	44	PX
458.550	.....do		PX
458.55625	.....do	44	PX
458.5625	.....do	27	PX
458.56875	.....do	44	PX
458.575	.....do		PX
458.58125	.....do	44	PX
458.5875	.....do	27	PX
458.59375	.....do	44	PX
458.600	.....do		PX
458.60625	.....do	44	PX
458.6125	.....do	27	PX
458.61875	.....do	44	PX
458.625	.....do		PX
458.63125	.....do	44	PX
458.6375	.....do	27	PX
458.64375	.....do	44	PX
458.650	.....do		PX
458.65625	.....do	44	PX
458.6625	.....do	27	PX
458.66875	.....do	44	PX
458.675	.....do		PX
458.68125	.....do	44	PX
458.6875	.....do	27	PX
458.69375	.....do	44	PX
458.700	.....do	81	PX
458.70625	.....do	44, 82	PX
458.7125	.....do	27, 80	PX
458.71875	.....do	44, 82	PX
458.725	.....do	81	PX
458.73125	.....do	44	PX
458.7375	.....do	27	PX
458.74375	.....do	44	PX
458.750	.....do		PX
458.75625	.....do	44	PX
458.7625	.....do	27	PX
458.76875	.....do	44	PX
458.775	.....do		PX
458.78125	.....do	44	PX
458.7875	.....do	27	PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
458.79375	.....do	44	PX
458.800	.....do		PX
458.80625	.....do	44	PX
458.8125	.....do	27	PX
458.81875	.....do	44	PX
458.825	.....do		PX
458.83125	.....do	44	PX
458.8375	.....do	27	PX
458.84375	.....do	44	PX
458.850	.....do	81	PX
458.85625	.....do	44, 82	PX
458.8625	.....do	27, 80	PX
458.86875	.....do	44, 82	PX
458.875	.....do	81	PX
458.88125	.....do	44	PX
458.8875	.....do	27	PX
458.89375	.....do	44	PX
458.900	.....do		PX
458.90625	.....do	44	PX
458.9125	.....do	27	PX
458.91875	.....do	44	PX
458.925	.....do		PX
458.93125	.....do	44	PX
458.9375	.....do	27	PX
458.94375	.....do	44	PX
458.950	.....do		PX
458.95625	.....do	44	PX
458.9625	.....do	27	PX
458.96875	.....do	44	PX
458.975	.....do		PX
458.98125	.....do	44	PX
458.9875	.....do	27	PX
458.99375	.....do	44	PX
460.0125	.....do	27, 64	PX
460.01875	Base or mobile	44	PX
460.025	.....do		PX
460.03125	.....do	44	PX
460.0375	.....do	27	PX
460.04375	.....do	44	PX
460.050	.....do		PX
460.05625	.....do	44	PX
460.0625	.....do	27	PX
460.06875	.....do	44	PX
460.075	.....do		PX
460.08125	.....do	44	PX
460.0875	.....do	27	PX
460.09375	.....do	44	PX
460.100	.....do		PX
460.10625	.....do	44	PX
460.1125	.....do	27	PX
460.11875	.....do	44	PX
460.125	.....do		PX
460.13125	.....do	44	PX
460.1375	.....do	27	PX
460.14375	.....do	44	PX
460.150	.....do		PX
460.15625	.....do	44	PX
460.1625	.....do	27	PX
460.16875	.....do	44	PX
460.175	.....do		PX
460.18125	.....do	44	PX
460.1875	.....do	27	PX
460.19375	.....do	44	PX
460.200	.....do		PX
460.20625	.....do	44	PX
460.2125	.....do	27	PX
460.21875	.....do	44	PX
460.225	.....do		PX
460.23125	.....do	44	PX
460.2375	.....do	27	PX
460.24375	.....do	44	PX
460.250	.....do		PX

PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
460.25625	.....do	44	PX
460.2625	.....do	27	PX
460.26875	.....do	44	PX
460.275	.....do		PX
460.28125	.....do	44	PX
460.2875	.....do	27	PX
460.29375	.....do	44	PX
460.300	.....do		PX
460.30625	.....do	44	PX
460.3125	.....do	27	PX
460.31875	.....do	44	PX
460.325	.....do		PX
460.33125	.....do	44	PX
460.3375	.....do	27	PX
460.34375	.....do	44	PX
460.350	.....do		PX
460.35625	.....do	44	PX
460.3625	.....do	27	PX
460.36875	.....do	44	PX
460.375	.....do		PX
460.38125	.....do	44	PX
460.3875	.....do	27	PX
460.39375	.....do	44	PX
460.400	.....do		PX
460.40625	.....do	44	PX
460.4125	.....do	27	PX
460.41875	.....do	44	PX
460.425	.....do		PX
460.43125	.....do	44	PX
460.4375	.....do	27	PX
460.44375	.....do	44	PX
460.450	.....do		PX
460.45625	.....do	44	PX
460.4625	.....do	27	PX
460.46875	.....do	44	PX
460.475	.....do		PX
460.48125	.....do	44	PX
460.4875	.....do	27	PX
460.49375	.....do	44	PX
460.500	.....do		PX
460.50625	.....do	44	PX
460.5125	.....do	27	PX
460.51875	.....do	44	PX
460.525	.....do		PX
460.53125	.....do	44	PX
460.5375	.....do	27	PX
460.54375	.....do	44	PX
460.550	.....do		PX
460.55625	.....do	44	PX
460.5625	.....do	27	PX
460.56875	.....do	44	PX
460.575	.....do		PX
460.58125	.....do	44	PX
460.5875	.....do	27	PX
460.59375	.....do	44	PX
460.600	.....do		PX
460.60625	.....do	44	PX
460.6125	.....do	27	PX
460.61875	.....do	44	PX
460.625	.....do		PX
460.63125	.....do	44	PX
460.6375	.....do	27	PX
460.64375	.....do	44	PX
462.9375	Mobile	57	PS
462.950	Base or mobile	38, 65	PX
462.95625	.....do	38, 44, 65	PX
462.9625	.....do	27, 38, 65	PX
462.96875	.....do	38, 44, 65	PX
462.975	.....do	38, 65	PX
462.98125	.....do	38, 44, 65	PX
462.9875	.....do	27, 38, 65	PX
462.99375	.....do	38, 44, 65	PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
463.000	.....do	59, 66, 76	PX
463.00625	.....do	44, 59, 66, 76	PX
463.0125	.....do	27, 59, 66, 67	PX
463.01875	.....do	44, 59, 66, 76	PX
463.025	.....do	59, 66, 76	PX
463.03125	.....do	44, 59, 66, 76	PX
463.0375	.....do	27, 59, 66, 67	PX
463.04375	.....do	44, 59, 66, 76	PX
463.050	.....do	59, 66, 76	PX
463.05625	.....do	44, 59, 66, 76	PX
463.0625	.....do	27, 59, 66, 67	PX
463.06875	.....do	44, 59, 66, 76	PX
463.075	.....do	59, 66, 76	PX
463.08125	.....do	44, 59, 66, 76	PX
463.0875	.....do	27, 59, 66, 67	PX
463.09375	.....do	44, 59, 66, 76	PX
463.100	.....do	59, 66, 76	PX
463.10625	.....do	44, 59, 66, 76	PX
463.1125	.....do	27, 59, 66, 67	PX
463.11875	.....do	44, 59, 66, 76	PX
463.125	.....do	59, 66, 76	PX
463.13125	.....do	44, 59, 66, 76	PX
463.1375	.....do	27, 59, 66, 67	PX
463.14375	.....do	44, 59, 66, 76	PX
463.150	.....do	59, 66, 76	PX
463.15625	.....do	44, 59, 66, 76	PX
463.1625	.....do	27, 59, 66, 67	PX
463.16875	.....do	44, 59, 66, 76	PX
463.175	.....do	59, 66, 76	PX
463.18125	.....do	44, 59, 66, 76	PX
463.1875	.....do	27, 59, 66, 67	PX
463.19375	.....do	44, 59, 66, 76	PX
465.0125	Mobile	57	PX
465.025	.....do		PX
465.03125	.....do	44	PX
465.0375	.....do	27	PX
465.04375	.....do	44	PX
465.050	.....do		PX
465.05625	.....do	44	PX
465.0625	.....do	27	PX
465.06875	.....do	44	PX
465.075	.....do		PX
465.08125	.....do	44	PX
465.0875	.....do	27	PX
465.09375	.....do	44	PX
465.100	.....do		PX
465.10625	.....do	44	PX
465.1125	.....do	27	PX
465.11875	.....do	44	PX
465.125	.....do		PX
465.13125	.....do	44	PX
465.1375	.....do	27	PX
465.14375	.....do	44	PX
465.150	.....do		PX
465.15625	.....do	44	PX
465.1625	.....do	27	PX
465.16875	.....do	44	PX
465.175	.....do		PX
465.18125	.....do	44	PX
465.1875	.....do	27	PX
465.19375	.....do	44	PX
465.200	.....do		PX
465.20625	.....do	44	PX
465.2125	.....do	27	PX
465.21875	.....do	44	PX
465.225	.....do		PX
465.23125	.....do	44	PX
465.2375	.....do	27	PX
465.24375	.....do	44	PX
465.250	.....do		PX
465.25625	.....do	44	PX
465.2625	.....do	27	PX

## PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
465.26875	.....do	44	PX
465.275	.....do		PX
465.28125	.....do	44	PX
465.2875	.....do	27	PX
465.29375	.....do	44	PX
465.300	.....do		PX
465.30625	.....do	44	PX
465.3125	.....do	27	PX
465.31875	.....do	44	PX
465.325	.....do		PX
465.33125	.....do	44	PX
465.3375	.....do	27	PX
465.34375	.....do	44	PX
465.350	.....do		PX
465.35625	.....do	44	PX
465.3625	.....do	27	PX
465.36875	.....do	44	PX
465.375	.....do		PX
465.38125	.....do	44	PX
465.3875	.....do	27	PX
465.39375	.....do	44	PX
465.400	.....do		PX
465.40625	.....do	44	PX
465.4125	.....do	27	PX
465.41875	.....do	44	PX
465.425	.....do		PX
465.43125	.....do	44	PX
465.4375	.....do	27	PX
465.44375	.....do	44	PX
465.450	.....do		PX
465.45625	.....do	44	PX
465.4625	.....do	27	PX
465.46875	.....do	44	PX
465.475	.....do		PX
465.48125	.....do	44	PX
465.4875	.....do	27	PX
465.49375	.....do	44	PX
465.500	.....do		PX
465.50625	.....do	44	PX
465.5125	.....do	27	PX
465.51875	.....do	44	PX
465.525	.....do		PX
465.53125	.....do	44	PX
465.5375	.....do	27	PX
465.54375	.....do	44	PX
465.550	Base or mobile		PX
465.55625	.....do	44	PX
465.5625	.....do	27	PX
465.56875	.....do	44	PX
465.575	Mobile		PX
465.58125	.....do	44	PX
465.5875	.....do	27	PX
465.59375	.....do	44	PX
465.600	.....do		PX
465.60625	.....do	44	PX
465.6125	.....do	27	PX
465.61875	.....do	44	PX
465.625	.....do		PX
465.63125	.....do	44	PX
465.6375	.....do	27	PX
465.64375	.....do	44	PX
467.9375	.....do	57	PX
467.950	.....do	38, 65	PX
467.95625	.....do	38, 44, 65	PX
467.9625	.....do	27, 38, 65	PX
467.96875	.....do	38, 44, 65	PX
467.975	.....do	38, 65	PX
467.98125	.....do	38, 44, 65	PX
467.9875	.....do	27, 38, 65	PX
467.99375	.....do	38, 44, 65	PX
468.000	.....do	59, 66, 76	PX
468.00625	.....do	44, 59, 66, 76	PX

PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
468.0125	.....do	27, 59, 66, 76	PX
468.01875	.....do	44, 59, 66, 76	PX
468.025	.....do	59, 66, 76	PX
468.03125	.....do	44, 59, 66, 76	PX
468.0375	.....do	27, 59, 66, 76	PX
468.04375	.....do	44, 59, 66, 76	PX
468.050	.....do	59, 66, 76	PX
468.05625	.....do	44, 59, 66, 76	PX
468.0625	.....do	27, 59, 66, 76	PX
468.06875	.....do	44, 59, 66, 76	PX
468.075	.....do	59, 66, 76	PX
468.08125	.....do	44, 59, 66, 76	PX
468.0875	.....do	27, 59, 66, 76	PX
468.09375	.....do	44, 59, 66, 76	PX
468.100	.....do	59, 66, 76	PX
468.10625	.....do	44, 59, 66, 76	PX
468.1125	.....do	27, 59, 66, 76	PX
468.11875	.....do	44, 59, 66, 76	PX
468.125	.....do	59, 66, 76	PX
468.13125	.....do	44, 59, 66, 76	PX
468.1375	.....do	27, 59, 66, 76	PX
468.14375	.....do	44, 59, 66, 76	PX
468.150	.....do	59, 66, 76	PX
468.15625	.....do	44, 59, 66, 76	PX
468.1625	.....do	27, 59, 66, 76	PX
468.16875	.....do	44, 59, 66, 76	PX
468.175	.....do	59, 66, 76	PX
468.18125	.....do	44, 59, 66, 76	PX
468.1875	.....do	27, 59, 66, 76	PX
468.19375	.....do	44, 59, 66, 76	PX
470 to 512	Base or mobile	68	
764 to 776	Base, mobile	77	PX
794 to 806	Mobile	77	PX
806 to 824	Mobile	69	
851 to 859	Base or mobile	69	
928 and above	Operational fixed	70	
929 to 930	Base only	71	
1,427 to 1,435	Operational fixed, base, or mobile	72	
2,450 to 2,500	Base or mobile	73	
10,550 to 10,680	.....do	74	

\* \* \* \* \*

3. Section 90.175 is amended by revising paragraph (b)(1) to read as follows:

**§ 90.175 Frequency coordinator requirements.**

\* \* \* \* \*

(b) \* \* \*

(1) A statement is required from the applicable frequency coordinator as specified in §§ 90.20(c)(2) and 90.35(b) recommending the most appropriate frequency. In addition, if the interference contour of a proposed station would overlap the service contour of a station on a frequency formerly allocated to the former Emergency Medical Radio Service, Fire Radio Service, Forestry Conservation Radio Service, Highway Maintenance Radio Service, and Police Radio Service, or shared prior to radio service consolidation by licensees in the Manufacturers Radio Service, the Forest Products Radio Service, the Power

Radio Service, the Petroleum Radio Service, the Motor Carrier Radio Service, the Railroad Radio Service, the Telephone Maintenance Radio Service, or the Automobile Emergency Radio Service, the written concurrence of the coordinator for the public safety or industry-specific service, or the written concurrence of the licensee itself, must be obtained. Requests for concurrence must be responded to within 20 days of receipt of the request. The written request for concurrence shall advise the receiving party of the maximum 20 day response period. The coordinator's recommendation may include comments on technical factors such as power, antenna height and gain, terrain and other factors which may serve to minimize potential interference. In addition:

\* \* \* \* \*

[FR Doc. 02-27976 Filed 11-4-02; 8:45 am]  
**BILLING CODE 6712-01-P**

**DEPARTMENT OF TRANSPORTATION**

**National Highway Traffic Safety Administration**

**49 CFR Part 571**

[DOT Docket No. NHTSA-2002-13704]

RIN 2127-AH23

**Federal Motor Vehicle Safety Standards; Definition of Multifunction School Activity Bus**

**AGENCY:** National Highway Traffic Safety Administration (NHTSA), DOT.  
**ACTION:** Notice of proposed rulemaking (NPRM).

**SUMMARY:** Under existing Federal requirements, all school buses must be equipped with crash avoidance devices designed to control traffic (*i.e.*, flashing lights and stop arms) because the use of most school buses includes stopping in the roadway to pick children up from and drop them off at home. There is a