

ENVIRONMENTAL PROTECTION AGENCY**40 CFR Part 52**

[CA 273-0370b; FRL-7441-6]

Revisions to the California State Implementation Plan, Imperial County Air Pollution Control District and Monterey Bay Unified Air Pollution Control District**AGENCY:** Environmental Protection Agency (EPA).**ACTION:** Proposed rule.

SUMMARY: EPA is proposing to approve revisions to the Imperial County Air Pollution Control District (ICAPCD) and the Monterey Bay Unified Air Pollution Control District (MBUAPCD) portions of the California State Implementation Plan (SIP). The ICAPCD revision concerns the emission of particulate matter (PM-10) from agricultural burning. The MBUAPCD revision concerns the emission of PM-10 from incinerator burning. We are proposing to approve local rules that regulate these emission sources under the Clean Air Act as amended in 1990 (CAA or the Act).

DATES: Any comments on this proposal must arrive by March 3, 2003.

ADDRESSES: Mail comments to Andy Steckel, Rulemaking Office Chief (AIR-4), U.S. Environmental Protection Agency, Region IX, 75 Hawthorne Street, San Francisco, CA 94105.

You can inspect a copy of the submitted rule revisions and EPA's technical support documents (TSDs) at our Region IX office during normal business hours. You may also see a copy of the submitted rule revisions and TSDs at the following locations:

Air and Radiation Docket and Information Center, U.S. Environmental Protection Agency, (Mail Code 6102T), Room B-102, 1301 Constitution Avenue, NW., Washington, DC 20460.

California Air Resources Board, Stationary Source Division, Rule Evaluation Section, 1001 "I" Street, Sacramento, CA 95814.

Imperial County Air Pollution Control District, 150 South 9th Street, El Centro, CA 92243.

Monterey Bay Unified Air Pollution Control District, 24580 Silver Cloud Court, Monterey, CA 93940.

A copy of a rule may also be available via the Internet at <http://www.arb.ca.gov/drdb/drdbtxt.htm>. This is not an EPA Web site and it may not contain the same version of the rule that was submitted to EPA. Readers should verify that the adoption date of the rule

listed is the same as the rule submitted to EPA for approval and be aware that the official submittal is only available at the agency addresses listed above.

FOR FURTHER INFORMATION CONTACT: Al Petersen, Rulemaking Office (AIR-4), U.S. Environmental Protection Agency, Region IX; (415) 947-4118.

SUPPLEMENTARY INFORMATION: This proposal addresses the approval of local ICAPCD Rule 701 and MBUAPCD Rule 408. In the Rules section of this **Federal Register**, we are approving these local rules in a direct final action without prior proposal because we believe this SIP revision is not controversial. If we receive adverse comments, however, we will publish a timely withdrawal of the direct final rule and address the comments in subsequent action based on this proposed rule. We do not plan to open a second comment period, so anyone interested in commenting should do so at this time. If we do not receive adverse comments, no further activity is planned. For further information, please see the direct final action.

Dated: December 12, 2002.

Keith Takata,

Acting Regional Administrator, Region IX.

[FR Doc. 03-2176 Filed 1-30-03; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY**40 CFR Part 194**

[FRL-7446-3]

Central Characterization Project Waste Characterization Program Documents Applicable to Transuranic Radioactive Waste From the Argonne National Laboratory—East Site Proposed for Disposal at the Waste Isolation Pilot Plant

AGENCY: Environmental Protection Agency.

ACTION: Notice of availability; opening of public comment period.

SUMMARY: The Environmental Protection Agency (EPA, or "we") is announcing an inspection for the week of February 10, 2003, at the Argonne National Laboratory—East (ANL-E). With this notice, we also announce availability of Department of Energy (DOE) documents in the EPA Docket, and solicit public comments on the documents available in the docket for a period of 30 days. The following DOE documents, entitled "CCP-PO-001—Revision 4, 5/31/02—CCP Transuranic Waste Characterization Quality Assurance Project Plan" and

"CCP-PO-002—Revision 4, 5/17/02—CCP Transuranic Waste Certification Plan," are available for review in the public dockets listed in **ADDRESSES**. In accordance with EPA's WIPP Compliance Criteria, we will conduct an inspection at ANL-E to verify that, using the systems and processes developed as part of the DOE Carlsbad Office's central characterization project (CCP), DOE can characterize TRU waste at ANL-E properly, consistent with the Compliance Criteria.

DATES: EPA is requesting public comment on the documents. Comments must be received by EPA's official Air Docket on or before March 3, 2003.

ADDRESSES: Comments should be submitted to: EPA Docket Center (EPA/DC), Air and Radiation Docket, Docket No. A-98-49, EPA West, Mail Code 6102T, 1200 Pennsylvania Avenue, N.W., Washington, DC 20460. The DOE documents are available for review in the official EPA Air Docket in Washington, DC, Docket No. A-98-49, Category II-A2, and at the following three EPA WIPP informational docket locations in New Mexico: in Carlsbad at the Municipal Library, Hours: Monday-Thursday, 10 a.m.-9 p.m., Friday-Saturday, 10 a.m.-6 p.m., and Sunday 1 p.m.-5 p.m.; in Albuquerque at the Government Publications Department, Zimmerman Library, University of New Mexico, Hours: vary by semester; and in Santa Fe at the New Mexico State Library, Hours: Monday-Friday, 9 a.m.-5 p.m.

As provided in EPA's regulations at 40 CFR Part 2, and in accordance with normal EPA docket procedures, if copies of any docket materials are requested, a reasonable fee may be charged for photocopying. Air Docket A-98-49 in Washington, DC, accepts comments sent electronically or by fax (fax: 202-566-1741; e-mail: a-and-r-docket@epa.gov).

FOR FURTHER INFORMATION CONTACT: Ms. Rajani D. Joglekar, Office of Radiation and Indoor Air, (202) 564-7734. You can also call EPA's toll-free WIPP Information Line, 1-800-331-WIPP or visit our Web site at <http://www.epa.gov/radiation/wipp>.

SUPPLEMENTARY INFORMATION:

Background

DOE is operating the WIPP near Carlsbad in southeastern New Mexico as a deep geologic repository for disposal of TRU radioactive waste. As defined by the WIPP Land Withdrawal Act (LWA) of 1992 (Pub. L. 102-579), as amended (Pub. L. 104-201), transuranic (TRU) waste consists of materials containing elements having atomic numbers greater

than 92 (with half-lives greater than twenty years), in concentrations greater than 100 nanocuries of alpha-emitting TRU isotopes per gram of waste. Much of the existing TRU waste consists of items contaminated during the production of nuclear weapons, such as rags, equipment, tools, and sludges.

On May 13, 1998, EPA announced its final compliance certification decision to the Secretary of Energy (published May 18, 1998, 63 FR 27354). This decision stated that the WIPP will comply with EPA's radioactive waste disposal regulations at 40 CFR part 191, subparts B and C.

The final WIPP certification decision includes conditions that (1) prohibit shipment of TRU waste for disposal at WIPP from any site other than the Los Alamos National Laboratory (LANL) until the EPA determines that the site has established and executed a quality assurance program, in accordance with §§ 194.22(a)(2)(i), 194.24(c)(3), and 194.24(c)(5) for waste characterization activities and assumptions (Condition 2 of appendix A to 40 CFR part 194); and (2) prohibit shipment of TRU waste for disposal at WIPP from any site other than LANL until the EPA has approved the procedures developed to comply with the waste characterization requirements of § 194.22(c)(4) (Condition 3 of appendix A to 40 CFR part 194). The EPA's approval process for waste generator sites is described in § 194.8. As part of EPA's decision-making process, the DOE is required to submit to EPA appropriate documentation of quality assurance and waste characterization programs at each DOE waste generator site seeking approval for shipment of TRU radioactive waste to WIPP. In accordance with § 194.8, EPA will place such documentation in the official Air Docket in Washington, DC, and informational dockets in the State of New Mexico for public review and comment.

EPA will perform an inspection of the TRU waste characterization activities performed by the DOE's Central Characterization Project (CCP) staff at the Argonne National Laboratory-East (ANL-E) in accordance with Condition 3 of the WIPP certification. We will evaluate the adequacy, implementation, and effectiveness of the CCP technical activities contracted by the ANL-E for characterization of the disposal of retrievably-stored homogeneous solid waste at the WIPP. We also will evaluate DOE's corrective action(s) responding to the EPA finding (identified during the September 2002 inspection) related to the implementation of a procedure to compile acceptable knowledge. This

finding resulted in the denial of DOE's request for approving the CCP-characterized TRU debris waste at ANL. Therefore, until EPA is satisfied with the corrective action taken to resolve this finding ANL-E cannot ship TRU debris waste for disposal at WIPP. The overall program adequacy and effectiveness of CCP/ANL-E documents will be based on the following DOE-provided documents: (1) CCP-PO-001—Revision 4, 5/31/02—CCP Transuranic Waste Characterization Quality Assurance Project Plan and (2) CCP-PO-002—Revision 4, 5/17/02—CCP Transuranic Waste Certification Plan. EPA has placed these DOE-provided documents pertinent to the ANL-E inspection in the public docket described in **ADDRESSES**. The documents are included in item II-A2-40 in Docket A-98-49. In accordance with 40 CFR 194.8, EPA is providing the public 30 days to comment on these documents. The inspection is scheduled to take place the week of February 10, 2003.

EPA will inspect the following technical elements for characterizing retrievably-stored TRU debris and solid waste: data validation and verification, acceptable knowledge, nondestructive assay (NDA-WIT and APNEA), Digital Radiography/Computed Tomography, visual examination, and data tracking and reporting via the WIPP Waste Information System.

If EPA determines as a result of the inspection that the proposed CCP waste characterization processes and programs used at ANL-E adequately control the characterization of transuranic waste, we will notify DOE by letter and place the letter in the official Air Docket in Washington, DC, as well as in the informational docket locations in New Mexico. A letter of approval will allow DOE to ship transuranic waste from ANL-E to the WIPP. The EPA will not make a determination of compliance prior to the inspection or before the 30-day comment period has closed.

Information on the certification decision is filed in the official EPA Air Docket, Docket No. A-93-02 and is available for review in Washington, DC, and at three EPA WIPP informational docket locations in New Mexico. The dockets in New Mexico contain only major items from the official Air Docket in Washington, DC, plus those documents added to the official Air Docket since the October 1992 enactment of the WIPP LWA.

Dated: January 24, 2003.

Robert Brenner,

Acting Assistant Administrator for Air and Radiation.

[FR Doc. 03-2343 Filed 1-30-03; 8:45 am]

BILLING CODE 6560-50-P

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 67

[Docket No. FEMA-P-7619]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA).

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed Base (1% annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed below. The BFEs and modified BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Michael M. Grimm, Acting Chief, Hazard Study Branch, Federal Insurance and Mitigation Administration, FEMA, 500 C Street, SW., Washington, DC 20472, (202) 646-2878 or (e-mail) michael.grimm@fema.gov.

SUPPLEMENTARY INFORMATION: FEMA proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more