

* Enhance the quality, utility, and clarity of the information to be collected; and

* Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

Agency: Mine Safety and Health Administration (MSHA).

Type of Review: Extension of a currently approved collection.

Title: Approval, Exhaust Gas Monitoring, and Safety Requirements for the Use of Diesel-Powered Equipment in Underground Coal Mines.

OMB Number: 1219-0119.

Frequency: On Occasion.

Affected Public: Business or other for-profit.

Type of Public: Recordkeeping and Reporting.

Number of Respondents: 114.

Annual Responses: 101,944.

Estimated Time Per Respondent: 0.57 hours (34 minutes).

Total Burden Hours: 58,265.

Total Annualized Capital/Startup Costs: \$60,492.

Total Annual Costs (operating/maintaining systems or purchasing services): \$316,140.

Description: 30 CFR parts 7, 36, 70, and 75 mandate safety requirements in three major areas of concern: diesel engine design and testing requirements; safety standards for the maintenance and use of equipment; and exhaust gas. The information collection requirements in these provisions are necessary to protect the health and safety of miners.

Darrin A. King,

Acting Departmental Clearance Officer.

[FR Doc. 03-5049 Filed 3-3-03; 8:45 am]

BILLING CODE 4510-23-M

DEPARTMENT OF LABOR

Office of the Secretary

Submission for OMB Review; Comment Request

February 24, 2003.

The Department of Labor (DOL) has submitted the following public information collection request (ICR) to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act of 1995 (Pub. L. 104-13, 44 U.S.C. chapter 35). A copy of this ICR, with applicable supporting documentation, may be obtained by

calling the Department of Labor. To obtain documentation contact Darrin King at (202) 693-4129 or e-mail King-Darrin@dol.gov.

Comments should be sent to Office of Information and Regulatory Affairs, Attn: OMB Desk Officer for PWBA, Office of Management and Budget, Room 10235, Washington, DC 20503 ((202) 395-7316), within 30 days from the date of this publication in the **Federal Register**.

The OMB is particularly interested in comments which:

* Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;

* Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;

* Enhance the quality, utility, and clarity of the information to be collected; and minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

Type of Review: Extension of a currently approved collection.

Agency: Employee Benefits Security Administration (EBSA).

Title: National Medical Support Notice—Part B.

OMB Number: 1210-0113.

Affected Public: Business or other for-profit; Not-for-profit institutions; and Individuals or households.

Frequency: On occasion.

Type of Response: Third party disclosure.

Number of Respondents: 156,000.

Number of Annual Responses: 800,000.

Estimated Time Per Response: 1 hour and 47 minutes for small plans (fewer than 10 participants) and 37 minutes for plans with more than 10 participants.

Total Burden Hours: 530,614.

Total Annualized Capital/Startup Costs: \$0.

Total Annual Costs (operating/maintaining systems or purchasing services): \$1,216,000.

Description: Section 609 of ERISA and 29 CFR 2590.609-2 establish a National Medical Support Notice, Part B of which is used to implement coverage of children under ERISA covered group

health plans pursuant to "Qualified Medical Child Support Orders."

Darrin A. King,

Acting Departmental Clearance Officer.

[FR Doc. 03-5050 Filed 3-3-03; 8:45 am]

BILLING CODE 4510-23-M

DEPARTMENT OF LABOR

Occupational Safety and Health Administration

[Docket No. NRTL3-92]

TUV Rheinland of North America, Inc.; Application for Expansion of Recognition

AGENCY: Occupational Safety and Health Administration (OSHA), Labor.

ACTION: Notice.

SUMMARY: This notice announces the application of TUV Rheinland of North America, Inc., for expansion of its recognition as a Nationally Recognized Testing Laboratory under 29 CFR 1910.7, and presents the Agency's preliminary finding. This preliminary finding does not constitute an interim or temporary approval of the application.

DATES: You may submit comments in response to this notice, or any request for extension of the time to comment, by (1) regular mail, (2) express or overnight delivery service, (3) hand delivery, (4) messenger service, or (5) FAX transmission (facsimile). Because of security-related problems there may be a significant delay in the receipt of comments by regular mail. Comments (or any request for extension of the time to comment) must be submitted by the following dates:

Regular mail and express delivery service: Your comments must be postmarked by March 19, 2003.

Hand delivery and messenger service: Your comments must be received in the OSHA Docket Office by March 19, 2003. OSHA Docket Office and Department of Labor hours of operation are 8:15 a.m. to 4:45 p.m.

Facsimile and electronic transmission: Your comments must be sent by March 19, 2003.

ADDRESSES: *Regular mail, express delivery, hand-delivery, and messenger service:* You must submit three copies of your comments and attachments to the OSHA Docket Office, Docket NRTL3-92, Room N-2625, U.S. Department of Labor, Occupational Safety and Health Administration, 200 Constitution Avenue, NW., Washington, DC 20210. Please contact the OSHA Docket Office at (202) 693-2350 for information about security procedures concerning the

delivery of materials by express delivery, hand delivery and messenger service.

Facsimile: If your comments, including any attachments, are 10 pages or fewer, you may fax them to the OSHA Docket Office at (202) 693-1648. You must include the docket number of this notice, Docket NRTL3-92, in your comments.

Internet access to comments and submissions: OSHA will place comments and submissions in response to this notice on the OSHA Webpage <http://www.osha.gov>. Accordingly, OSHA cautions you about submitting information of a personal nature (e.g., social security number, date of birth). There may be a lag time between when comments and submissions are received and when they are placed on the Webpage. Please contact the OSHA Docket Office at (202) 693-2350 for information about materials not available through the OSHA Webpage and for assistance in using the Webpage to locate docket submissions. Comments and submissions will also be available for inspection and copying at the OSHA Docket Office at the address above.

Extension of Comment Period: Submit requests for extensions concerning this notice to: Office of Technical Programs and Coordination Activities, NRTL Program, Occupational Safety and Health Administration, U.S. Department of Labor, Room N3653, 200 Constitution Avenue, NW., Washington, DC 20210, or fax to (202) 693-1644.

FOR FURTHER INFORMATION CONTACT: Sherry Nicolas, Office of Technical Programs and Coordination Activities, NRTL Program, Room N3653 at the address shown immediately above for the program, or phone (202) 693-2110.

SUPPLEMENTARY INFORMATION:

Notice of Application

The Occupational Safety and Health Administration (OSHA) hereby gives notice that TUV Rheinland of North America, Inc. (TUV), has applied for expansion of its current recognition as a Nationally Recognized Testing Laboratory (NRTL). TUV's expansion request covers the use of additional test standards. OSHA's current scope of recognition for TUV may be found in the following informational web page: <http://www.osha-slc.gov/dts/otpca/nrtl/tuv.html>.

OSHA recognition of an NRTL signifies that the organization has met the legal requirements in § 1910.7 of Title 29, Code of Federal Regulations (29 CFR 1910.7). Recognition is an acknowledgment that the organization can perform *independent* safety testing

and certification of the specific products covered within its scope of recognition and is not a delegation or grant of government authority. As a result of recognition, OSHA can accept products "properly certified" by the NRTL.

The Agency processes applications for initial recognition or for expansion or renewal of this recognition following requirements in appendix A to 29 CFR 1910.7. This appendix requires that the Agency publish two notices in the **Federal Register** in processing an application. In the first notice, OSHA announces the application and provides its preliminary finding and, in the second notice, the Agency provides its final decision on an application. These notices set forth the NRTL's scope of recognition or modifications of this scope. We maintain an informational web page for each NRTL, which details its scope of recognition. These pages can be accessed from our Web site at <http://www.osha-slc.gov/dts/otpca/nrtl/index.html>.

The most recent notice published by OSHA for TUV's recognition covered a renewal of recognition, which became effective on March 18, 2002 (67 FR 12051).

The current address of the testing facility (site) that OSHA recognizes for TUV is: TUV Rheinland of North America, Inc., 12 Commerce Road, Newtown, Connecticut 06470.

General Background on the Application

TUV has submitted a request, dated October 16, 2001 (see Exhibit 28), to expand its recognition to use 132 additional test standards. The NRTL Program staff has determined that 17 of the 132 standards cannot be included in the expansion because they are not "appropriate test standards," within the meaning of 29 CFR 1910.7(c). The staff makes such determinations in processing expansion requests from any NRTL. Therefore, OSHA would include 115 standards in the expansion, as listed below. OSHA performed an on-site review of the NRTL in June 2002 and recommended the expansion in a memo dated October 17, 2002 (see Exhibit 29).

The NRTL Program staff found that a few of the standards requested by TUV have been withdrawn or replaced by the standards developing organization. Under OSHA policy, we can no longer recognize the NRTL for such test standards but the NRTL may request or OSHA can provide recognition for comparable test standards, *i.e.*, other appropriate test standards covering similar types of product testing. The appropriate deletions and substitutions are reflected in the listing below.

ANSI A17.5 Elevators and Escalator Electrical Equipment
ANSI A90.1 Safety Standard for Belt Manlifts
ANSI C12.1 Code for Electricity Meters
ANSI C37.21 Control Switchboards
ANSI Z8.1 Commercial Laundry and Dry-cleaning Equipment and Operations
ANSI/NFPA 72 Installation, Maintenance, and Use of Protective Signaling Systems
UL 44 Rubber-Insulated Wires and Cables
Thermoset-Insulated Wires and Cables
UL 45 Portable Electric Tools
UL 50 Enclosures for Electrical Equipment
UL 62 Flexible Cord and Fixture Wire
UL 65 Wired Cabinets
UL 69 Electric-Fence Controllers
UL 83 Thermoplastic-Insulated Wires and Cables
UL 150 Antenna Rotators
UL 187 X-Ray Equipment
UL 201 Garage Equipment
UL 224 Extruded Insulating Tubing
UL 231 Power Outlets
UL 234 Low Voltage Lighting Fixtures for Use in Recreational Vehicles
UL 244A Solid-State Controls for Appliances
UL 291 Automated Teller Systems
UL 294 Access Control System Units
UL 325 Door, Drapery, Gate, Louver, and Window Operators and Systems
UL 347 High-Voltage Industrial Control Equipment
UL 416 Refrigerated Medical Equipment
UL 427 Refrigerating Units
UL 429 Electrically Operated Valves
UL 444 Communications Cables
UL 466 Electric Scales
UL 467 Electrical Grounding and Bonding Equipment
UL 484 Room Air Conditioners
UL 496 Edison Base Lampholders
UL 498 Attachment Plugs and Receptacles
UL 508A Industrial Control Panels
UL 542 Lampholders, Starters, and Starter Holders for Fluorescent Lamps
UL 551 Transformer-Type Arc-Welding Machines
UL 563 Ice Makers
UL 574 Electric Oil Heaters
UL 588 Christmas-Tree and Decorative-Lighting Outfits
UL 603 Power Supplies for Use with Burglar-Alarm Systems
UL 606 Linings and Screens for Use with Burglar-Alarm Systems
UL 609 Local Burglar-Alarm Units and Systems
UL 632 Electrically Actuated Transmitters
UL 634 Connectors and Switches for Use with Burglar-Alarm Systems
UL 636 Holdup Alarm Units and Systems
UL 639 Intrusion-Detection Units
UL 664 Commercial Dry-Cleaning Machines (Type IV)
UL 676 Underwater Lighting Fixtures
UL 681 Installation and Classification of Burglar and Holdup Alarm Systems
UL 756 Coin and Currency Changers and Actuators
UL 773 Plug-In Locking-Type Photocontrols for Use With Area Lighting
UL 773A Nonindustrial Photoelectric Switches for Lighting Control
UL 813 Commercial Audio Equipment

- UL 817 Cord Sets and Power-Supply Cords
- UL 827 Central Station Alarm Services
- UL 834 Heating, Water Supply, and Power Boilers—Electric
- UL 845 Motor Control Centers
- UL 869A Standard for Service Equipment
- UL 884 Underfloor Raceways and Fittings
- UL 916 Energy Management Equipment
- UL 917 Clock-Operated Switches
- UL 924 Emergency Lighting and Power Equipment
- UL 983 Surveillance Cameras Units
- UL 998 Humidifiers
- UL 1008 Transfer Switch Equipment
- UL 1023 Household Burglar-Alarm System Units
- UL 1029 High-Intensity Discharge Lamp Ballasts
- UL 1030 Sheathed Heater Elements
- UL 1034 Burglary Resistant Electric Locking Mechanisms
- UL 1054 Special-Use Switches
- UL 1076 Proprietary Burglar-Alarm Units and Systems
- UL 1077 Supplementary Protectors for Use in Electrical Equipment
- UL 1086 Household Trash Compactors
- UL 1088 Temporary Lighting Strings
- UL 1090 Electric Snow Movers
- UL 1097 Double Insulation Systems for Use in Electrical Equipment
- UL 1206 Electric Commercial Clothes-Washing Equipment
- UL 1241 Junction Boxes for Swimming Pool Lighting Fixtures
- UL 1261 Electric Water Heaters for Pools and Tubs
- UL 1283 Electromagnetic-Interference Filter
- UL 1286 Office Furnishings
- UL 1414 Across-the-Line, Antenna-Coupling, and Line-by-Pass Capacitors for Radio-Television-Type Appliances
- UL 1433 Control Centers for Changing Message Type Electric Signs
- UL 1447 Electric Lawn Mowers
- UL 1448 Electric Hedge Trimmers
- UL 1450 Motor Operated Air Compressors, Vacuum Pumps and Painting Equipment
- UL 1472 Solid-State Dimming Controls
- UL 1565 Positioning Devices
- UL 1581 Standard for Electrical Wires, Cables, and Flexible Cords
- UL 1610 Central-Station Burglar-Alarm Units
- UL 1637 Home Health Care Signaling Equipment
- UL 1638 Visual Signaling Appliances
- UL 1740 Industrial Robots and Robotic Equipment
- UL 1778 Uninterruptible Power Supply Equipment
- UL 1951 Electric Plumbing Accessories
- UL 1993 Self-Ballasted Lamps and Lamp Adapters
- UL 1994 Low-Level Path Marking and Lighting Systems
- UL 1996 Duct Heaters
- UL 2044 Commercial Closed Circuit Television Equipment
- UL 2097 Double Insulation Systems for Use in Electronic Equipment
- UL 2106 Field Erected Boiler Assemblies
- UL 2111 Overheating Protection for Motors
- UL 3044 Surveillance Closed Circuit Television Equipment
- UL 60335-2-8 Household and Similar Electric Appliances, Part 2; Particular Requirements for Electric Shavers, Hair Clippers and Similar Appliances
- UL 60335-2-34 Household and Similar Electrical Appliances, Part 2; Particular Requirements for Motor-Compressors
- UL 60730-1 Automatic Electrical Controls for Household and Similar Use; Part 1: General Requirements
- UL 60730-2-6 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Automatic Electrical Pressure Sensing Controls Including Mechanical Requirements
- UL 60730-2-7 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Timers and Time Switches
- UL 60730-2-10A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Motor Starting Relays
- UL 60730-2-11A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Energy Regulators
- UL 60730-2-12A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically Operated Door Locks
- UL 60730-2-13A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Humidity Sensing Controls
- UL 60730-2-14 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electric Actuators
- UL 60730-2-16A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Automatic Electrical Water Level Controls
- UL 61058-1 Switch for Appliances for Household and Similar Applications

The designations and titles of the above test standards were current at the time of the preparation of this notice.

OSHA's recognition of TUV, or any NRTL, for a particular test standard is limited to equipment or materials (*i.e.*, products) for which OSHA standards require third party testing and certification before use in the workplace. Consequently, an NRTL's scope of recognition excludes any product(s) that fall within the scope of a test standard, but for which OSHA standards do not require NRTL testing and certification.

Many of the UL test standards listed above also are approved as American National Standards by the American National Standards Institute (ANSI). However, for convenience, we use the designation of the standards developing organization (*e.g.*, UL 1008) for the standard, as opposed to the ANSI designation (*e.g.*, ANSI/UL 1008). Under our procedures, any NRTL recognized for an ANSI-approved test standard may use either the latest proprietary version of the test standard or the latest ANSI version of that standard. Contact

"NSSN" (<http://www.nssn.org>), an organization partially sponsored by ANSI, to find out whether or not a test standard is currently ANSI-approved.

Existing Condition

Currently, OSHA imposes the following condition on its recognition of TUV. This condition would apply also to the recognition of the additional test standards and applies solely to TUV's NRTL operations. It is in addition to any other condition that OSHA normally imposes in its recognition of an organization as an NRTL.

TUV must have specific written testing procedures in place before testing products covered by any test standard for which it is recognized and must use these procedures in testing and certifying those products.

Preliminary Finding on the Application

TUV has submitted an acceptable request for expansion of its recognition as an NRTL. As mentioned, in connection with this request, OSHA has performed an on-site review of TUV's NRTL testing facility. The NRTL has resolved any discrepancies noted by the assessor following the review, and the assessor factored such resolution into the memo on the recommendation (*see Exhibit 29*).

Following a review of the application file, the assessor's recommendation, and other pertinent documents, the NRTL Program staff has concluded that OSHA can grant to TUV the expansion of recognition as an NRTL to use the additional test standards listed above, subject to the conditions as noted. The staff, therefore, recommended to the Assistant Secretary that the application be preliminarily approved.

Based upon the recommendations of the staff, the Assistant Secretary has made a preliminary finding that the TUV Rheinland of North America, Inc., can meet the requirements, as prescribed by 29 CFR 1910.7, for the expansion of recognition, subject to the above conditions. This preliminary finding does not constitute an interim or temporary approval of the application.

OSHA welcomes public comments, in sufficient detail, as to whether TUV has met the requirements of 29 CFR 1910.7 for expansion of its recognition as a Nationally Recognized Testing Laboratory. Your comments should consist of pertinent written documents and exhibits. To consider a comment, OSHA must receive it at the address provided above (*see ADDRESSES*), no later than the last date for comments (*see DATES* above). Should you need more time to comment, OSHA must receive your written request for extension at the address provided above

no later than the last date for comments. You must include your reason(s) for any request for extension. OSHA will limit any extension to 30 days, unless the requester justifies a longer period. We may deny a request for extension if it is frivolous or otherwise unwarranted. You may obtain or review copies of TUV's requests, the on-site review reports, and all submitted comments, as received, by contacting the Docket Office, Room N2625, Occupational Safety and Health Administration, U.S. Department of Labor, at the above address. Docket No. NRTL3-92 contains all materials in the record concerning TUV's application.

The NRTL Program staff will review all timely comments, and after resolution of issues raised by these comments, will recommend whether to grant TUV's expansion request. The Agency will make the final decision on granting the expansion, and in making this decision, may undertake other proceedings that are prescribed in appendix A to 29 CFR 1910.7. OSHA will publish a public notice of this final decision in the **Federal Register**.

Signed at Washington, DC, this 25th day of February, 2003.

John L. Henshaw,

Assistant Secretary.

[FR Doc. 03-5051 Filed 3-3-03; 8:45 am]

BILLING CODE 4510-26-P

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice (03-028)]

Notice of Prospective Patent License

AGENCY: National Aeronautics and Space Administration.

ACTION: Notice of Prospective Patent License.

SUMMARY: NASA hereby gives notice that Critical Care Innovations, Inc., having offices in Chantilly, Virginia, has applied for a partially exclusive license to practice the invention described and claimed in U.S. Patent No. 5,869,238, entitled "Quantitative Method of Measuring Metastatic Activity," and in continuations, divisional applications, and foreign applications corresponding to this case. The 5,869,238 patent is assigned to the United States of America as represented by the Administrator of the National Aeronautics and Space Administration. Written objections to the prospective grant of a license should be sent to the Johnson Space Center.

DATES: Responses to this notice must be received by March 19, 2003.

FOR FURTHER INFORMATION CONTACT: James Cate, Patent Attorney, NASA Johnson Space Center, Mail Stop HA, Houston, TX 77058-8452; telephone (281) 483-1001.

Dated: February 26, 2003.

Robert M. Stephens,

Deputy General Counsel.

[FR Doc. 03-5042 Filed 3-3-03; 8:45 am]

BILLING CODE 7510-01-P

NATIONAL FOUNDATION ON THE ARTS AND HUMANITIES

Proposed Collection; Comment Request

AGENCY: National Endowment for the Humanities.

ACTION: Notice.

SUMMARY: The National Endowment for the Humanities (NEH) is soliciting public comments on the proposed information collection described below. The proposed information collection will be sent to the Office of Management and Budget (OMB) for review, as required by the provisions of the Paperwork Reduction Act of 1995.

DATES: Comments on this information collection must be submitted on or before May 5, 2003.

ADDRESSES: Send comments to Ms. Susan Daisey, Director, Office of Grant Management, National Endowment for the Humanities, 1100 Pennsylvania Avenue, NW., Room 311, Washington, DC 20506, or by e-mail to: sdaisey@neh.gov. Telephone: 202-606-8494.

SUPPLEMENTARY INFORMATION: The National Endowment for the Humanities will submit the proposed information collection to OMB for review, as required by the Paperwork Reduction Act of 1995 (Pub. L. 104-13, 44 U.S.C. Chapter 35). This notice is soliciting comments from members of the public and affected agencies. NEH is particularly interested in comments which help the agency to: (1) Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility; (2) Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used; (3) Enhance the quality, utility, and clarity of the information to be collected; and (4) Minimize the burden of the collection of information on those who are to respond, including through the use of

appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submissions of responses.

This Notice also lists the following information:

Type of Review: Extension of a currently approved collection.

Agency: National Endowment for the Humanities.

Title of Proposal: Generic Clearance Authority for the National Endowment for the Humanities.

OMB Number: 3136-0134.

Affected Public: Applicants to NEH grant programs, reviewers of NEH grant applications, and NEH grantees.

Total Respondents: 10,670.

Frequency of Collection: On occasion.

Total Responses: 10,670.

Average Time per Response: Varied according to type of information collection.

Estimated Total Burden Hours: 91,412 hours.

Comments submitted in response to this notice will be summarized and/or included in the request for Office of Management and Budget approval of the information collection request. They will also become a matter of public record.

Lynne Munson,

Deputy Chairman.

[FR Doc. 03-5012 Filed 3-3-03; 8:45 am]

BILLING CODE 7536-01-P

NUCLEAR REGULATORY COMMISSION

Agency Information Collection Activities: Submission for the Office of Management and Budget (OMB) Review; Comment Request

AGENCY: Nuclear Regulatory Commission (NRC).

ACTION: Notice of the OMB review of information collection and solicitation of public comment.

SUMMARY: The NRC has recently submitted to OMB for review the following proposal for the collection of information under the provisions of the Paperwork Reduction Act of 1995 (44 U.S.C. chapter 35). The NRC hereby informs potential respondents that an agency may not conduct or sponsor, and that a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.

1. *Type of submission, new, revision, or extension:* Revision.