

Determinations Issued Under the Davis-Bacon and related Acts" being modified are listed by Volume and State. Dates of publication in the **Federal Register** are in parentheses following the decisions being modified.

*Volume I*

None

*Volume II*

None

*Volume III*

None

*Volume IV*

None

*Volume V*

None

*Volume VI*

None

*Volume VII*

None

General Wage Determination  
Publication

General wage determinations issued under the Davis-Bacon and related Acts, including those noted above, may be found in the Government Printing Office (GPO) document entitled "General Wage Determinations Issued Under the Davis-Bacon And Related Acts". This publication is available at each of the 50 Regional Government Depository Libraries and many of the 1,400 government Depository Libraries across the country.

General wage determinations issued under the Davis-Bacon and related Acts are available electronically at no cost on the Government Printing Office site at [www.access.gpo.gov/daisbacon](http://www.access.gpo.gov/daisbacon). They are also available electronically by subscription to the Davis-Bacon Online Service (<http://davisbacon.fedworld.gov>) of the National Technical Information Service (NTIS) of the U.S. Department of Commerce at 1-800-363-2068. This subscription offers value-added features such as electronic delivery of modified wage decisions directly to the user's desktop, the ability to access prior wage decisions issued during the year, extensive Help desk Support, etc.

Hard-copy subscriptions may be purchased from: Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402. (202) 512-1800.

When ordering hard-copy subscription(s), be sure to specify the State(s) of interest, since subscriptions may be ordered for any or all of the six separate Volumes, arranged by State. Subscriptions include an annual edition

(issued in January or February) which includes all current general wage determinations for the States covered by each volume. Throughout the remainder of the year, regular weekly updates will be distributed to subscribers.

Signed in Washington, DC this 11 day of June, 2003.

**Carl Poleskey,**

*Chief, Branch of Construction Wage Determinations.*

[FR Doc. 03-15240 Filed 6-19-03; 8:45 am]

**BILLING CODE 4510-27-M**

## DEPARTMENT OF LABOR

### Occupational Safety and Health Administration

[Docket No. NRTL1-89]

#### Intertek Testing Services NA, Inc.; Application for Expansion of Recognition

**AGENCY:** Occupational Safety and Health Administration (OSHA), Labor.

**ACTION:** Notice.

**SUMMARY:** This notice announces the application of Intertek Testing Services NA, Inc., for expansion of its recognition as a Nationally Recognized Testing Laboratory under 29 CFR 1910.7, and presents the Agency's preliminary finding. This preliminary finding does not constitute an interim or temporary approval of this application. In an unrelated matter, this notice also announces the voluntary withdrawal of recognition of the Intertek Testing Services NA, Inc., site located in Antioch, California.

**DATES:** You may submit comments in response to the expansion application portion of this notice, or any request for extension of the time to comment, by (1) regular mail, (2) express or overnight delivery service, (3) hand delivery, (4) messenger service, or (5) FAX transmission (facsimile). Because of security-related problems there may be a significant delay in the receipt of comments by regular mail. Comments (or any request for extension of the time to comment) must be submitted by the following dates:

*Regular mail and express delivery service:* Your comments must be postmarked by July 7, 2003.

*Hand delivery and messenger service:* Your comments must be received in the OSHA Docket Office by July 7, 2003. OSHA Docket Office and Department of Labor hours of operation are 8:15 a.m. to 4:45 p.m.

*Facsimile and electronic transmission:* Your comments must be sent by July 7, 2003.

**ADDRESSES:** *Regular mail, express delivery, hand-delivery, and messenger service:* You must submit three copies of your comments and attachments to the OSHA Docket Office, Docket NRTL1-89, Room N-2625, U.S. Department of Labor, Occupational Safety and Health Administration, 200 Constitution Avenue, NW., Washington, DC 20210. Please contact the OSHA Docket Office at (202) 693-2350 for information about security procedures concerning the delivery of materials by express delivery, hand delivery and messenger service.

*Facsimile:* If your comments, including any attachments, are 10 pages or fewer, you may fax them to the OSHA Docket Office at (202) 693-1648. You must include the docket number of this notice, Docket NRTL1-89, in your comments.

*Internet access to comments and submissions:* OSHA will place comments and submissions in response to this notice on the OSHA Web page [www.osha.gov](http://www.osha.gov). Accordingly, OSHA cautions you about submitting information of a personal nature (e.g., social security number, date of birth). There may be a lag time between when comments and submissions are received and when they are placed on the Web page. Please contact the OSHA Docket Office at (202) 693-2350 for information about materials not available through the OSHA Web page and for assistance in using the Web page to locate docket submissions. Comments and submissions will also be available for inspection and copying at the OSHA Docket Office at the address above.

*Extension of Comment Period:* Submit requests for extensions concerning this notice to: Office of Technical Programs and Coordination Activities, NRTL Program, Occupational Safety and Health Administration, U.S. Department of Labor, Room N3653, 200 Constitution Avenue, NW., Washington, DC 20210. Or fax to (202) 693-1644.

**FOR FURTHER INFORMATION CONTACT:** Sherrey Nicolas or Bernard Pasquet, Office of Technical Programs and Coordination Activities, NRTL Program, Room N3653 at the address shown immediately above for the program, or phone (202) 693-2110.

#### SUPPLEMENTARY INFORMATION:

##### Notice of Application

The Occupational Safety and Health Administration (OSHA) hereby gives notice that Intertek Testing Services NA, Inc. (ITSNA), has applied for expansion of its recognition as a Nationally Recognized Testing Laboratory (NRTL). ITSNA's expansion request covers the

use of additional test standards. OSHA's current scope of recognition for ITSNA may be found in the following informational Web page: <http://www.osha-slc.gov/dts/otpca/nrtl/its.html>.

OSHA recognition of any NRTL signifies that the organization has met the legal requirements in 1910.7 of title 29, Code of Federal Regulations (29 CFR 1910.7). Recognition is an acknowledgment that the organization can perform *independent* safety testing and certification of the specific products covered within its scope of recognition and is not a delegation or grant of government authority. As a result of recognition, employers may use products "properly certified" by the NRTL to meet OSHA standards that require testing and certification.

The Agency processes applications for initial recognition or for expansion or renewal of this recognition following requirements in Appendix A to 29 CFR 1910.7. This appendix requires that the Agency publish two notices in the **Federal Register** in processing an application. In the first notice, OSHA announces the application and provides its preliminary finding and, in the second notice, the Agency provides its final decision on an application. These notices set forth the NRTL's scope of recognition or modifications of this scope. We maintain an informational Web page for each NRTL, which details its scope of recognition. These pages can be accessed from our Web site at <http://www.osha-slc.gov/dts/otpca/nrtl/index.html>.

The most recent notices published by OSHA for ITSNA's recognition covered an expansion of recognition, which became effective on March 25, 2003 (68 FR 14430).

The current address of the ITSNA facilities already recognized by OSHA are:

ITSNA Atlanta, 1950 Evergreen Blvd., Suite 100, Duluth, Georgia 30096  
 ITSNA Boxborough, 70 Codman Hill Road, Boxborough, Massachusetts 01719  
 ITSNA Cortland, 3933 U.S. Route 11, Cortland, New York 13045  
 ITSNA Lexington, 731 Enterprise Drive, Lexington, Kentucky 40510  
 ITSNA Los Angeles, 27611 LaPaz Road, Suite C, Laguna Niguel, California 92677  
 ITSNA Madison, 8431 Murphy Drive, Middleton, Wisconsin 53562  
 ITSNA Minneapolis, 7250 Hudson Blvd., Suite 100, Oakdale, Minnesota 55128  
 ITSNA San Francisco, 1365 Adams Court, Menlo Park, CA 94025

ITSNA Sweden AB, Box 1103, S-164 #22, Kista, Stockholm, Sweden  
 ITSNA Totowa, 40 Commerce Way, Unit B, Totowa, New Jersey 07512  
 ITSNA Vancouver, 211 Schoolhouse Street, Coquitlam, British Columbia, V3K 4X9 Canada  
 ITSNA Hong Kong, 2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong  
 ITSNA Taiwan, 14/F., Huei Fung Building, 27, Chung Shan North Road, Sec. 3, Taipei 10451, Taiwan

As addressed later in this notice, one site is being withdrawn from recognition and is excluded from the listing of sites above.

#### General Background on the Application

ITSNA has submitted an application, dated June 3, 2002 (*see* Exhibit 43), to expand its recognition to use 141 additional test standards. The NRTL Program staff has determined that 94 of the 141 test standards cannot be included in the expansion because they either are not "appropriate test standards," within the meaning of 29 CFR 1910.7(c), or are already included in ITSNA's scope. The staff makes similar determinations in processing expansion requests from any NRTL. Therefore, OSHA would approve 47 test standards for the expansion, which are listed below. Processing of this request was delayed by OSHA, in part, through no fault of the NRTL.

ITSNA seeks recognition for testing and certification of products for demonstration of conformance to the following 47 additional test standards.

ANSI Z21.69 Connectors for Movable Gas Appliances  
 ANSI Z21.86 Vented Gas-Fired Space Heating Appliance  
 ANSI Z21.88 Vented Gas Fireplace Heaters  
 UL 6A Electrical Rigid Metal Conduit—Aluminum, Bronze, and Stainless Steel  
 ANSI/NFP 11 Low Expansion Foam and Combined Agent Systems  
 ANSI/NFPA 11A Medium- and High-Expansion Foam Systems  
 ANSI/NFPA 12 Carbon Dioxide Extinguishing Systems  
 ANSI/NFPA 12A Halon 1301 Fire Extinguishing Agent Systems  
 ANSI/NFPA 17 Dry Chemical Extinguishing Systems  
 ANSI/NFPA 20 Installation of Stationary Pumps for Fire Protection  
 UL 497C Protectors for Coaxial Communications Circuits  
 UL 498A Current Taps and Adapters  
 UL 508A Industrial Control Equipment  
 UL 514D Cover Plates for Flush-Mounted Wiring Devices  
 UL 536 Flexible Metallic Hose

UL 698A Industrial Control Panels Relating to Hazardous (Classified) Locations  
 UL 789 Indicator Posts for Fire-Protection Service  
 UL 797A Electrical Metallic Tubing—Aluminum  
 UL 963 Sealing, Wrapping, and Marking Equipment  
 UL 1425 Cables for Non-Power-Limited Fire-Alarm Circuits  
 UL 1434 Thermistor-Type Devices  
 UL 1653 Electrical Nonmetallic Tubing  
 UL 1655 Community-Antenna Television Cables  
 UL 1682 Plugs, Receptacles, and Cable Connectors, of the Pin and Sleeve Type  
 UL 1699 Arc-Fault Circuit-Interrupters  
 UL 1741 Inverters, Converters, and Controllers for Use in Independent Power Systems  
 UL 1887 Fire Test of Plastic Sprinkler Pipe for Flame and Smoke Characteristics  
 UL 2017<sup>1</sup> General Purpose Signaling Devices and Systems  
 UL 2089<sup>2</sup> Vehicle Battery Adapters  
 UL 2125 Motor-Operated Air Compressors for Use in Sprinkler Systems  
 UL 2127 Inert Gas Clean Agent Extinguishing System Unit  
 UL 2166 Halocarbon Clean Agent Extinguishing System Units  
 UL 2202 Electric Vehicle (EV) Charging System Equipment  
 UL 2227 Overfilling Prevention Devices  
 UL 60335-2-34 Household and Similar Electrical Appliances, Part 2; Particular Requirements for Motor-Compressors  
 UL 60730-2-4 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Thermal Motor Protectors for Motor Compressors or Hermetic and Semi-Hermetic Type  
 UL 60730-2-9 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Temperature Sensing Controls  
 UL 60730-2-6 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Automatic Electrical Pressure Sensing Controls Including Mechanical Requirements  
 UL 60730-2-10A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically-Operated Motor Starting Relays

<sup>1</sup> This standard is approved for testing and certification of vehicle battery adaptors for use within recreational vehicles and mobile homes.

<sup>2</sup> Limited to electrical portions only.

UL 60730-2-11A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Energy Regulators

UL 60730-2-12A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically-Operated Doors

UL 60730-2-13A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Humidity Sensing Controls

UL 60730-2-14 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electric Actuators

UL 61010A-2-020 Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Laboratory Centrifuges

UL 61010C-1 Process Control Equipment

UL 61058-1 Switch for Appliances

**Note:** Testing and certification of gas operated equipment is limited to equipment for use with "liquefied petroleum gas" ("LPG" or "LP-Gas").

OSHA's recognition of ITSNA, or any NRTL, for a particular test standard is limited to equipment or materials (*i.e.*, products) for which OSHA standards require third party testing and certification before use in the workplace. Consequently, any NRTL's scope of recognition excludes any product(s) that fall within the scope of a test standard, but for which OSHA standards do not require NRTL testing and certification.

Many of the UL test standards listed above also are approved as American National Standards by the American National Standards Institute (ANSI). However, for convenience, we use the designation of the standards developing organization (*e.g.*, UL 536) for the standard, as opposed to the ANSI designation (*e.g.*, ANSI/UL 536). Under our procedures, any NRTL recognized for an ANSI-approved test standard may use either the latest proprietary version of the test standard or the latest ANSI version of that standard. (Contact ANSI or the ANSI Web site (<http://www.ansi.org>) and click "NSSN" to find out whether or not a test standard is currently ANSI-approved.)

#### Existing Conditions

Currently, OSHA imposes the following conditions on its recognition of ITSNA. These conditions would apply also to this current expansion. As mentioned in previous notices, these conditions apply solely to ITSNA's NRTL operations and are in addition to any other condition that OSHA normally imposes in its recognition of

an organization as an NRTL. These conditions are listed in this notice mainly for information.

(1) ITSNA may perform safety testing for hazardous location products only at the specific ITSNA sites that OSHA has recognized, and that have been pre-qualified for such testing by the ITSNA Chief Engineer. In addition, all safety test reports for hazardous location products must undergo a documented review and approval at the Cortland testing facility by a test engineer qualified in hazardous location safety testing, prior to ITSNA's initial or continued authorization of the certifications covered by these reports.

(2) ITSNA may not test and certify any products for a client that is a manufacturer or vendor that is either owned in excess of 2% by ITSLtd or affiliated organizationally with ITSNA.

#### Preliminary Finding

ITSNA has submitted an acceptable request for expansion of its recognition. As previously mentioned, in connection with the request, OSHA did not perform an on-site review (evaluation) of ITSNA. However, an OSHA NRTL Program assessor reviewed information pertinent to this request and recommended that ITSNA be granted the expansion (*see* Exhibit 45).

Following a review of the application file, the assessor's recommendation, and other pertinent information, the NRTL Program staff has concluded that OSHA can grant to ITSNA the expansion of recognition to include the test standards listed above, subject to the conditions as noted. The staff therefore recommended to the Assistant Secretary that the application be preliminarily approved.

Based upon the recommendations of the staff, the Assistant Secretary has made a preliminary finding that Intertek Testing Services NA, Inc., can meet the requirements as prescribed by 29 CFR 1910.7 for the expansion of recognition, subject to the above conditions. This preliminary finding, however, does not constitute an interim or temporary approval of the applications for ITSNA.

OSHA welcomes public comments, in sufficient detail, as to whether ITSNA has met the requirements of 29 CFR 1910.7 for expansion of its recognition as a Nationally Recognized Testing Laboratory. Your comments should consist of pertinent written documents and exhibits. To consider a comment, OSHA must receive it at the address provided above (*see* ADDRESSES), no later than the last date for comments (*see* DATES above). Should you need more time to comment, OSHA must receive your written request for extension at the address provided above

no later than the last date for comments. You must include your reason(s) for any request for extension. OSHA will limit any extension to 30 days, unless the requester justifies a longer period. We may deny a request for extension if it is frivolous or otherwise unwarranted. You may obtain or review copies of ITSNA's request, the on-site review report, and all submitted comments, as received, by contacting the Docket Office, Room N2625, Occupational Safety and Health Administration, U.S. Department of Labor, at the above address. Docket No. NRTL1-89 contains all materials in the record concerning ITSNA's application.

The NRTL Program staff will review all timely comments and, after resolution of issues raised by these comments, will recommend whether to grant ITSNA's expansion request. The Assistant Secretary will make the final decision on granting the expansion, and in making this decision, may undertake other proceedings that are prescribed in Appendix A to 29 CFR 1910.7. OSHA will publish a public notice of this final decision in the **Federal Register**.

#### Notice of Voluntary Termination

ITSNA has requested that OSHA withdraw the recognition of the NRTL's site located in Antioch, California (*see* Exhibit 44). This withdrawal is effective immediately, and OSHA will take no further action on it. OSHA recognized this site for ITSNA on December 1, 1997 (62 FR 63562), although at the time it was located in Pittsburg, California. Under section II.D of Appendix A to 29 CFR 1910.7, OSHA must "inform the public of any voluntary termination by **Federal Register** notice." This action is unrelated to our preliminary finding on the ITSNA expansion request. We include it herein only for convenience in processing.

Signed at Washington, DC, this 11th day of June, 2003.

**John L. Henshaw,**

*Assistant Secretary.*

[FR Doc. 03-15632 Filed 6-19-03; 8:45 am]

BILLING CODE 4510-26-P

#### DEPARTMENT OF LABOR

#### Occupational Safety and Health Administration

[Docket No. NRTL1-88]

#### MET Laboratories, Inc., Application for Expansion of Recognition

**AGENCY:** Occupational Safety and Health Administration (OSHA), Labor.

**ACTION:** Notice.