

its mandatory contaminant containment system in place.

DATES: This deviation is effective from 6 a.m. September 15 through 6 p.m. November 11, 2003.

ADDRESSES: Materials referred to in this document are available for inspection or copying at Commander (oan), Thirteenth Coast Guard District, 915 Second Avenue, Seattle, Washington 98174-1067 between 7:45 a.m. and 4:15 p.m., Monday through Friday, except Federal holidays. The telephone number is (206) 220-7270. The Bridge Section of the Aids to Navigation and Waterways Management Branch maintains the public docket for this temporary deviation.

FOR FURTHER INFORMATION CONTACT: Austin Pratt, Chief, Bridge Section, Aids to Navigation and Waterways Management Branch, (206) 220-7282.

SUPPLEMENTARY INFORMATION: Washington State Department of Transportation (WSDOT) requested this deviation from normal operations of the dual First Avenue South bascule bridges in order to facilitate painting. The containment system for contaminants and other equipment must be modified or removed in order to operate the movable span. WSDOT has proposed to work on one leaf of the bascules at a time so that one side of the bridges may remain operable according to the normal operating regulations of the bridge. In this way, vessels that can safely pass one-leaf openings may continue to pass the bridge during the project. Other vessels need to provide five hours notice for opening both sides of the bascule spans from 6 a.m. on September 15 through 6 p.m. on November 11, 2003. The five hours minimum notice will enable the contractor to remove equipment, adjust rigging, and evacuate workers from the leaf. Currently, the draws need not open for the passage of vessels from 6 a.m. to 9 a.m. and from 3 p.m. to 6 p.m. Monday through Friday, except all Federal holidays but Columbus Day. Currently, the draws shall open at any time for vessels of 5000 gross tons and over, a vessel towing a vessel of 5000 gross tons and over, or a vessel proceeding to pick up for towing a vessel of 5000 gross tons and over. At other times the draws open on signal for the passage of vessels. Vessels on the related reach of the waterway should be able to provide at least five hours notice for double-leaf

openings without unreasonable inconvenience. Traffic on the waterway includes container barges with regularly scheduled movements as well as sailboats, motor yachts, and tugboats. Large vessels of 5000 gross tons have not passed through the dual bridges in recent years. This deviation does not exempt these vessels from the five hours notice. The bridges when closed provide 32 feet of vertical clearance above mean high water for the central 100 feet of the drawspans.

In accordance with 33 CFR 117.35(c), this work will be performed with all due speed in order to return the bridge to normal operation as soon as possible. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: September 15, 2003.

Jeffrey M. Garrett,
Rear Admiral, U.S. Coast Guard, Commander,
Thirteenth Coast Guard District.

[FR Doc. 03-24691 Filed 9-29-03; 8:45 am]

BILLING CODE 4910-15-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52

[CA 273-0408a; FRL-7562-8]

Revisions to the California State Implementation Plan, Monterey Bay Unified Air Pollution Control District

AGENCY: Environmental Protection Agency (EPA).

ACTION: Direct final rule.

SUMMARY: EPA is taking direct final action to approve revisions to the Monterey Bay Unified Air Pollution Control District (MBUAPCD) portion of the California State Implementation Plan (SIP). The revisions regulate the emission of sulfur oxides from the combustion of liquid and gaseous fuels. We are approving local rules that regulate these emission sources under the Clean Air Act as amended in 1990 (CAA or the Act).

DATES: This rule is effective on December 1, 2003, without further notice, unless EPA receives adverse comments by October 30, 2003. If we receive such comments, we will publish a timely withdrawal in the **Federal Register** to notify the public that this rule will not take effect.

ADDRESSES: Mail comments to Andy Steckel, Rulemaking Office Chief (AIR-4), U.S. Environmental Protection Agency, Region IX, 75 Hawthorne Street, San Francisco, CA 94105; steckel.andrew@epa.gov.

You can inspect copies of the submitted SIP revisions and EPA's technical support documents (TSDs) at our Region IX office during normal business hours. You may also see copies of the submitted SIP revisions at the following locations:

Air and Radiation Docket and Information Center, U.S. Environmental Protection Agency, (Mail Code 6102T), Room B-102, 1301 Constitution Avenue, NW., Washington, DC 20460.

California Air Resources Board, Stationary Source Division, Rule Evaluation Section, 1001 "I" Street, Sacramento, CA 95814.

Monterey Bay Unified Air Pollution Control District, 24580 Silver Cloud Court, Monterey, CA 93940.

A copy of the rule may also be available via the Internet at <http://www.arb.ca.gov/drdb/drdbtxt.htm>. Please be advised that this is not an EPA Web site and may not contain the same version of the rule that was submitted to EPA.

FOR FURTHER INFORMATION CONTACT: Al Petersen, Rulemaking Office (AIR-4), U.S. Environmental Protection Agency, Region IX; (415) 947-4118.

SUPPLEMENTARY INFORMATION: Throughout this document, "we," "us" and "our" refer to EPA.

Table of Contents

- I. The State's Submittal
 - A. What rules did the State submit?
 - B. Are there other versions of these rules?
 - C. What is the purpose of the submitted rules?
- II. EPA's Evaluation and Action
 - A. How is EPA evaluating the rules?
 - B. Do the rules meet the evaluation criteria?
 - C. Public comment and final action
- III. Statutory and Executive Order Reviews

I. The State's Submittal

A. What Rules Did the State Submit?

Table 1 lists the rules we are approving with the date that they were revised by the local air agency and submitted by the California Air Resources Board (CARB).

TABLE 1.—SUBMITTED RULES

Local agency	Rule #	Rule title	Revised	Submitted
MBUAPCD	412	Sulfur Content of Fuels	08/21/02	10/16/02

TABLE 1.—SUBMITTED RULES—Continued

Local agency	Rule #	Rule title	Revised	Submitted
MBUAPCD	413	Removal of Sulfur Compounds	08/21/02	10/16/02

On December 3, 2002, this submittal was found to meet the completeness criteria in 40 CFR part 51, appendix V, which must be met before formal EPA review.

B. Are There Other Versions of These Rules?

We approved a version of MBUAPCD Rules 412 and 413 into the SIP on July 13, 1987 (52 FR 26148).

C. What Is the Purpose of the Submitted Rule Revisions?

Sulfur oxides help produce ground-level ozone, smog and particulate matter, which harm human health and the environment. Section 110(a) of the CAA requires states to submit regulations that control sulfur oxides emissions.

Rule 412 limits the sulfur content of fuels burned in the MBUAPCD jurisdiction. The purpose of the revision to Rule 412 is to extend the sulfur compound limitation to gaseous fuels.

Rule 413 clarifies the requirements of Rule 412. The purpose of the revision to Rule 413 is to improve the format and text.

II. EPA's Evaluation and Action

A. How Is EPA Evaluating the Rules?

Generally, SIP rules must be enforceable (see section 110(a) of the CAA), must require Reasonably Available Control Technology (RACT) for nonattainment areas (see section 172(c)(1) and must not relax existing requirements (see sections 110(l) and 193). The MBUAPCD regulates a sulfur oxides attainment area and need not fulfill RACT requirements. See 40 CFR part 81.

The following guidance documents were used for reference:

- *Requirements for Preparation, Adoption, and Submittal of Implementation Plans*, U.S. EPA, 40 CFR part 51.
- *Issues Relating to VOC Regulation Cutpoints, Deficiencies, and Deviations*, EPA (May 25, 1988) (the Bluebook).

B. Do the Rules Meet the Evaluation Criteria?

Rule 412 increases the stringency of the requirements with the changes cited above. Rule 413 improves the SIP by reformatting and rewording. We believe the rules are consistent with the relevant policy and guidance regarding

enforceability and SIP relaxations. The TSDs have more information on our evaluation.

C. Public Comment and Final Action

As authorized in section 110(k)(3) of the CAA, EPA is fully approving the submitted rules because we believe they fulfill all relevant requirements. We do not think anyone will object to this, so we are finalizing the approval without proposing it in advance. However, in the Proposed Rules section of this **Federal Register**, we are simultaneously proposing approval of the same submitted rules. If we receive adverse comments by October 30, 2003, we will publish a timely withdrawal in the **Federal Register** to notify the public that the direct final approval will not take effect and we will address the comments in a subsequent final action based on the proposal. If we do not receive timely adverse comments, the direct final approval will be effective without further notice on December 1, 2003. This will incorporate these rules into the federally-enforceable SIP.

Please note that if EPA receives adverse comment on an amendment, paragraph, or section of this direct final rule and if that provision may be severed from the remainder of the rule, EPA may adopt as final those provisions of the rule that are not the subject of an adverse comment.

III. Statutory and Executive Order Reviews

Under Executive Order 12866 (58 FR 51735, October 4, 1993), this action is not a "significant regulatory action" and therefore is not subject to review by the Office of Management and Budget. For this reason, this action is also not subject to Executive Order 13211, "Actions Concerning Regulations That Significantly Affect Energy Supply, Distribution, or Use" (66 FR 28355, May 22, 2001). This action merely approves state law as meeting federal requirements and imposes no additional requirements beyond those imposed by state law. Accordingly, the Administrator certifies that this rule will not have a significant economic impact on a substantial number of small entities under the Regulatory Flexibility Act (5 U.S.C. 601 *et seq.*). Because this rule approves pre-existing requirements under state law and does not impose any additional enforceable duty beyond

that required by state law, it does not contain any unfunded mandate or significantly or uniquely affect small governments, as described in the Unfunded Mandates Reform Act of 1995 (Pub. L. 104-4).

This rule also does not have tribal implications because it will not have a substantial direct effect on one or more Indian tribes, on the relationship between the Federal Government and Indian tribes, or on the distribution of power and responsibilities between the Federal Government and Indian tribes, as specified by Executive Order 13175 (65 FR 67249, November 9, 2000). This action also does not have Federalism implications because it does not have substantial direct effects on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government, as specified in Executive Order 13132 (64 FR 43255, August 10, 1999). This action merely approves a state rule implementing a Federal standard, and does not alter the relationship or the distribution of power and responsibilities established in the CAA. This rule also is not subject to Executive Order 13045, "Protection of Children from Environmental Health Risks and Safety Risks" (62 FR 19885, April 23, 1997), because it is not economically significant.

In reviewing SIP submissions, EPA's role is to approve state choices, provided that they meet the criteria of the CAA. In this context, in the absence of a prior existing requirement for the State to use voluntary consensus standards (VCS), EPA has no authority to disapprove a SIP submission for failure to use VCS. It would thus be inconsistent with applicable law for EPA, when it reviews a SIP submission, to use VCS in place of a SIP submission that otherwise satisfies the provisions of the CAA. Thus, the requirements of section 12(d) of the National Technology Transfer and Advancement Act of 1995 (15 U.S.C. 272 note) do not apply. This rule does not impose an information collection burden under the provisions of the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 *et seq.*).

The Congressional Review Act, 5 U.S.C. 801 *et seq.*, as added by the Small Business Regulatory Enforcement Fairness Act of 1996, generally provides that before a rule may take effect, the

agency promulgating the rule must submit a rule report, which includes a copy of the rule, to each House of the Congress and to the Comptroller General of the United States. EPA will submit a report containing this rule and other required information to the U.S. Senate, the U.S. House of Representatives, and the Comptroller General of the United States prior to publication of the rule in the **Federal Register**. A major rule cannot take effect until 60 days after it is published in the **Federal Register**. This action is not a "major rule" as defined by 5 U.S.C. 804(2).

Under section 307(b)(1) of the CAA, petitions for judicial review of this action must be filed in the United States Court of Appeals for the appropriate circuit by December 1, 2003. Filing a petition for reconsideration by the Administrator of this final rule does not affect the finality of this rule for the purposes of judicial review nor does it extend the time within which a petition for judicial review may be filed, and shall not postpone the effectiveness of such rule or action. This action may not be challenged later in proceedings to enforce its requirements. See section 307(b)(2).

List of Subjects in 40 CFR Part 52

Environmental protection, Air pollution control, Incorporation by reference, Intergovernmental relations, Sulfur oxides, Reporting and recordkeeping requirements.

Dated: August 15, 2003.

Debbie Jordan,

Acting Regional Administrator, Region IX.

■ Part 52, chapter I, title 40 of the Code of Federal Regulations is amended as follows:

PART 52—[AMENDED]

■ 1. The authority citation for part 52 continues to read as follows:

Authority: 42 U.S.C. 7401 *et seq.*

Subpart F—California

■ 2. Section 52.220 is amended by adding paragraph (c)(302)(i)(B)(4) to read as follows:

§ 52.220 Identification of plan.

* * * * *

(c) * * *
(302) * * *
(i) * * *
(B) * * *

(4) Rules 412 and 413, adopted on September 1, 1974 and revised on August 21, 2002.

* * * * *

[FR Doc. 03-24555 Filed 9-29-03; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52

[TX-155-1-7591a; FRL-7564-5]

Approval and Promulgation of Implementation Plans; Texas; Revisions to Regulations for Control of Air Pollution by Permits for New Construction or Modification

AGENCY: Environmental Protection Agency (EPA).

ACTION: Direct final rule.

SUMMARY: The EPA is taking direct final action to approve revisions to the Texas State Implementation Plan (SIP). This includes revisions that the Texas Commission on Environmental Quality (TCEQ) submitted to EPA on January 3, 2003, to require that equipment associated with a new or relocated concrete crushing facility be located or operated at least 440 yards from any building used as a single or multi-family residence, school, or place of worship. This action is being taken under section 110 of the Federal Clean Air Act (the Act, or CAA).

DATES: This direct final rule will be effective December 1, 2003 without further notice, unless EPA receives adverse comments by October 30, 2003. If adverse comments are received, EPA will publish a timely withdrawal of the direct final rule in the **Federal Register** informing the public that the rule will not take effect.

ADDRESSES: Written comments on this action should be addressed to Mr. Guy Donaldson, Acting Chief, Air Permits Section (6PD-R), at the EPA Region 6 Office listed below. Electronic comments should be sent to either spruiell.stanley@epa.gov or at <http://www.regulations.gov>, which is an alternate method for submitting electronic comments to EPA. To submit comments, please follow the detailed instructions described in the General Information part of this document. Copies of the Technical Support Document (TSD) and other documents relevant to this action are available for public inspection during official business hours at the following locations. Anyone wanting to examine these documents should make an appointment with the appropriate office at least two working days in advance.

Environmental Protection Agency, 1445 Ross Avenue, Dallas, Texas 75202-2733.

Texas Commission on Environmental Quality, Office of Air Quality, 12124 Park 35 Circle, Austin, Texas 78753.

FOR FURTHER INFORMATION CONTACT: Mr. Stanley M. Spruiell, Air Permits Section, Environmental Protection Agency, 1445 Ross Avenue, Dallas, Texas 75202-2733, at (214) 665-7212, or spruiell.stanley@epa.gov.

SUPPLEMENTARY INFORMATION:

Throughout this document "we," "us," or "our" means EPA.

Table of Contents

- I. What Is Being Addressed in this Document?
- II. Have the Requirements for Approval of a SIP Revision Been Met?
- III. What Final Action is EPA Taking?
- IV. General Information
- V. Statutory and Executive Order Reviews

I. What Is Being Addressed in This Document?

In today's action we are taking direct final action to approve revisions to Title 30 of the Texas Administrative Code (30 TAC) Section 116.112—Distance Limitations into the Texas SIP. The TCEQ adopted these revisions on December 18, 2002, and submitted the revisions to us for approval as a revision to the SIP on January 3, 2003.

Section 116.112 currently establishes distance limitations for lead smelters in Section 116.112(1) and distance limitations for hazardous waste permits in Section 116.112(2). The existing distance limitations were approved September 18, 2002 (67 FR 58607).

On December 18, 2002, TCEQ added a new paragraph (3) to Section 116.112, to implement House Bill (HB) 2912, Section 5.07, 77th Texas State Legislature, 2001. HB 2912, Section 5.07 amended the Texas Health and Safety Code to add a new Section 382.065, which requires the TCEQ, by rule, to restrict the location or operation of new and relocated concrete crushing facilities. Paragraph (3) requires all equipment associated with a concrete crushing facility to be located or operated at least 440 yards from any building used as a single or multi-family residence, school, or place of worship. The distance limitation does not apply to existing concrete crushing facilities which are authorized and actually located or operating at the site as of September 1, 2001. An existing facility does not include a concrete crushing facility authorized but not actually located or operating at the site as of September 1, 2001.

II. Have the Requirements for Approval of a SIP Revision Been Met?

The restriction on location and operation of new or relocated concrete crushing plants provides additional protection for persons occupying any building used as a single or multi-family