

### Civil Justice Reform

This rule meets applicable standards in sections 3(a) and 3(b)(2) of Executive Order 12988, Civil Justice Reform, to minimize litigation, eliminate ambiguity, and reduce burden.

### Protection of Children

We have analyzed this rule under Executive Order 13045, Protection of Children from Environmental Health Risks and Safety Risks. This rule is not an economically significant rule and would not create an environmental risk to health or risk to safety that might disproportionately affect children.

### Indian Tribal Governments

This rule does not have tribal implications under Executive Order 13175, Consultation and Coordination with Indian Tribal Governments, because it does not have a substantial direct effect on one or more Indian tribes, on the relationship between the Federal Government and Indian tribes, or on the distribution of power and responsibilities between the Federal Government and Indian tribes.

### Energy Effects

We have analyzed this rule under Executive Order 13211, Actions Concerning Regulations That Significantly Affect Energy Supply, Distribution, or Use. We have determined that it is not a "significant energy action" under that order because it is not a "significant regulatory action" under Executive Order 12866 and is not likely to have a significant adverse effect on the supply, distribution, or use of energy. It has not been designated by the Administrator of the Office of Information and Regulatory Affairs as a significant energy action. Therefore, it does not require a Statement of Energy Effects under Executive Order 13211.

### Environment

We have analyzed this rule under Commandant Instruction M16475.ID, which guides the Coast Guard in complying with the National Environmental Policy Act of 1969 (NEPA)(42 U.S.C. 4321-4370f), and have concluded that there are no factors in this case that would limit the use of a categorical exclusion under section 2.B.2 of the Instruction. Therefore, this rule is categorically excluded, under figure 2-1, paragraph (32)(e) of the Instruction, from further environmental documentation.

### List of Subjects in 33 CFR Part 117

Bridges.

### Regulations

■ For the reasons discussed in the preamble, the Coast Guard amends 33 CFR part 117 as follows:

#### PART 117—DRAWBRIDGE OPERATION REGULATIONS

■ 1. The authority citation for part 117 continues to read as follows:

**Authority:** 33 U.S.C. 499; Department of Homeland Security Delegation No. 0170.1; 33 CFR 1.05-1(g); section 117.255 also issued under the authority of Pub. L. 102-587, 106 Stat. 5039.

■ 2. In § 117.169a revise the section heading and paragraph to read as follows:

#### § 117.169 Mare Island Strait and The Napa River.

(a) The draw of the Mare Island Drawbridge, mile 2.8, at Vallejo shall open on signal between the hours of 9 a.m. and 7 p.m. daily, and upon two hours advance notice all other times. When the drawbridge operator is present, mariners may contact the drawbridge via marine radio or telephone at (707) 648-4313 for drawspan operation. When the drawbridge operator is not present, mariners may contact the City of Vallejo via the same telephone number to schedule drawspan operation.

\* \* \* \* \*

Dated: April 12, 2004.

**Kevin J. Eldridge**

*Rear Admiral, U.S. Coast Guard, Commander, Eleventh Coast Guard District.*

[FR Doc. 04-9196 Filed 4-22-04; 8:45 am]

**BILLING CODE 4910-15-P**

### ENVIRONMENTAL PROTECTION AGENCY

#### 40 CFR Parts 141, 142 and 143

[FRL-7652-8]

#### Lead and Copper Rule; Expert Panel Workshops on Simultaneous Compliance and Monitoring Protocols

**AGENCY:** Environmental Protection Agency.

**ACTION:** Notice of public meetings.

**SUMMARY:** The U.S. Environmental Protection Agency (EPA) is convening two expert panel workshops to discuss issues associated with the Lead and Copper Rule (LCR). The first of these workshops, Simultaneous Compliance and the Lead and Copper Rule, will discuss how utilities manage treatment decisions to ensure simultaneous compliance with the LCR and National

Primary Drinking Water Regulations. The second workshop, LCR Monitoring Protocols, will examine and discuss potential issues associated with the current LCR sampling and monitoring requirements for lead, copper, and water quality parameters.

**DATES:** The first workshop, Simultaneous Compliance and the Lead and Copper Rule, will be held on Tuesday, May 11, 2004, 8 a.m. to 5 p.m. (CDT) and Wednesday, May 12, 2004, 8 a.m. to 12 p.m. (CDT). The second workshop, LCR Monitoring Protocols, will be held Wednesday, May 12, 2004, 1 p.m. to 5 p.m. (CDT) and Thursday, May 13, 2004, 8 a.m. to 5 p.m. (CDT).

**ADDRESSES:** The workshops will be held at the St. Louis Airport Marriott, I-70 at Lambert Airport, St. Louis, MO 63134.

**FOR FURTHER INFORMATION CONTACT:** To attend this workshop as an observer, please contact the Safe Drinking Water Hotline at 1-800-426-4791 or 703-285-1093 between 9 a.m. and 5:30 p.m. (EDT) or by e-mail: [hotline-sdwa@epa.gov](mailto:hotline-sdwa@epa.gov). There is no charge for attending this workshop as an observer, but seats are limited, so register as soon as possible. Any person needing special accommodations at any of these meetings, including wheelchair access, should make this known at the time of registration. For administrative meeting information, call Brian Murphy, Economic and Engineering Services, Inc., at 425-452-8100 or by e-mail [Murphy@ees-1.com](mailto:Murphy@ees-1.com). For technical information, contact Patricia Moe, Office of Water, Office of Ground Water and Drinking Water, U.S. EPA, 1200 Pennsylvania Ave., NW., (MC 4607M), Washington, D.C., 20460 at 202-564-1436 or by e-mail at [moe.patricia@epa.gov](mailto:moe.patricia@epa.gov).

**SUPPLEMENTARY INFORMATION:** Members of the public may attend as observers at the workshop and provide comments during 30-minute periods each on Tuesday, Wednesday, and Thursday. Individual comments should be limited to no more than 5 minutes.

Dated: April 19, 2004.

**Cynthia C. Dougherty,**

*Director, Office of Ground Water and Drinking Water.*

[FR Doc. 04-9265 Filed 4-22-04; 8:45 am]

**BILLING CODE 6560-50-P**