

| Exporter/manufacture | Weighted-average margin percentage |
|--|------------------------------------|
| Fruticola Olmue, S.A. | 1.23 |
| Santiago Comercio Exterior Exportaciones, Ltda. | 0.25 (<i>de minimis</i>) |
| Uren Chile, S.A. | 13.41 |

Assessment Rates

The Department shall determine, and U.S. Customs and Border Protection ("CBP") shall assess, antidumping duties on all appropriate entries. In accordance with 19 CFR 351.212(b), we have calculated importer (or customer)-specific assessment rates for merchandise subject to this review. To determine whether the duty assessment rates were *de minimis* (i.e., at or below 0.5 percent), in accordance with the requirement set forth in 19 CFR 351.106(C)(2), for each respondent we calculated importer (or customer)-specific *ad valorem* rates by aggregating the dumping margins calculated for all U.S. sales to that importer (or customer) and dividing this amount by the entered value of the sales to that importer (or customer). Where an importer (or customer)-specific *ad valorem* rate is greater than *de minimis* and the respondent has reported reliable entered values, we will apply the assessment rate to the entered value of the importer's/customer's entries during the review period. Where an importer (or customer)-specific *ad valorem* rate is greater than *de minimis* and we did not have entered values, we calculated a per-unit assessment rate by aggregating the dumping duties due for all U.S. sales to each importer (or customer) and dividing this amount by the total quantity sold to that importer (or customer).

The Department will issue appropriate assessment instructions directly to CBP within 15 days of publication of these final results of review.

Cash Deposit Requirements

The following cash deposit requirements will be effective for all shipments of the subject merchandise entered, or withdrawn from warehouse, for consumption on or after the publication date of the final results of this administrative review, as provided by section 751(a)(1) of the Act: (1) The cash deposit rates for the reviewed companies will be those established above in the "Final Results of the Review" section of this notice, except if the rate is less than 0.50 percent, and therefore, *de minimis* within the meaning of 19 CFR 351.106(c)(1), in

which case the cash deposit rate will be zero; (2) if the exporter is not a firm covered in this review, but was covered in a previous review, or the original investigation, the cash deposit rate will continue to be the company-specific rate published for the most recent period; (3) if the exporter is not a firm covered in this review, a previous review, or the original investigation, but the manufacturer is, the cash deposit rate will be the rate established for the most recent period for the manufacturer of the merchandise; and (4) the cash deposit rate for all other manufacturers and/or exporters shall continue to be 6.33 percent, the "all others" rate made effective by the less-than-fair-value investigation. See 67 FR 45460 (July 9, 2002).

These requirements, when imposed, shall remain in effect until publication of the final results of the next administrative review.

Notification to Importers

This notice serves as a final reminder to importers of their responsibility under 19 CFR 402(f)(2) to file a certificate regarding the reimbursement of antidumping duties prior to liquidation of the relevant entries during this review period. Failure to comply with this requirement could result in the Secretary's presumption that reimbursement of antidumping duties occurred and the subsequent assessment of double antidumping duties.

Notification Regarding APOs

This notice also serves as the only reminder to parties subject to the administrative protective order ("APO") of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3), which continues to govern business proprietary information in this segment of the proceeding. Timely written notification of return/destruction of APO material or conversion to judicial protective order is hereby requested. Failure to comply with the regulation and the terms of an APO is a sanctionable violation.

This administrative review and notice are published in accordance with sections 751(a)(1) and 777(i)(1) of the Act and 19 CFR 351.221(b)(5).

Dated: February 2, 2005.

Barbara E. Tillman,

Acting Assistant Secretary for Import Administration.

List of Comments in the Issues and Decision Memorandum

General Comments

Comment 1: Calculation of Cost of Production

Comments Relating to Uren Chile, S.A.

Comment 2: Grower and Processor Affiliation

Comment 3: Application of Adverse Facts Available for Cost of Production

Comment 4: Level of Trade

Comment 5: Calculation of LOT Adjustment

Comment 6: Calculation of General and Administrative Expenses

Comment 7: Calculation of Financial Expense Ratio

Comments Relating to Fruticola Olmue, S.A.

Comment 8: Valuation of Olmue's Fresh Raspberries

Comment 9: Calculation of Financial Expense Ratio

Comment 10: Calculation of U.S. Credit Expense

Comment 11: Treatment of Unpaid Shipments

Comment 12: Start-up Adjustment

Comment 13: Treatment of Sales Made Above Normal Value

[FR Doc. E5-515 Filed 2-7-05; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

[A-201-822]

Certain Stainless Steel Sheet and Strip in Coils from Mexico: Final Results of the Full Sunset Review of Antidumping Duty Order

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

SUMMARY: On November 17, 2004, the Department of Commerce ("the Department") published a notice of preliminary results of the full sunset review of the antidumping duty order on certain stainless steel sheet and strip in coils ("SSSS") from Mexico pursuant to section 751(c) of the Tariff Act of 1930, as amended ("the Act"). We provided interested parties an opportunity to comment on our preliminary results. We received case and rebuttal briefs from domestic and respondent interested parties. No hearing was requested by parties. As a result of this review, the Department finds that revocation of this order would be likely to lead to continuation or recurrence of dumping.

EFFECTIVE DATE: February 8, 2005.

FOR FURTHER INFORMATION CONTACT:

Martha V. Douthit, Office of Policy, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street & Constitution Avenue, NW, Washington, DC, 20230; telephone: 202-482-5050.

SUPPLEMENTARY INFORMATION:**Scope of the Order**

See Appendix 1

Background

On November 17, 2004, the Department of Commerce (the "Department") published in the **Federal Register** a notice of preliminary results of the full sunset review of the antidumping duty order on SSSS from Mexico, pursuant to section 751(c) of the Tariff Act of 1930, as amended ("the Act"). See *Certain Stainless Steel Sheet and Strip in Coils from Mexico; Preliminary Results of the Sunset Review of Antidumping Duty Order*, 69 FR 67309 (November 17, 2004) ("Preliminary Results"). In our preliminary results, we determined that revocation of the order would likely result in continuation or recurrence of dumping with a margin of 30.85 percent for Mexinox S.A. de C.V. and "all others" the margin determined in the original investigation.

On January 3, 2005, respondent, ThyssenKrupp Mexinox S.A. de C.V. and Mexinox USA, Inc. (collectively "Mexinox"), submitted its case brief in response to the Department's preliminary results. On January 7, 2005, Allegheny Ludlum Corporation, North American Stainless, Local 3303 United Auto Workers, the United Steelworkers of America, AFL-CIO/CLC, and the Zanesville Armco Independent Organization, Inc., (collectively "domestic interested parties") submitted rebuttal comments. No hearing was requested by parties.

Analysis of Comments Received

All issues raised in the case and rebuttal briefs by parties to this sunset review are addressed in the "Issues and Decision Memorandum" ("Decision Memo") from Ronald K. Lorentzen, Office of Policy, Import Administration, to Joseph A. Spetrini, Acting Assistant Secretary for Import Administration, dated January 27, 2005, which is hereby adopted and incorporated by reference into this notice. The issues discussed in the attached Decision Memo include the likelihood of continuation or recurrence of dumping and the magnitude of the margin likely to prevail were the order revoked. Parties can find a complete discussion of all issues raised in this review and the corresponding

recommendations in this public memorandum, which is on file in the Central Records Unit, room B-099, of the main Commerce Building.

In addition, a complete version of the Decision Memo can be accessed directly on the Web at www.ita.doc.gov/import_admin/records/frn/ under the heading "Mexico." The paper copy and electronic version of the Decision Memo are identical in content.

Final Results of Review

We determine that revocation of the antidumping duty order on SSSS from Mexico would be likely to lead to continuation or recurrence of dumping at the following weighted-average margins:

| Manufacturer/Exporter | Margin (percent) |
|-----------------------|------------------|
| Mexinox | 30.85 |
| All Others | 30.85 |

This five-year ("sunset") review and notice are in accordance with sections 751(c), 752, and 777(i)(1) of the Act. This notice serves as the only reminder to parties subject to administrative protective order ("APO") of their responsibility concerning the disposition of proprietary disclosed under APO in accordance with 19 CFR 351.305 of the Department's regulations. Timely notification of return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

APPENDIX 1**STAINLESS STEEL AND SHEET AND STRIP IN COILS FROM MEXICO. SCOPE OF THE ORDER (A-201-822)**

For purposes of this sunset review, the products covered are certain stainless steel sheet and strip in coils. Stainless steel is an alloy steel containing, by weight, 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements. The subject sheet and strip is a flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness, and that is annealed or otherwise heat treated and pickled or otherwise descaled. The subject sheet and strip may also be further processed (e.g., cold-rolled, polished, aluminized, coated, etc.) provided that it maintains the specific dimensions of sheet and strip following such processing.

The merchandise subject to this review is classified in the Harmonized Tariff Schedule of the United States

("HTS") at subheadings: 7219.13.0031, 7219.13.0051, 7219.13.0071, 7219.1300.81, 7219.14.0030, 7219.14.0065, 7219.14.0090, 7219.32.0005, 7219.32.0020, 7219.32.0025, 7219.32.0035, 7219.32.0036, 7219.32.0038, 7219.32.0042, 7219.32.0044, 7219.33.0005, 7219.33.0020, 7219.33.0025, 7219.33.0035, 7219.33.0036, 7219.33.0038, 7219.33.0042, 7219.33.0044, 7219.34.0005, 7219.34.0020, 7219.34.0025, 7219.34.0030, 7219.34.0035, 7219.35.0005, 7219.35.0015, 7219.35.0030, 7219.35.0035, 7219.90.0010, 7219.90.0020, 7219.90.0025, 7219.90.0060, 7219.90.0080, 7220.12.1000, 7220.12.5000, 7220.20.1010, 7220.20.1015, 7220.20.1060, 7220.20.1080, 7220.20.6005, 7220.20.6010, 7220.20.6015, 7220.20.6060, 7220.20.6080, 7220.20.7005, 7220.20.7010, 7220.20.7015, 7220.20.7060, 7220.20.7080, 7220.20.8000, 7220.20.9030, 7220.20.9060, 7220.90.0010, 7220.90.0015, 7220.90.0060, and 7220.90.0080. Although the HTS subheadings are provided for convenience and customs purposes, the Department's written description of the merchandise under review is dispositive.

Excluded from the scope of this review are the following: (1) Sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled, (2) sheet and strip that is cut to length, (3) plate (i.e., flat-rolled stainless steel products of a thickness of 4.75 mm or more), (4) flat wire (i.e., cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm), and (5) razor blade steel. Razor blade steel is a flat-rolled product of stainless steel, not further worked than cold-rolled (cold-reduced), in coils, of a width of not more than 23 mm and a thickness of 0.266 mm or less, containing, by weight, 12.5 to 14.5 percent chromium, and certified at the time of entry to be used in the manufacture of razor blades.¹

In response to comments by interested parties, the Department has determined that certain specialty stainless steel products are also excluded from the scope of this review. These excluded products are described below.

Flapper valve steel is defined as stainless steel strip in coils containing, by weight, between 0.37 and 0.43 percent carbon, between 1.15 and 1.35

¹ See Chapter 72 of the HTS, "Additional U.S. Note" 1(d).

percent molybdenum, and between 0.20 and 0.80 percent manganese. This steel also contains, by weight, phosphorus of 0.025 percent or less, silicon of between 0.20 and 0.50 percent, and sulfur of 0.020 percent or less. The product is manufactured by means of vacuum arc remelting, with inclusion controls for sulphide of no more than 0.04 percent and for oxide of no more than 0.05 percent. Flapper valve steel has a tensile strength of between 210 and 300 ksi, yield strength of between 170 and 270 ksi, plus or minus 8 ksi, and a hardness (Hv) of between 460 and 590. Flapper valve steel is most commonly used to produce specialty flapper valves in compressors.

Also excluded is a product referred to as suspension foil, a specialty steel product used in the manufacture of suspension assemblies for computer disk drives. Suspension foil is described as 302/304 grade or 202 grade stainless steel of a thickness between 14 and 127 microns, with a thickness tolerance of plus-or-minus 2.01 microns, and surface glossiness of 200 to 700 percent Gs. Suspension foil must be supplied in coil widths of not more than 407 mm, and with a mass of 225 kg or less. Roll marks may only be visible on one side, with no scratches of measurable depth. The material must exhibit residual stresses of 2 mm maximum deflection, and flatness of 1.6 mm over 685 mm length.

Certain stainless steel foil for automotive catalytic converters is also excluded from the scope of this review. This stainless steel strip in coils is a specialty foil with a thickness of between 20 and 110 microns used to produce a metallic substrate with a honeycomb structure for use in automotive catalytic converters. The steel contains, by weight, carbon of no more than 0.030 percent, silicon of no more than 1.0 percent, manganese of no more than 1.0 percent, chromium of between 19 and 22 percent, aluminum of no less than 5.0 percent, phosphorus of no more than 0.045 percent, sulfur of no more than 0.03 percent, lanthanum of less than 0.002 or greater than 0.05 percent, and total rare earth elements of more than 0.06 percent, with the balance iron.

Permanent magnet iron-chromium-cobalt alloy stainless strip is also excluded from the scope of this review. This ductile stainless steel strip contains, by weight, 26 to 30 percent chromium, and 7 to 10 percent cobalt, with the remainder of iron, in widths 228.6 mm or less, and a thickness between 0.127 and 1.270 mm. It exhibits magnetic remanence between 9,000 and 12,000 gauss, and a coercivity of between 50 and 300 oersteds. This

product is most commonly used in electronic sensors and is currently available under proprietary trade names such as "Arnokrome III."²

Certain electrical resistance alloy steel is also excluded from the scope of this review. This product is defined as a non-magnetic stainless steel manufactured to American Society of Testing and Materials ("ASTM") specification B344 and containing, by weight, 36 percent nickel, 18 percent chromium, and 46 percent iron, and is most notable for its resistance to high temperature corrosion. It has a melting point of 1390 degrees Celsius and displays a creep rupture limit of 4 kilograms per square millimeter at 1000 degrees Celsius. This steel is most commonly used in the production of heating ribbons for circuit breakers and industrial furnaces, and in rheostats for railway locomotives. The product is currently available under proprietary trade names such as "Gilphy 36."³

Certain martensitic precipitation-hardenable stainless steel is also excluded from the scope of this review. This high-strength, ductile stainless steel product is designated under the Unified Numbering System ("UNS") as S45500-grade steel, and contains, by weight, 11 to 13 percent chromium, and 7 to 10 percent nickel. Carbon, manganese, silicon and molybdenum each comprise, by weight, 0.05 percent or less, with phosphorus and sulfur each comprising, by weight, 0.03 percent or less. This steel has copper, niobium, and titanium added to achieve aging, and will exhibit yield strengths as high as 1700 Mpa and ultimate tensile strengths as high as 1750 Mpa after aging, with elongation percentages of 3 percent or less in 50 mm. It is generally provided in thicknesses between 0.635 and 0.787 mm, and in widths of 25.4 mm. This product is most commonly used in the manufacture of television tubes and is currently available under proprietary trade names such as "Durphynox 17."⁴

Finally, three specialty stainless steels typically used in certain industrial blades and surgical and medical instruments are also excluded from the scope of this review. These include stainless steel strip in coils used in the production of textile cutting tools (e.g., carpet knives).⁵ This steel is similar to AISI grade 420 but containing, by weight, 0.5 to 0.7 percent of

² "Arnokrome III" is a trademark of the Arnold Engineering Company.

³ "Gilphy 36" is a trademark of Imphy, S.A.

⁴ "Durphynox 17" is a trademark of Imphy, S.A.

⁵ This list of uses is illustrative and provided for descriptive purposes only.

molybdenum. The steel also contains, by weight, carbon of between 1.0 and 1.1 percent, sulfur of 0.020 percent or less, and includes between 0.20 and 0.30 percent copper and between 0.20 and 0.50 percent cobalt. This steel is sold under proprietary names such as "GIN4 Mo." The second excluded stainless steel strip in coils is similar to AISI 420-J2 and contains, by weight, carbon of between 0.62 and 0.70 percent, silicon of between 0.20 and 0.50 percent, manganese of between 0.45 and 0.80 percent, phosphorus of no more than 0.025 percent and sulfur of no more than 0.020 percent. This steel has a carbide density on average of 100 carbide particles per 100 square microns. An example of this product is "GIN5" steel. The third specialty steel has a chemical composition similar to AISI 420 F, with carbon of between 0.37 and 0.43 percent, molybdenum of between 1.15 and 1.35 percent, but lower manganese of between 0.20 and 0.80 percent, phosphorus of no more than 0.025 percent, silicon of between 0.20 and 0.50 percent, and sulfur of no more than 0.020 percent. This product is supplied with a hardness of more than Hv 500 guaranteed after customer processing, and is supplied as, for example, "GIN6".⁶

Dated: January 27, 2005.

Joseph A. Spetrini,

Acting Deputy Assistant Secretary for Import Administration.

[FR Doc. E5-514 Filed 2-7-05; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

National Institute of Standards and Technology

[Docket No.: 041220354-5020-02]

Small Grant Programs, Precision Measurement Grants Program, Summer Undergraduate Research Fellowship (SURF) Programs; Amendment

AGENCY: National Institute of Standards and Technology, Commerce.

ACTION: Notice; amendment.

SUMMARY: The National Institute of Standards and Technology (NIST) published a document in the **Federal Register** on January 5, 2005, announcing the availability of funds for Small Grants Programs. On December 27, 2004, NIST published two documents in the **Federal Register**, one announcing the availability of funds for the Summer

⁶ "GIN4 Mo," "GIN5" and "GIN6" are the proprietary grades of Hitachi Metals America, Ltd.