

- Subcommittee on Science and Engineering Indicators
- Update on Engineering Education Workshop

*Closed*

Committee on Programs & Plans  
Subcommittee on Polar Issues (8 a.m.–8:15 a.m.) Room 1235

- Polar icebreakers—future budget issues

Committee on Strategy and Budget  
(11:10 a.m.–11:45 a.m.) Room 1235

- Preliminary Discussion of FY 2007 Budget

Executive Committee (12:15 p.m.–12:30 p.m.) Room 1235

- Director's Items: Personnel Matters and Future Budgets

**Thursday, May 26, 2005***Open*

Committee on Audit & Oversight (9:15 a.m.–11:15 a.m.) Room 1235

- Approval of Minutes
- Management Response to OIG Semiannual Report

- Discussion of NSF Vision

Document: NSB Roles and Responsibilities

- Discussion of Draft Outline of NSF Merit Review System Review

• The Sarbanes Oxley Act and Implications for the NSF

- CFO Update on Plan to Address Reportable Conditions of FY 2004 Audit

*Closed Session*

Committee on Programs & Plans (7 a.m.–8:30 a.m.) Room 1235

- Update on RSVP
- NSB Information Item: Plan for extending LIGO
- NSB Information Item: Renewal of Cooperative Agreement between NSF and IRIS
- Reexamination of Priority Order for New Start MREFC Projects

Committee on Audit & Oversight  
(11:15 a.m.–11:45 a.m.) Room 1235

- Pending Investigations

*Executive Closed*

Committee on Programs & Plans (8:30 a.m.–9:15 a.m.) Room 1235

- Re-examination of Priority Order for New Start MREFC Projects

*Plenary Session of the Board (12 noon–3:30 p.m.)*

*Executive Closed Plenary Session of the Board (12 noon–12:30 p.m.) Room 1235*

- Approval of Executive Closed Minutes
- Executive Committee Elections
- Board Member Proposals

*Closed Plenary Session of the Board (1 p.m.–1:30 p.m.) Room 1235*

- Approval of Closed Session Minutes
- Closed Committee Reports

*Open Plenary Session of the Board (1 p.m.–3:30 p.m.) Room 1235*

- Approval of Open Session Minutes
- Resolution to Close August 2005 Meeting

• NSB Chairman's Report

- Approval of 2006 Board Meeting Calendar

• NSF Director's Report

- Committee Reports

- 2004 Annual Report of Executive Committee

• Overview of Millennium Ecosystem Assessment

- Presentations by 2005 Alan T. Waterman and NSB Public Service Awardees

• Presentations by 2005 Alan T. Waterman and NSB Public Service Awardees

**Michael P. Crosby,**

*Executive Officer, NSB.*

[FR Doc. 05–9727 Filed 5–11–05; 1:47 pm]

**BILLING CODE 7555–01–M**

---

## **NUCLEAR REGULATORY COMMISSION**

[Docket No. 50–305]

### **Nuclear Management Company, LLC; Notice of Consideration of Issuance of Amendment to Facility Operating License, Proposed No Significant Hazards Consideration Determination, and Opportunity for a Hearing**

The U.S. Nuclear Regulatory Commission (the Commission) is considering issuance of an amendment to Facility Operating License No. DPR–43 issued to Nuclear Management Company, LLC (the licensee), for operation of the Kewaunee Nuclear Power Plant located in Kewaunee County, Wisconsin.

The proposed amendment would change the Technical Specifications to modify the auxiliary feedwater (AFW) pump suction protection requirements and change the design basis as described in the Updated Safety Analysis Report to revise the functionality of the discharge pressure switches to provide pump runout protection, which requires operator actions to restore the AFW pumps for specific post-accident recovery activities.

Before issuance of the proposed license amendment, the Commission will have made findings required by the Atomic Energy Act of 1954, as amended (the Act), and the Commission's regulations.

The Commission has made a proposed determination that the amendment request involves no significant hazards consideration. Under the Commission's regulations in Title 10 of the Code of Federal Regulations (10 CFR), Section 50.92, this means that operation of the facility in accordance with the proposed amendment would not (1) involve a significant increase in the probability or consequences of an accident previously evaluated; or (2) create the possibility of a new or different kind of accident from any accident previously evaluated; or (3) involve a significant reduction in a margin of safety. As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does the proposed amendment involve a significant increase in the probability or consequences of an accident previously evaluated?

*Response:* No.

The proposed amendment does not involve a significant increase in the probability of an accident previously evaluated. The proposed changes are associated with the auxiliary feedwater (AFW) system, which is not an initiator of any accident previously evaluated.

The proposed amendment does not involve a significant increase in the consequences of an accident previously evaluated. The mitigation functions assumed in the accident analyses will continue to be performed. Operator actions may be required to assure the AFW pumps are aligned for post-accident recovery operations. With these actions additional consequences are not incurred.

Therefore, operation of the facility in accordance [with] the proposed amendment would not involve a significant increase in the probability or consequences of any accident previously evaluated.

2. Does the proposed amendment create the possibility of a new or different kind of accident from any accident previously evaluated?

*Response:* No.

The AFW system is being modified by adding suction pressure switches to protect the AFW pumps from damage due to a loss of normal suction. The addition of the suction pressure switches and the associated circuitry does not introduce new failure modes or effects. The evaluation of the new suction pressure trip circuit design concluded the new suction pressure trip circuit is similar to the existing discharge pressure trip circuit design and therefore, no new failure modes or effects are introduced. In addition, the AFW system is being modified by altering the function of the discharge pressure trip channel to provide pump runout protection. Operator actions may be required to assure the AFW pumps are aligned for post-accident recovery operations. With these actions, the accident recovery operations can be performed and a new or different kind of accident is not

created. The proposed amendment ensures that the AFW system continues to perform its intended safety function.

Therefore, operation of the facility in accordance with the proposed amendment does not create the possibility of a new or different kind of accident from any previously evaluated.

3. Does the proposed amendment involve a significant reduction in a margin of safety?

*Response:* No.

The modifications to the AFW System and the associated Technical Specifications will ensure that the AFW system is capable of performing its intended safety function. In addition, the margin of safety in the accident analyses is not affected by the proposed changes. The manual actions that may be required to restart an AFW pump and throttle AFW flow during the cooldown/recovery phase of the event do not significantly impact the margin of safety.

Therefore, the proposed amendment does not involve a significant reduction in a margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

The Commission is seeking public comments on this proposed determination. Any comments received within 30 days after the date of publication of this notice will be considered in making any final determination.

Normally, the Commission will not issue the amendment until the expiration of 60 days after the date of publication of this notice. The Commission may issue the license amendment before expiration of the 60-day period provided that its final determination is that the amendment involves no significant hazards consideration. In addition, the Commission may issue the amendment prior to the expiration of the 30-day comment period should circumstances change during the 30-day comment period such that failure to act in a timely way would result, for example in derating or shutdown of the facility. Should the Commission take action prior to the expiration of either the comment period or the notice period, it will publish in the **Federal Register** a notice of issuance. Should the Commission make a final No Significant Hazards Consideration Determination, any hearing will take place after issuance. The Commission expects that the need to take this action will occur very infrequently.

Written comments may be submitted by mail to the Chief, Rules and Directives Branch, Division of

Administrative Services, Office of Administration, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and should cite the publication date and page number of this **Federal Register** notice. Written comments may also be delivered to Room 6D59, Two White Flint North, 11545 Rockville Pike, Rockville, Maryland, from 7:30 a.m. to 4:15 p.m. Federal workdays. Documents may be examined, and/or copied for a fee, at the NRC's Public Document Room (PDR), located at One White Flint North, Public File Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland.

The filing of requests for hearing and petitions for leave to intervene is discussed below.

Within 60 days after the date of publication of this notice, the licensee may file a request for a hearing with respect to issuance of the amendment to the subject facility operating license and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings" in 10 CFR Part 2. Interested persons should consult a current copy of 10 CFR 2.309, which is available at the Commission's PDR, located at One White Flint North, Public File Area O1F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible from the Agencywide Documents Access and Management System's (ADAMS) Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm/doc-collections/cfr/>. If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or a presiding officer designated by the Commission or by the Chief Administrative Judge of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the Chief Administrative Judge of the Atomic Safety and Licensing Board will issue a notice of a hearing or an appropriate order.

As required by 10 CFR 2.309, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following general requirements: (1) The

name, address and telephone number of the requestor or petitioner; (2) the nature of the requestor's/petitioner's right under the Act to be made a party to the proceeding; (3) the nature and extent of the requestor's/petitioner's property, financial, or other interest in the proceeding; and (4) the possible effect of any decision or order which may be entered in the proceeding on the requestor's/petitioner's interest. The petition must also identify the specific contentions which the petitioner/requestor seeks to have litigated at the proceeding.

Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the petitioner/requestor shall provide a brief explanation of the bases for the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner/requestor must also provide references to those specific sources and documents of which the petitioner is aware and on which the petitioner intends to rely to establish those facts or expert opinion. The petition must include sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the petitioner to relief. A petitioner/requestor who fails to satisfy these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing.

If a hearing is requested, the Commission will make a final determination on the issue of no significant hazards consideration. The final determination will serve to decide when the hearing is held. If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing held would take place after issuance of the amendment. If the final determination is that the amendment request involves a significant hazards consideration, any hearing held would take place before the issuance of any amendment.

Nontimely requests and/or petitions and contentions will not be entertained absent a determination by the Commission or the presiding officer of the Atomic Safety and Licensing Board that the petition, request and/or the contentions should be granted based on a balancing of the factors specified in 10 CFR 2.309(c)(1)(i)-(viii).

A request for a hearing or a petition for leave to intervene must be filed by: (1) First class mail addressed to the Office of the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemaking and Adjudications Staff; (2) courier, express mail, and expedited delivery services: Office of the Secretary, Sixteenth Floor, One White Flint North, 11555 Rockville Pike, Rockville, Maryland, 20852, Attention: Rulemaking and Adjudications Staff; (3) E-mail addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, [HEARINGDOCKET@NRC.GOV](mailto:HEARINGDOCKET@NRC.GOV); or (4) facsimile transmission addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, Washington, DC, Attention: Rulemakings and Adjudications Staff at (301) 415-1101, verification number is (301) 415-1966. A copy of the request for hearing and petition for leave to intervene should also be sent to the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and it is requested that copies be transmitted either by means of facsimile transmission to 301-415-3725 or by email to [OGCMailCenter@nrc.gov](mailto:OGCMailCenter@nrc.gov). A copy of the request for hearing and petition for leave to intervene should also be sent to Bradley D. Jackson, Esq., Foley and Lardner, P.O. Box 1497, Madison, WI 53701-1497, attorney for the licensee.

For further details with respect to this action, see the application for amendment dated May 5, 2005, which is available for public inspection at the Commission's PDR, located at One White Flint North, File Public Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible from the Agencywide Documents Access and Management System's (ADAMS) Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm/adams.html>. Persons who do not have access to ADAMS or who encounter problems in accessing the documents located in ADAMS, should contact the NRC PDR Reference staff by telephone at 1-800-397-4209, 301-415-4737, or by e-mail to [pdr@nrc.gov](mailto:pdr@nrc.gov).

Dated at Rockville, Maryland, this 9th day of May, 2005.

**Carl F. Lyon,**

*Project Manager, Section 1 Project Directorate III, Division of Licensing Project Management, Office of Nuclear Reactor Regulation.*

[FR Doc. E5-2378 Filed 5-12-05; 8:45 am]

**BILLING CODE 7590-01-P**

## **NUCLEAR REGULATORY COMMISSION**

**[Docket Nos. 50-266 & 50-301]**

### **Nuclear Management Company, LLC; Notice of Consideration of Issuance of Amendment to Facility Operating License and Opportunity for a Hearing**

The U.S. Nuclear Regulatory Commission (the Commission) is considering issuance of an amendment to Facility Operating License Nos. DPR-24 and DPR-27, issued to Nuclear Management Company, LLC (NMC or the licensee), for operation of the Point Beach Nuclear Plant (PBNP), Units 1 and 2 located in Two Rivers, WI.

The proposed amendment would alter the PBNP Final Safety Analysis Report (FSAR) to include a reactor vessel head drop event.

Before issuance of the proposed license amendment, the Commission will have made findings required by the Atomic Energy Act of 1954, as amended (the Act), and the Commission's regulations.

Within 60 days after the date of publication of this notice, the licensee may file a request for a hearing with respect to issuance of the amendment to the subject facility operating license and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings" in 10 CFR part 2. Interested persons should consult a current copy of 10 CFR 2.309, which is available at the Commission's PDR, located at One White Flint North, Public File Area 01F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible from the Agencywide Documents Access and Management System's (ADAMS) Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm/doc-collections/cfr/>. If a request for a hearing or petition for leave to intervene is filed by the above

date, the Commission or a presiding officer designated by the Commission or by the Chief Administrative Judge of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the Chief Administrative Judge of the Atomic Safety and Licensing Board will issue a notice of a hearing or an appropriate order.

As required by 10 CFR 2.309, a petition for leave to intervene shall set forth with particularity the interest of the petitioner/requestor in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following general requirements: (1) The name, address and telephone number of the requestor or petitioner; (2) the nature of the requestor's/petitioner's right under the Act to be made a party to the proceeding; (3) the nature and extent of the requestor's/petitioner's property, financial, or other interest in the proceeding; and (4) the possible effect of any decision or order which may be entered in the proceeding on the requestor's/petitioner's interest. The petition must also identify the specific contentions which the petitioner/requestor seeks to have litigated at the proceeding.

Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the petitioner/requestor shall provide a brief explanation of the bases for the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner must also provide references to those specific sources and documents of which the petitioner is aware and on which the petitioner intends to rely to establish those facts or expert opinion. The petition must include sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the petitioner/requestor to relief. A petitioner/requestor who fails to satisfy these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to