

The closing period for their receipt is July 25, 2005. Rebuttal comments in response to material submitted during the foregoing period may be submitted during the subsequent 15-day period (to August 9, 2005).

A copy of the application and accompanying exhibits will be available during this time for public inspection at the address Number 1 listed above, and at the Great Falls International Airport, Airport Administration, 2800 Terminal Drive, Great Falls, MT 59404.

Dated: May 19, 2005.

**Dennis Puccinelli,**

*Executive Secretary.*

[FR Doc. 05-10566 Filed 5-25-05; 8:45 am]

**BILLING CODE: 3510-DS-S**

## DEPARTMENT OF COMMERCE

### International Trade Administration

A-570-831

#### Notice of Extension of Time Limit for Final Results of Antidumping Duty Administrative Review: Fresh Garlic from the People's Republic of China

**AGENCY:** Import Administration, International Trade Administration, Department of Commerce.

**EFFECTIVE DATE:** May 26, 2005.

**FOR FURTHER INFORMATION CONTACT:** Jim Nunno, AD/CVD Operations, Office of China/Non-Market Economy Compliance, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW, Washington, DC 20230; telephone: (202) 482-0783.

#### SUPPLEMENTARY INFORMATION:

##### Background

The Department of Commerce (the Department) published the preliminary results of the antidumping duty administrative review on fresh garlic from the People's Republic of China on December 7, 2004, which included a decision to extend the final results deadline until May 30, 2005. *See Fresh Garlic from the People's Republic of China: Preliminary Results of Antidumping Duty Administrative Review and Rescission in Part*, 69 FR 70638 (December 7, 2004).

##### Extension of Time Limits for Final Results

Pursuant to section 751(a)(3)(A) of the Tariff Act of 1930, as amended (the Act), and section 351.213(h)(1) of the Department's regulations, the Department shall issue the preliminary results of an administrative review

within 245 days after the last day of the anniversary month of the date of publication of the order. The Act further provides that the Department shall issue the final results of review within 120 days after the date on which the notice of the preliminary results was published in the **Federal Register**. However, if the Department determines that it is not practicable to complete the review within this time period, section 751(a)(3)(A) of the Act and section 351.213(h)(2) of the Department's regulations allow the Department to extend the 245-day period to 365 days and the 120-day period to 180 days. We have determined that it is not practicable to complete this review by May 30, 2005. Several significant issues were raised in the briefs which warrant further analysis, including matters pertaining to the appropriate calculation methodology for normal value and which surrogate companies should be used to derive surrogate costs for factory overhead, selling, general and administrative expenses, and profit.

Section 751(a)(3)(A) of the Act and section 351.213(h) of the Department's regulations allow the Department to extend the deadline for the final results of a review to a maximum of 180 days from the date on which the notice of the preliminary results was published. For the reasons noted above, the Department is fully extending the time limit for the completion of these final results until no later than Monday, June 6, 2005, which is the next business day after 180 days from the date on which the notice of the preliminary results was published.

This notice is issued and published in accordance with section 751(a)(3)(A) of the Act.

Dated: May 20, 2005.

**Barbara E. Tillman,**

*Acting Deputy Assistant Secretary for Import Administration.*

[FR Doc. E5-2683 Filed 5-25-05; 8:45 am]

**BILLING CODE 3510-DS-S**

## DEPARTMENT OF COMMERCE

### International Trade Administration

(A-351-828, A-588-846)

#### Continuation of Antidumping Duty Orders; Certain Hot-Rolled Flat-Rolled Carbon-Quality Steel Products From Brazil and Japan

**AGENCY:** Import Administration, International Trade Administration, Department of Commerce.

**SUMMARY:** As a result of the determinations by the Department of

Commerce ("the Department") and the International Trade Commission ("ITC") that revocation of the antidumping duty orders on certain hot-rolled flat-rolled carbon-quality steel products from Brazil and Japan would likely lead to continuation or recurrence of dumping, and material injury to an industry in the United States, the Department is publishing notice of the continuation of these antidumping duty orders.

**EFFECTIVE DATE:** May 12, 2005.

#### FOR FURTHER INFORMATION CONTACT:

Martha V. Douthit, Office of Policy, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW, Washington, DC 20230; telephone: (202) 482-5050.

#### SUPPLEMENTARY INFORMATION:

##### Background

On May 3, 2004, the Department initiated and the ITC instituted sunset reviews of the antidumping duty orders on certain hot-rolled flat-rolled carbon-quality steel products from Brazil and Japan, pursuant to section 751(c) of the Tariff Act of 1930, as amended ("the Act").<sup>1</sup>

As a result of its reviews, the Department found that revocation of the antidumping duty orders would likely lead to continuation or recurrence of dumping and notified the ITC of the magnitude of the margins likely to prevail were the order to be revoked.<sup>2</sup>

On May 5, 2005, the ITC determined pursuant to section 751(c) of the Act, that revocation of the antidumping duty orders on certain hot-rolled flat-rolled carbon-quality steel products from Brazil and Japan would likely lead to continuation or recurrence of material injury to an industry in the United States within a reasonably foreseeable time.<sup>3</sup>

##### Scope of the Orders

See Appendices 1 and 2

##### Determination

As a result of the determinations by the Department and the ITC that revocation of these antidumping duty orders would likely lead to continuation or recurrence of dumping and material injury to an industry in the United States, pursuant to section 751(d)(2) of

<sup>1</sup> See *Initiation of Five-year ("Sunset") Reviews*, 69 FR 24118 (May 3, 2004) and ITC's *Investigation Nos. 701-TA-384 and 731-TA-806-808* (Reviews), 69 FR 24189 (May 3, 2004).

<sup>2</sup> See *Certain Hot-Rolled Flat-Rolled Carbon-Quality Steel Products From Brazil; Final Results of the Expedited Sunset Review of Antidumping Duty Order*, 69 FR 54630 (September 9, 2004).

<sup>3</sup> See Investigation No. 701-TA-384 and 731-TA-806-808 (Review), 70 FR 23886 (May 5, 2005).

the Act, the Department hereby orders the continuation of the antidumping duty orders on certain hot-rolled flat-rolled carbon-quality steel products from Brazil and Japan.

As provided in 19 CFR 351.218(f)(4), the Department normally will issue its determination to continue an order not later than seven days after the date of publication in the **Federal Register** of the ITC's determination concluding the sunset review and immediately thereafter will publish its notice of continuation in the **Federal Register**. In the instant case, however, the Department's publication of the Notice of Continuation was delayed. The Department has explicitly indicated that the effective date of continuation of this finding is May 12, 2005, seven days after the date of publication in the **Federal Register** of the ITC's determination. As a result, pursuant to sections 751(c)(2) and 751(c)(6)(A) of the Act, the Department intends to initiate the next five-year review of these orders not later than April 2010.

These five-year (sunset) reviews and notice are in accordance with section 751(c) of the Act and 19 CFR 351.218(f)(4).

Dated: May 20, 2005.

**Joseph A. Spetrini,**

*Acting Assistant Secretary for Import Administration.*

#### APPENDIX 1

*Scope of the Order:* Brazil (A-351-828)

The products covered under the antidumping duty order are certain hot-rolled flat-rolled carbon-quality steel products, meeting the physical parameters described below, regardless of application.

The hot-rolled flat-rolled carbon-quality steel products subject to this order are of a rectangular shape, of a width of 0.5 inch or greater, neither clad, plated, nor coated with metal and whether or not painted, varnished, or coated with plastics of other non-metallic substances, in coils (whether or not in successively superimposed layers) regardless of thickness, and in straight lengths, of a thickness less than 4.75 mm and of a width measuring at least 10 times the thickness. Specifically included in this scope are vacuum degassed, fully stabilized (IF) steels, high strength low alloy (HSLA) steels, and the substrate for motor lamination steels. Steel products to be included in the scope of this order, regardless of Harmonized Tariff Schedule of the United States ("HTSUS") definitions, are products in which: (1) iron predominates, by weight, over each of

the other contained elements; (2) the carbon content is 2 percent or less, by weight; and (3) none of the elements listed below exceeds certain specified quantities.

The merchandise subject to the order is currently classifiable under subheadings 7208.10.15.00, 7208.10.30.00, 7208.10.60.00, 7208.25.30.00, 7208.25.60.00, 7208.26.00.30, 7208.26.00.60, 7208.27.00.30, 7208.27.00.60, 7208.36.00.30, 7208.36.00.60, 7208.37.00.30, 7208.37.00.60, 7208.38.00.15, 7208.38.00.30, 7208.38.00.90, 7208.39.00.15, 7208.39.00.30, 7208.39.00.90, 7208.40.60.30, 7208.40.60.60, 7208.53.00.00, 7208.54.00.00, 7208.90.00.00, 7210.70.30.00, 7210.90.90.00, 7211.14.00.30, 7211.14.00.90, 7211.19.15.00, 7211.19.20.00, 7211.19.30.00, 7211.19.45.00, 7211.19.60.00, 7211.19.75.30, 7211.19.75.60, 7211.19.75.90, 7212.40.10.00, 7212.40.50.00, and 7212.50.00.00 of the HTSUS. Certain hot-rolled flat-rolled carbon-quality steel covered by this order, including vacuum degassed and fully stabilized, high strength low alloy, and the substrate for motor lamination steel may also enter under tariff numbers 7225.11.00.00, 7225.19.00.00, 7225.30.30.50, 7225.30.70.00, 7225.40.70.00, 7225.99.00.90, 7226.11.10.00, 7226.11.90.30, 7226.11.90.60, 7226.19.10.00, 7226.19.90.00, 7226.91.50.00, 7226.91.70.00, 7226.91.80.00, and 7226.99.00.00. Although the HTSUS subheadings are provided for convenience and customs purposes, the written description of the scope of the order is dispositive.

#### APPENDIX 2

*Scope of the Order:* Japan (A-588-846)

The products covered under the antidumping duty order are certain hot-rolled flat-rolled carbon-quality steel products of a rectangular shape, of a width of 0.5 inch or greater, neither clad, plated, nor coated with metal and whether or not painted, varnished, or coated with plastics or other non-metallic substances, in coils (whether or not in successively superimposed layers) regardless of thickness, and in straight lengths, of a thickness less than 4.75 mm and of a width measuring at least 10 times the thickness. Universal mill plate (*i.e.*, flat-rolled products rolled on four faces or in a closed box pass, of a width exceeding 150 mm but not exceeding 1250 mm and of a thickness of not less than 4 mm, not in coils and without patterns in relief) of

a thickness not less than 4.0 mm is not included within the scope of this order.

Specifically included in this scope are vacuum degassed, fully stabilized (commonly referred to as interstitial-free ("IF") steels, high strength low alloy ("HSLA") steels, and the substrate for motor lamination steels. IF steels are recognized as low carbon steels with micro-alloying levels of elements such as titanium and/or niobium added to stabilize carbon and nitrogen elements. HSLA steels are recognized as steels with micro-alloying levels of elements such as chromium, copper, niobium, titanium, vanadium, and molybdenum. The substrate for motor lamination steels contains micro-alloying levels of elements such as silicon and aluminum.

Steel products to be included in the scope of this order, regardless of HTSUS definitions, are products in which: (1) iron predominates, by weight, over each of the other contained elements; (2) the carbon content is 2 percent or less, by weight; and (3) none of the elements listed below exceeds the quantity, by weight, respectively indicated:

- 1.80 percent of manganese, or
- 1.50 percent of silicon, or
- 1.00 percent of copper, or
- 0.50 percent of aluminum, or
- 1.25 percent of chromium, or
- 0.30 percent of cobalt, or
- 0.40 percent of lead, or
- 1.25 percent of nickel, or
- 0.30 percent of tungsten, or
- 0.012 percent of boron, or
- 0.10 percent of molybdenum, or
- 0.10 percent of niobium, or
- 0.41 percent of titanium, or
- 0.15 percent of vanadium, or
- 0.15 percent of zirconium.

All products that meet the physical and chemical description provided above are within the scope of this order unless otherwise excluded. The following products, by way of example, are outside and/or specifically excluded from the scope of this order:

Alloy hot-rolled steel products in which at least one of the chemical elements exceeds those listed above (including *e.g.*, ASTM specifications A543, A387, A514, A517, and A506) SAE/AISI grades of series 2300 and higher. Ball bearing steels, as defined in the HTSUS Tool steels, as defined in the HTSUS. Silico-manganese (as defined in the HTSUS) or silicon electrical steel with a silicon level exceeding 1.50 percent.

ASTM specifications A710 and A736. USS Abrasion-resistant steels (USS AR 400, USS AR 500). Hot-rolled steel coil which meets the following chemical, physical and mechanical specifications:

	Mn	P	S	Si	Cr	Cu	Ni
0.10–0.14% .....	0.90% Max	0.025% Max	0.005% Max	0.30– 0.50%	0.50– 0.70%	0.20– 0.40%	0.20% Max

Width = 44.80 inches maximum;  
Thickness = 0.063–0.198 inches;  
Yield Strength = 50,000 ksi minimum;

Tensile Strength = 70,000 88,000 psi.

Hot-rolled steel coil which meets the following chemical, physical and mechanical specifications:

C	Mn	P	S	Si	Cr	Cu	Ni	Mo
0.10–0.16% .....	0.70– 0.90%	0.025% Max	0.006% Max	0.30– 0.50%	0.50–0.25% 0.70%	0.20 Max	0.21 % Max	% Max

Width = 44.80 inches maximum;  
Thickness = 0.350 inches maximum;  
Yield Strength = 80,000 ksi minimum;

Tensile Strength = 105,000 psi Aim.

Hot-rolled steel coil which meets the following chemical, physical and mechanical specifications:

C	Mn	P	S	Si	Cr	Cu	Ni	V(wt.)	Cb
0.10– 0.14% .....	1.30– 1.80%	0.025 % Max	0.005 % Max	0.30– 0.50%	0.50– 0.70%	0.20– 0.40%	..... 0.20% Max	0.10 Max	0.08% Max

Width = 44.80 inches maximum;  
Thickness = 0.350 inches maximum;  
Yield Strength = 80,000 ksi minimum

Tensile Strength = 105,000 psi Aim.

Hot-rolled steel coil which meets the following chemical, physical and mechanical specifications.

C	Mn	P	S	Si	Cr	Cu	Ni	Nb	Ca	Al
0.15% .....	1.40% Max	0.025 % Max	0.010 % Max	0.50% Max	1.00% Max	0.50% Max	0.20% Max	0.005 % Max	Treated .....	0.01– 0.07%

Width = 39.37 inches;  
Thickness = 0.181 inches maximum;  
Yield Strength = 70,000 psi minimum  
for thickness ≤ 0.148 inches and 65,000  
psi minimum for “thicknesses” > 0.148  
inches; account for 64 FR 38650  
Tensile Strength = 80,000 psi minimum.

Hot-rolled dual phase steel, phase-hardened, primarily with a ferritic-martensitic microstructure, contains 0.9 percent up to and including 1.5 percent silicon by weight, further characterized by silicon by either (i) tensile strength between 540 N/mm<sup>2</sup> and 640 N/mm<sup>2</sup> and an elongation percentage > 26 percent account for 64 FR 38650, for thickness of 2 mm and above, or (ii) a tensile strength between 590 N/mm<sup>2</sup> and 640 N/mm<sup>2</sup> and an elongation percentage \$ 25 percent for thickness of 2 mm and above.

Hot-rolled bearing quality steel, SAE grade 1050, in coils, with an inclusion rating of 1.0 maximum per ASTM E 45, Method A, with excellent surface quality and chemistry restrictions as follows: 0.012 percent maximum phosphorus, 0.015 percent maximum sulfur, and 0.20 percent maximum residuals including 0.15 percent maximum chromium.

Grade ASTM A570–50 hot-rolled steel sheet in coils or cut lengths, width of 74 inches (nominal, within ASTM tolerances), thickness of 11 gauge (0.119 nominal), mill edge and skin passed, with a minimum copper content of 0.20 percent.

The covered merchandise is classified in the HTSUS as subheadings:  
7208.10.15.00, 7208.10.30.00,  
7208.10.60.00, 7208.25.30.00,  
7208.25.60.00, 7208.26.00.30,  
7208.26.00.60, 7208.27.00.30,  
7208.27.00.60, 7208.36.00.30,  
7208.36.00.60, 7208.37.00.30,  
7208.37.00.60, 7208.38.00.15,  
7208.38.00.30, 7208.38.00.90,  
7208.39.00.15, 7208.39.00.30,  
7208.39.00.90, 7208.40.60.30,  
7208.40.60.60, 7208.53.00.00,  
7208.54.00.00, 7208.90.00.00,  
7210.70.30.00, 7210.90.90.00,  
7211.14.00.30, 7211.14.00.90,  
7211.19.15.00, 7211.19.20.00,  
7211.19.30.00, 7211.19.45.00,  
7211.19.60.00, 7211.19.75.30,  
7211.19.75.60, 7211.19.75.90,  
7212.40.10.00, 7212.40.50.00,  
7212.50.00.00.

Certain hot-rolled flat-rolled carbon-quality steel covered by this order

including: vacuum degassed, fully stabilized; high strength low alloy; and the substrate for motor lamination steel may also enter under the following tariff numbers:

7225.11.00.00, 7225.19.00.00,  
7225.30.30.50, 7225.30.70.00,  
7225.40.70.00, 7225.99.00.90,  
7226.11.10.00, 7226.11.90.30,  
7226.11.90.60, 7226.19.10.00,  
7226.19.90.00, 7226.91.50.00,  
7226.91.70.00, 7226.91.80.00, and  
7226.99.00.00.

Although the HTSUS subheadings are provided for convenience and customs purposes, the written description of the covered merchandise is dispositive.

[FR Doc. E5–2679 Filed 5–25–05; 8:45 am]

BILLING CODE: 3510–DS–S