

Corrections

Federal Register

Vol. 70, No. 170

Friday, September 2, 2005

This section of the FEDERAL REGISTER contains editorial corrections of previously published Presidential, Rule, Proposed Rule, and Notice documents. These corrections are prepared by the Office of the Federal Register. Agency prepared corrections are issued as signed documents and appear in the appropriate document categories elsewhere in the issue.

Tuesday, August 16, 2005, make the following corrections:

§136.3 [Corrected]

1. On page 48264, in §136.3(a), in the table, under the heading Method¹, in the eighth line, “MF^{12 16}” should read “MF^{2 16}”.

2. On page 48267, in the same section, the table is corrected in part to read as follows:

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 136

[OW-2004-0014; FRL-7952-7]

RIN 2040-AE68

Guidelines Establishing Test Procedures for the Analysis of Pollutants; Analytical Methods for Biological Pollutants in Wastewater and Sewage Sludge; Proposed Rule

Correction

In proposed rule document 05-16195 beginning on page 48256, in the issue of

TABLE IG.—LIST OF APPROVED MICROBIOLOGICAL METHODS FOR AMBIENT WATER

Parameter and units	Method ¹	EPA	Standard methods 18th, 19th, 20th ed. ⁴	Standard methods on-line ⁴	AOAC, ASTM, USGS	Other
* * 7. Enterococci, number per 100 mL	* MTF ^{6 8} multiple tube multiple tube/multiple well. MF ^{2 5 6 7 8} two step, single step, or Plate count.	* 1106.1 ²³ 1600 ²⁴ , p. 143 ³ .	* 9230B 9230C	* 9230B-93 9230C-93	* D6503-99 ⁹ D5259-92 ⁹	* Enterolert® ^{12 22}
Protozoa:						
8. Cryptosporidium	Filtration/IMS/FA	1622 ²⁵ , 1623 ²⁶
9. Giardia	Filtration/IMS/FA	1623 ²⁶

[FR Doc. C5-16195 Filed 9-1-05; 8:45 am]

BILLING CODE 1505-01-D