

problems, there may be a significant delay in the receipt of comments sent by regular mail. Please contact the OSHA Docket Office at (202) 693-2350 (TTY (877) 889-5627) for information about security procedures concerning the delivery of submissions by express delivery, hard delivery and courier service.

All comments, submissions and background documents are available for inspection and copying at the OSHA Docket Office at the above address. Comments and submissions posted on OSHA's Web page are available at <http://www.OSHA.gov>. Contact the OSHA docket Office for information about materials not available through the OSHA Web page and for assistance using the Web page to locate docket submissions.

Electronic copies of this **Federal Register** notice as well as other relevant documents are available on OSHA's Web page. Because submissions become public, private information such as social security numbers should not be submitted.

#### V. Authority and Signature

Jonathan L. Snare, Acting Assistant Secretary of Labor for Occupational Safety and Health, directed the preparation of this notice. The authority for this notice is the Paperwork Reduction Act of 1995 (44 U.S.C. 3506 *et seq.*), and Secretary of Labor's Order No. 5-2002 (67 FR 65008).

Dated: Signed at Washington, DC, on October 12, 2005.

**Jonathan L. Snare,**

*Acting Assistant Secretary of Labor.*

[FR Doc. 05-20868 Filed 10-18-05; 8:45 am]

**BILLING CODE 4510-26-M**

---

#### NATIONAL INSTITUTE FOR LITERACY

##### National Institute for Literacy Advisory Board

**AGENCY:** National Institute for Literacy.

**ACTION:** Notice of a partially closed meeting.

**SUMMARY:** This notice sets forth the schedule and a summary of the agenda for an upcoming meeting of the National Institute for Literacy Advisory Board (Board). The notice also describes the functions of the Board. Notice of this meeting is required by section 10 (a) (2) of the Federal Advisory Committee Act. This document is intended to notify the general public of their opportunity to attend the meeting. Individuals who will need accommodations for a disability in order to attend the meeting (e.g., interpreting services, assistive

listening devices, or materials in alternative format) should notify Liz Hollis at telephone number (202) 233-2072 no later than October 25, 2005. We will attempt to meet requests for accommodations after this date but cannot guarantee their availability. The meeting site is accessible to individuals with disabilities.

*Date and Time: Open sessions—*November 2, 2005, from 8 a.m. to 2 p.m. and from 3 p.m. to 6:15 p.m.; and November 3, 2005, from 8:30 a.m. to 1:30 p.m. *Closed session—*November 2, 2005, from 2 p.m. to 3 p.m.

**ADDRESSES:** University Center Club, Building B, Florida State University, Doak Campbell Stadium.

**FOR FURTHER INFORMATION CONTACT:** Liz Hollis, Special Assistant to the Director; National Institute for Literacy, 1775 I Street, NW., Suite 730, Washington, DC 20006; telephone number: (202) 233-2072; e-mail: [ehollis@nifl.gov](mailto:ehollis@nifl.gov).

**SUPPLEMENTARY INFORMATION:** The Board is established under section 242 of the Workforce Investment Act of 1998, Pub. L. 105-220 (20 U.S.C. 9252). The Board consists of ten individuals appointed by the President with the advice and consent of the Senate. The Board advises and makes recommendations to the Interagency Group that administers the Institute. The Interagency Group is composed of the Secretaries of Education, Labor, and Health and Human Services. The Interagency Group considers the Board's recommendations in planning the goals of the Institute and in implementing any programs to achieve those goals. Specifically, the Board performs the following functions: (a) Makes recommendations concerning the appointment of the Director and the staff of the Institute; (b) provides independent advice on operation of the Institute; and (c) receives reports from the Interagency Group and the Institute's Director.

The National Institute for Literacy Advisory Board will meet November 2-3, 2005. On November 2, 2005 from 8 a.m. to 2 p.m. and from 3 p.m. to 6:15 p.m.; and November 3, 2005 from 8:30 a.m. to 1:30 p.m., the Board will meet in open session to discuss the Institute's program priorities; status of on-going Institute work; and other Board business as necessary. On November 2, 2005 from 2 p.m. to 3 p.m., the Board meeting will meet in closed session in order to discuss personnel issues. This discussion relates to the internal personnel rules and practices of the Institute and is likely to disclose information of personal nature where disclosure would constitute a clearly unwarranted invasion of personnel

privacy. The discussion must therefore be held in closed session under exemptions 2 and 6 of the Government in the Sunshine Act, 5 U.S.C. 552b (c) (2) and (6). A summary of the activities at the closed session and related matters that are informative to the public and consistent with the policy of 5 U.S.C. 552b will be available to the public within 14 days of the meeting.

The National Institute for Literacy Advisory Board meeting on November 2-3, 2005, will focus on future and current program activities, presentations by education researchers, and other relevant literacy activities and issues.

Records are kept of all Advisory Board proceedings and are available for public inspection at the National Institute for Literacy, 1775 I Street, NW., Suite 730, Washington, DC 20006, from 8:30 a.m. to 5 p.m.

Dated: October 14, 2005.

**Sandra L. Baxter,**

*Director.*

[FR Doc. 05-20941 Filed 10-18-05; 8:45 am]

**BILLING CODE 6055-01-P**

---

#### NUCLEAR REGULATORY COMMISSION

[Docket No. 30-36974-ML, ASLBP No. 06-843-01-ML]

##### Pa'ina Hawaii, LLC; Establishment of Atomic Safety and Licensing Board

Pursuant to delegation by the Commission dated December 29, 1972, published in the **Federal Register**, 37 FR 28,710 (1972), and the Commission's regulations, *see* 10 CFR 2.104, 2.300, 2.303, 2.309, 2.311, 2.318, and 2.321, notice is hereby given that an Atomic Safety and Licensing Board is being established to preside over the following proceeding:

##### Pa'ina Hawaii, LLC (Honolulu, Hawaii Irradiator Facility)

A Licensing Board is being established pursuant to a July 26, 2005 notice of opportunity for hearing, 70 FR 44,396 (Aug. 2, 2005), regarding the June 27, 2005 application of Pa'ina Hawaii, LLC, for authorization to build and operate a commercial pool-type industrial irradiator in Honolulu, Hawaii, near the Honolulu International Airport. This proceeding concerns an October 3, 2005 request for hearing regarding the application submitted by the Concerned Citizens of Honolulu.

The Board is comprised of the following administrative judges:

Thomas S. Moore, Chair, Atomic Safety and Licensing Board Panel, U.S.

Nuclear Regulatory Commission, Washington, DC 20555-0001.

Dr. Paul B. Abramson, Atomic Safety and Licensing Board Panel, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

Dr. Anthony J. Baratta, Atomic Safety and Licensing Board Panel, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

All correspondence, documents, and other materials shall be filed with the administrative judges in accordance with 10 CFR 2.302.

Issued at Rockville, Maryland, this 13th day of October 2005.

**G. Paul Bollwerk, III,**

*Chief Administrative Judge, Atomic Safety and Licensing Board Panel.*

[FR Doc. E5-5751 Filed 10-18-05; 8:45 am]

**BILLING CODE 7590-01-P**

## NUCLEAR REGULATORY COMMISSION

### Proposed Generic Communication; Post-Fire Safe-Shutdown Circuit Analysis Spurious Actuations

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Notice of opportunity for public comment.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is proposing to issue a generic letter (GL) to:

(1) Request addressees to review their fire protection program to confirm compliance with existing applicable regulatory requirements regarding their assumptions of the phrase "one-at-a-time" in light of the information provided in this GL and, if appropriate, take additional actions to return to compliance. Specifically, although some licensees have performed their post-fire, safe-shutdown circuit analyses based on an assumption of only a single spurious actuation per fire event or that spurious actuations will occur "one-at-a-time," recent industry cable fire test results demonstrated that these assumptions are not valid.

(2) Require addressees to submit a written response to the NRC in accordance with NRC regulations in Title 10 of the Code of Federal Regulations, Section 50.54(f) (10 CFR 50.54(f)).

This **Federal Register** notice is available through the NRC's Agencywide Documents Access and Management System (ADAMS) under accession number ML051650017.

**DATES:** Comment period expires [60 days after FRN is published]. Comments submitted after this date will be

considered if it is practical to do so, but assurance of consideration cannot be given except for comments received on or before this date.

**ADDRESSES:** Submit written comments to the Chief, Rules and Directives Branch, Division of Administrative Services, Office of Administration, U.S. Nuclear Regulatory Commission, Mail Stop T6-D59, Washington, DC 20555-0001, and cite the publication date and page number of this **Federal Register** notice. Written comments may also be delivered to NRC Headquarters, 11545 Rockville Pike (Room T-6D59), Rockville, Maryland, between 7:30 am and 4:15 pm on Federal workdays.

**FOR FURTHER INFORMATION, CONTACT:** Robert Wolfgang at 301-415-1624 or by e-mail [rjw1@nrc.gov](mailto:rjw1@nrc.gov) or Chandu Patel at 301-415-3025 or by e-mail at [cpp@nrc.gov](mailto:cpp@nrc.gov).

**SUPPLEMENTARY INFORMATION:** NRC Generic Letter 2005-Xx; Post-Fire Safe-Shutdown Circuit Analysis Spurious Actuations.

#### Addresses

All holders of operating licenses for nuclear power reactors, except those who have permanently ceased operations and have certified that fuel has been permanently removed from the reactor vessel.

#### Purpose

The U.S. Nuclear Regulatory Commission (NRC) is issuing this generic letter (GL) to:

(1) Request addressees to review their fire protection program to confirm compliance with existing applicable regulatory requirements regarding their assumptions of the phrase "one-at-a-time" in light of the information provided in this GL and, if appropriate, take additional actions to return to compliance. Specifically, although some licensees have performed their post-fire, safe-shutdown circuit analyses based on an assumption of only a single spurious actuation per fire event or that spurious actuations will occur "one-at-a-time," recent industry cable fire test results demonstrated that these assumptions are not valid.

(2) Require addressees to submit a written response to the NRC in accordance with NRC regulations in Title 10 of the Code of Federal Regulations, Section 50.54(f) (10 CFR 50.54(f)).

The reason for this request is that the results from the Electric Power Research Institute (EPRI)/Nuclear Energy Institute (NEI) cable fire tests showed a relatively high probability of multiple spurious actuations occurring simultaneously or

in rapid succession during or after a fire (ref. EPRI Report No. 1006961, "Spurious Actuation of Electrical Circuits Due to Cable Fires: Results of an Expert Elicitation," dated May 2002 and NUREG/CR-6776, "Cable Insulation Resistance Measurements Made During Cable Fire Tests," dated June 2002). Some licensees have assumed only a single spurious actuation, and others have assumed that multiple spurious actuations can only occur "one-at-a-time," with sufficient delay between actuations to allow for mitigation. The EPRI/NEI test data clearly show that the use of "one-at-a-time" spurious actuations assumption is not credible. If multiple spurious actuations occurring simultaneously or in rapid succession during or after a fire have not been considered by licensees in their post-fire safe-shutdown circuit analysis, it is possible that they are not in compliance with 10 CFR 50.48 and 10 CFR Part 50, General Design Criterion (GDC) 3. The licensees who conclude that they are no longer in compliance with 10 CFR 50.48 and 10 CFR Part 50, GDC 3, based on the information provided in this GL, are expected to come into compliance with 10 CFR 50.48 and 10 CFR Part 50, GDC 3, using risk-informed or deterministic methods as appropriate to their licensing basis.

#### Background

The regulatory requirements for post-fire safe shutdown are given in 10 CFR 50.48 and 10 CFR Part 50, Appendix A, GDC 3. Additionally, all nuclear power plants (NPPs) licensed to operate before January 1, 1979, are required to comply with 10 CFR Part 50, Appendix R, Section III.G, "Fire Protection of Safe Shutdown Capability." All NPPs licensed to operate after January 1, 1979, were evaluated against Section 9.5.1 of NUREG-0800, Standard Review Plan (SRP). The fire protection plan (FPP) and the associated safety evaluation report (SER) are specifically incorporated into those plants' licensing bases. All NPP licensees are responsible for meeting fire protection commitments and license conditions made during the establishment of their fire protection program.

The objective of the fire protection requirements and guidance is to provide reasonable assurance that one train of systems necessary to achieve and maintain hot shutdown is free of fire damage. This includes protecting circuits whose fire-induced failure could prevent the operation, or cause maloperation, of equipment necessary to achieve and maintain post-fire safe shutdown. As part of its fire protection program, each licensee performs a