

## RECORD OF VOTES

Member	Yes	No	Absent
Lillian BeVier .....	Yes .....	.....	Absent
Jonann Chiles .....	Yes .....	.....	
Thomas Fuentes .....	Yes .....	.....	
Herbert Garten .....	Yes .....	.....	
David Hall .....	.....	.....	
Michael McKay .....	Yes .....	.....	
Thomas Meites .....	Yes .....	.....	
Bernice Phillips .....	Yes .....	.....	
Sarah Singleton .....	Yes .....	.....	
Frank Strickland .....	Yes .....	.....	

The following agenda reflects only those items from the original agenda for September 18, 2006, as amended, that will be considered by the Board on September 22, 2006.

### Matters to Be Considered on Friday, September 22, 2006

#### Board of Directors

#### Open Session

##### 1. Approval of Agenda.

11. Consider and act on whether to authorize non-public briefings of the Board and discussion by the Board as per the items listed below under Closed Session.

#### Closed Session

14. Briefing by the OIG on status of the investigation requested by Chairmen Enzi, Grassley and Cannon.

15. Briefing by LSC Management on the investigation requested by Chairmen Enzi, Grassley and Cannon.

##### 16. Discussion of above briefings.

#### Open Session

18. Consider and act on closed session briefings regarding the investigation requested by Chairmen Enzi, Grassley and Cannon.

19. Consider and act on motion to adjourn meeting.

*Contact Person For Information:* Patricia D. Batie, Manager of Board Operations, at (202) 295-1500.

*Special Needs:* Upon request, meeting notices will be made available in alternate formats to accommodate visual and hearing impairments. Individuals who have a disability and need an accommodation to attend the meeting may notify Patricia D. Batie, at (202) 295-1500.

Dated: September 20, 2006.

#### Victor M. Fortuno,

*Vice President for Legal Affairs, General Counsel & Corporate Secretary.*

[FR Doc. 06-8204 Filed 9-20-06; 4:57 pm]

BILLING CODE 7050-01-P

### NUCLEAR REGULATORY COMMISSION

[Docket No. 50-285]

#### Omaha Public Power District Notice of Withdrawal of Application for Amendment to Facility Operating License

The U.S. Nuclear Regulatory Commission (the Commission) has granted the request of Omaha Public Power District (the licensee) to withdraw its May 14, 2004, application for proposed amendment to Facility Operating License No. DPR-40 for the Fort Calhoun Station, Unit No. 1 (FCS), located in Washington County, Nebraska.

The proposed amendment would have revised the Technical Specifications Section 2.3(2)b, "Modification of Minimum Requirements." Specifically, the proposed change would have provided a risk-informed alternative to the existing restoration period for the High-Pressure Safety Injection System.

The Commission had previously issued a Notice of Consideration of Issuance of Amendment published in the **Federal Register** on July 6, 2004 (69 FR 40677). However, by letter dated August 25, 2006, the licensee withdrew the proposed change.

For further details with respect to this action, see the application for amendment dated May 14, 2004, and the licensee's letter dated August 25, 2006, which withdrew the application for license amendment. Documents may be examined, and/or copied for a fee, at the NRC's Public Document Room (PDR), located at One White Flint North, Public File Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible electronically from the Agencywide Documents Access and Management Systems (ADAMS) Public Electronic Reading Room on the internet at the NRC Web site, <http://www.nrc.gov/reading-rm.html>. Persons

who do not have access to ADAMS or who encounter problems in accessing the documents located in ADAMS should contact the NRC PDR Reference staff by telephone at 1-800-397-4209, or 301-415-4737 or by e-mail to [pdr@nrc.gov](mailto:pdr@nrc.gov).

Dated at Rockville, Maryland, this 8th day of September 2006.

For the Nuclear Regulatory Commission.

**Alan B. Wang,**

*Project Manager, Plant Licensing Branch IV, Division of Operating Reactor Licensing, Office of Nuclear Reactor Regulation.*

[FR Doc. 06-8153 Filed 9-22-06; 8:45 am]

BILLING CODE 7590-01-P

### NUCLEAR REGULATORY COMMISSION

#### Notice of Opportunity To Comment on Model Application on Technical Specification Improvement To Modify Requirements Regarding LCO 3.10.1, Inservice Leak and Hydrostatic Testing Operation Using the Consolidated Line Item Improvement Process

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Request for comment.

**SUMMARY:** Notice is hereby given that the staff of the Nuclear Regulatory Commission (NRC) has prepared a model licensee application relating to the modification of shutdown testing requirements in technical specifications (TS) for Boiling Water Reactors (BWR). The purpose of this model is to permit the NRC to efficiently process amendments that propose to modify LCO 3.10.1 that would allow control rod scram time testing to be performed concurrently with inservice leak and hydrostatic testing. Licensees of nuclear power reactors to which the model applies could then request amendments, confirming the applicability to their reactors. The NRC staff is requesting comment on the model application prior to announcing its availability for license amendment applications. A model

safety evaluation and no significant hazards determination regarding the proposed changes to LCO 3.10.1 have been previously posted in the **Federal Register** for comment on August 21, 2006 (71 FR 48561).

**DATES:** The comment period expires October 25, 2006. Comments received after this date will be considered if it is practical to do so, but the Commission is able to ensure consideration only for comments received on or before this date.

**ADDRESSES:** Comments may be submitted either electronically or via U.S. mail. Submit written comments to Chief, Rulemaking, Directives, and Editing Branch, Division of Administrative Services, Office of Administration, Mail Stop: T-6 D59, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001. Hand deliver comments to: 11545 Rockville Pike, Rockville, Maryland, between 7:45 a.m. and 4:15 p.m. on Federal workdays. Copies of comments received may be examined at the NRC's Public Document Room, 11555 Rockville Pike (Room O-1F21), Rockville, Maryland. Comments may be submitted by electronic mail to [NRCREP@nrc.gov](mailto:NRCREP@nrc.gov).

**FOR FURTHER INFORMATION CONTACT:** Tim Kobetz, Mail Stop: O-12H2, Division of Inspections and Regional Support, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, telephone 301-415-1932.

**SUPPLEMENTARY INFORMATION:**

**Background**

Regulatory Issue Summary 2000-06, "Consolidated Line Item Improvement Process for Adopting Standard Technical Specification Changes for Power Reactors," was issued on March 20, 2000. The consolidated line item improvement process (CLIP) is intended to improve the efficiency of NRC licensing processes by processing proposed changes to the standard technical specifications (STS) in a manner that supports subsequent license amendment applications. The CLIP includes an opportunity for the public to comment on a proposed change to the STS after a preliminary assessment by the NRC staff and a finding that the change will likely be offered for adoption by licensees. A model safety evaluation and no significant hazards determination regarding the proposed changes to LCO 3.10.1 have been previously posted in the **Federal Register** for comment on August 21, 2006 (71 FR 48561). This notice solicits comment on a proposed model licensee application that would

modify LCO 3.10.1 to allow control rod scram time testing to be performed concurrently with inservice leak and hydrostatic testing.

**Applicability**

Licensees opting to apply for this TS change are responsible for reviewing the staff's evaluation, referencing the applicable technical justifications, and providing any necessary plant-specific information. Each amendment application made in response to the notice of availability will be processed and noticed in accordance with applicable rules and NRC procedures.

**Public Notices**

This notice requests comments from interested members of the public within 30 days of the date of publication in the **Federal Register**. After evaluating the comments received as a result of this notice, the staff will either reconsider the proposed change or announce the availability of the change in a subsequent notice (perhaps with some changes to the safety evaluation or the proposed no significant hazards consideration determination as a result of public comments). If the staff announces the availability of the change, licensees wishing to adopt the change must submit an application in accordance with applicable rules and other regulatory requirements. For each application the staff will publish a notice of consideration of issuance of amendment to facility operating licenses, a proposed no significant hazards consideration determination, and a notice of opportunity for a hearing. The staff will also publish a notice of issuance of an amendment to an operating license to announce the modification of TS 3.10.1, Inservice Leak and Hydrostatic Testing, for each plant that receives the requested change.

Proposed Model Application for License Amendments Adopting TSTF-484, Rev. 0, "Use of TT 3.10.1 for Scram Time Testing Activities"

U.S. Nuclear Regulatory Commission, Document Control Desk, Washington, DC 20555.

*Subject:* [Plant Name]

Docket No. 50—License Amendment Request for Adoption of TSTF-484, Rev. 0, "Use of TS 3.10.1 for Scram Time Testing Activities"

In accordance with the provisions of Section 50.90 of Title 10 of the Code of Federal Regulations (10 CFR), [Licensee] is submitting a request for an amendment to the technical specifications (TS) for [Plant Name, Unit No.].

The proposed amendment would revise LCO 3.10.1, and the associated Bases, to expand its scope to include provisions for temperature excursions greater than [200]°F as a consequence of inservice leak and hydrostatic testing, and as a consequence of scram time testing initiated in conjunction with an inservice leak or hydrostatic test, while considering operational conditions to be in Mode 4. This change is consistent with NRC approved Revision 0 to Technical Specification Task Force (TSTF) Improved Standard Technical Specification Change Traveler, TSTF-484, "Use of TS 3.10.1 for Scram Time Testing Activities". The availability of this TS improvement was announced in the **Federal Register** on [Date] ([ ] FR [ ]) as part of the consolidated line item improvement process (CLIP).

Attachment 1 provides an evaluation of the proposed change. Attachment 2 provides the existing TS pages marked up to show the proposed change. Attachment 3 provides the proposed TS changes in final typed format. Attachment 4 provides the existing Bases pages marked up to show the proposed change.

[Licensee] requests approval of the proposed license amendment by [Date], with the amendment being implemented [By Date or within X Days].

In accordance with 10 CFR 50.91, a copy of this application, with attachments, is being provided to the designated [State] Official.

If you should have any questions regarding this submittal, please contact [ ].

I declare under penalty of perjury under the laws of the United States of America that I am authorized by [Licensee] to make this request and that the foregoing is true and correct.

Executed on [Date].

[Name, Title]

- Attachments:*
1. Evaluation of Proposed Change
  2. Proposed Technical Specification Change (Mark-Up)
  3. Proposed Technical Specification Change (Re-Typed)
  4. Proposed Technical Specification Bases Change (Mark-Up)
- cc: [NRR Project Manager]  
[Regional Office]  
[Resident Inspector]  
[State Contact]

**Attachment 1—Evaluation of Proposed Change**

*License Amendment Request for Adoption of TSTF-484, Rev. 0, "Use of TS 3.10.1 for SCRAM Time Testing Activities"*

1.0 Description

- 2.0 Proposed Change
- 3.0 Background
- 4.0 Technical Analysis
- 5.0 Regulatory Safety Analysis
- 5.1 No Significant Hazards Determination
- 5.2 Applicable Regulatory Requirements/ Criteria
- 6.0 Environmental Consideration
- 7.0 References

### 1.0 Description

The proposed amendment would revise LCO 3.10.1, and the associated Bases, to expand its scope to include provisions for temperature excursions greater than [200]°F as a consequence of inservice leak and hydrostatic testing, and as a consequence of scram time testing initiated in conjunction with an inservice leak or hydrostatic test, while considering operational conditions to be in Mode 4. This change is consistent with NRC approved Revision 0 to Technical Specification Task Force (TSTF) Improved Standard Technical Specification Change Traveler, TSTF-484, "Use of TS 3.10.1 for Scram Time Testing Activities." The availability of this TS improvement was announced in the **Federal Register** on [Date] ([ ] FR [ ]) as part of the consolidated line item improvement process (CLIIP).

### 2.0 Proposed Change

Consistent with the NRC approved Revision 0 of TSTF-484, the proposed TS changes include a revised TS 3.10.1, "Inservice Leak and Hydrostatic Testing Operation." Proposed revisions to the TS Bases are also included in this application. Adoption of the TS Bases associated with TSTF-484, Revision 0 is an integral part of implementing this TS amendment. The changes to the affected TS Bases pages will be incorporated in accordance with the TS Bases Control Program.

This application is being made in accordance with the CLIIP. [Licensee] is not proposing variations or deviations from the TS changes described in TSTF-484, Revision 0, or the NRC staff's model safety evaluation (SE) published on [Date] ([ ] FR [ ]) as part of the CLIIP Notice of Availability.

### 3.0 Background

The background for this application is adequately addressed by the NRC Notice of Availability published on [Date] ([ ] FR [ ]).

### 4.0 Technical Analysis

[Licensee] has reviewed the safety evaluation (SE) published on [Date] ([ ] FR [ ]) as part of the CLIIP Notice of Availability. [Licensee] has concluded that the technical justifications presented in the SE prepared by the NRC staff are applicable to [Plant, UNIT

No.] and therefore justify this amendment for the incorporation of the proposed changes to the [Plant] TS.

### 5.0 Regulatory Safety Analysis

#### 5.1 No Significant Hazards Determination

[Licensee] has reviewed the no significant hazards determination published on [Date] ([ ] FR [ ]) as part of the CLIIP Notice of Availability. [Licensee] has concluded that the determination presented in the notice is applicable to [Plant, Unit No.] and the determination is hereby incorporated by reference to satisfy the requirements of 10 CFR 50.91(a).

#### 5.2 Applicable Regulatory Requirements/Criteria

A description of the proposed TS change and its relationship to applicable regulatory requirements was provided in the NRC Notice of Availability published on [Date] ([ ] FR [ ]).

### 6.0 Environmental Consideration

[Licensee] has reviewed the environmental evaluation included in the safety evaluation (SE) published on [Date] ([ ] FR [ ]) as part of the CLIIP Notice of Availability. [Licensee] has concluded that the staff's findings presented in that evaluation are applicable to [Plant, No.] and the evaluation is hereby incorporated by reference for this application.

### 7.0 References

1. **Federal Register** Notice, Notice of Availability published on [Date] ([ ] FR [ ]).
2. **Federal Register** Notice, Notice for Comment published on August 21, 2006 (71 FR 48561)
3. TSTF-484 Revision 0, "Use of TS 3.10.1 for Scram Times Testing Activities"

#### Attachment 2—Proposed Technical Specification Change (Mark-Up)

#### Attachment 3—Proposed Technical Specification Change (Re-Typed)

#### Attachment 4—Proposed Technical Specification Bases Change (Mark-Up)

*Principal Contributor:* Aron Lewin.

Dated at Rockville, Maryland, this 30th of August 2006.

For the Nuclear Regulatory Commission.

#### Timothy Kobetz,

*Chief, Technical Specifications Branch, Division of Inspections and Regional Support, Office of Nuclear Reactor Regulation.*

[FR Doc. 06-8152 Filed 9-22-06; 8:45 am]

**BILLING CODE 7590-01-P**

## OFFICE OF PERSONNEL MANAGEMENT

### Submission for Omb Review; Comment Request for Reclearance of a Revised Information Collection: RI 30-9

**AGENCY:** Office of Personnel Management.

**ACTION:** Notice.

**SUMMARY:** In accordance with the Paperwork Reduction Act of 1995 (Pub. L. 104-13, May 22, 1995), this notice announces that the Office of Personnel Management (OPM) has submitted to the Office of Management and Budget (OMB) a request for reclearance of a revised information collection. RI 30-9, Reinstatement of Disability Annuity Previously Terminated Because of Restoration to Earning Capacity, informs former disability annuitants of their right to request restoration under title 5, U.S.C. Section 8337. It also specifies the conditions to be met and the documentation required for a person to request reinstatement.

Approximately 200 forms are completed annually. The form takes approximately 60 minutes to respond, including a medical examination. The annual estimated burden is 200 hours. Burden may vary depending on the time required for a medical examination.

For copies of this proposal, contact Mary Beth Smith-Toomey on (202) 606-8358, FAX (202) 418-3251 or via E-mail to [MaryBeth.Smith-Toomey@opm.gov](mailto:MaryBeth.Smith-Toomey@opm.gov). Please include a mailing address with your request.

**DATES:** Comments on this proposal should be received within 30 calendar days from the date of this publication.

**ADDRESSES:** Send or deliver comments to—

Pamela S. Israel, Chief, Operations Support Group, Center for Retirement and Insurance Services, U.S. Office of Personnel Management, 1900 E Street, NW., Room 3349, Washington, DC 20415-3540. and

Brenda Aguilar, OPM Desk Officer, Office of Information & Regulatory Affair, Office of Management and Budget, New Executive Office Building, NW., Room 10235, Washington, DC 20503.

*For Information Regarding Administrative Coordination—Contact:* Cyrus S. Benson, Team Leader, Publications Team, RIS Support Services/Support Group, (202) 606-0623.