

Commission, 888 First Street, NE., Washington, DC 20426. A copy of any motion to intervene must also be served upon each representative of the Applicants specified in the particular application.

o. *Agency Comments:* Federal, state, and local agencies are invited to file comments on the described application. A copy of the application may be obtained by agencies directly from the

Applicants. If an agency does not file comments within the time specified for filing comments, it will be presumed to have no comments. One copy of an agency's comments must also be sent to the Applicants' representatives.

Magalie R. Salas,

Secretary.

[FR Doc. E6-17504 Filed 10-18-06; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission Notice of Technical Conference

October 13, 2006.

Midwest Independent Transmission System Operator, Inc	Docket No. ER05-6-044, Docket No. ER05-6-054, Docket No. ER05-6-055.
Midwest Independent Transmission System Operator, Inc. and PJM Interconnection, L.L.C.	Docket No. EL04-135-046, Docket No. EL04-135-056, Docket No. EL04-135-057.
Midwest Independent Transmission System Operator, Inc. and PJM Interconnection, L.L.C.	Docket No. EL02-111-064, Docket No. EL02-111-074, Docket No. EL02-111-075.
Ameren Services Company	Docket No. EL03-212-060, Docket No. EL03-212-070, Docket No. EL03-212-071.

Take notice that the Commission will convene a technical conference on Tuesday, December 5, 2006, at 9 a.m., in room 3M-1 of the Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426. As required by the September 21, 2006, order in Midwest Independent Transmission System Operator, Inc., 116 FERC ¶ 61,260 (2006), the conference will discuss proposals to allocate between Midwest Independent Transmission System Operator, Inc. and PJM Interconnection, L.L.C., the cost responsibility for constructing facilities that benefit both regional transmission organizations.

The conference is open for the public to attend. The conference will not be transcribed and telephone participation will not be available.

FERC conferences are accessible under section 508 of the Rehabilitation Act of 1973. For accessibility accommodations please send an e-mail to accessibility@ferc.gov or call toll free 1-866-208-3372 (voice) or 202-502-8659 (TTY).

For more information about the conference, please contact: Fernando Rodriguez at (202) 502-8231 or fernando.rodriguez@ferc.gov.

Magalie R. Salas,

Secretary.

[FR Doc. E6-17474 Filed 10-18-06; 8:45 am]

BILLING CODE 6717-01-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OECA-2006-0413; FRL-8232-3]

Agency Information Collection Activities; Submission to OMB for Review and Approval; Comment Request; NSPS for Secondary Lead Smelters (Renewal), EPA ICR Number 1128.08, OMB Control Number 2060-0080

AGENCY: Environmental Protection Agency.

ACTION: Notice.

SUMMARY: In compliance with the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*), this document announces that an Information Collection Request (ICR) has been forwarded to the Office of Management and Budget (OMB) for review and approval. This is a request to renew an existing approved collection. The ICR, which is abstracted below, describes the nature of the collection and the estimated burden and cost.

DATES: Additional comments may be submitted on or before November 20, 2006.

ADDRESSES: Submit your comments, referencing docket ID number EPA-HQ-OECA-2006-0413, to (1) EPA online using <http://www.regulations.gov> (our preferred method), or by e-mail to docket.oeca@epa.gov, or by mail to: EPA Docket Center (EPA/DC), Environmental Protection Agency, Enforcement and Compliance Docket and Information Center, mail code 2201T, 1200 Pennsylvania Avenue, NW., Washington, DC 20460, and (2) OMB by mail to: Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), Attention: Desk Officer for EPA, 725

17th Street, NW., Washington, DC 20503.

Note: The EPA Docket Center suffered damage due to flooding during the last week of June 2006. The Docket Center is continuing to operate. However, during the cleanup, there will be temporary changes to Docket Center telephone numbers, addresses, and hours of operation for people who wish to visit the Public Reading Room to view documents. Consult EPA's **Federal Register** notice at 71 FR 38147 (July 5, 2006) or the EPA Web site at <http://www.epa.gov/epahome/dockets.htm> for current information on docket status, locations and telephone numbers.

FOR FURTHER INFORMATION CONTACT: John Schaefer, Office of Air Quality Planning and Standards, Sector Policies and Programs Division (D243-05), Measurement Policy Group, Environmental Protection Agency, Research Triangle Park, North Carolina 27711; telephone number: (919) 541-0296; fax number: (919) 541-3207; e-mail address: schaefer.john@epa.gov.

SUPPLEMENTARY INFORMATION: EPA has submitted the following ICR to OMB for review and approval according to the procedures prescribed in 5 CFR 1320.12. On June 21, 2006 (71 FR 35652), EPA sought comments on this ICR pursuant to 5 CFR 1320.8(d). EPA received no comments. Any additional comments on this ICR should be submitted to EPA and OMB within 30 days of this notice.

EPA has established a public docket for this ICR under docket ID number EPA-HQ-OECA-2006-0413, which is available for public viewing online at <http://www.regulations.gov>, or in person viewing at the Enforcement and Compliance Docket and Information Center in the EPA Docket Center (EPA/DC), EPA West, Room B102, 1301 Constitution Avenue, NW., Washington, DC. The EPA Docket Center Public Reading Room is open from 8:30 a.m. to

4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is (202) 566-1744 and the telephone number for the Enforcement and Compliance Docket is (202) 566-1927.

Use EPA's electronic docket and comment system at <http://www.regulations.gov> to submit or view public comments, access the index listing of the contents of the docket, and to access those documents in the docket that are available electronically. Once in the system, select "docket search," then key in the docket ID number identified above. Please note that EPA's policy is that public comments, whether submitted electronically or in paper, will be made available for public viewing at <http://www.regulations.gov> as EPA receives them and without change, unless the comment contains copyrighted material, CBI, or other information whose public disclosure is restricted by statute. For further information about the electronic docket, go to <http://www.regulations.gov>.

Title: NSPS for Secondary Lead Smelters (Renewal).

ICR Numbers: EPA ICR Number 1128.08, OMB Control Number 2060-0080.

ICR Status: This ICR is scheduled to expire on November 30, 2006. Under OMB regulations, the Agency may continue to conduct or sponsor the collection of information while this submission is pending at OMB. An Agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control numbers for EPA's regulations in title 40 of the CFR, after appearing in the **Federal Register** when approved, are listed in 40 CFR part 9, and displayed either by publication in the **Federal Register** or by other appropriate means, such as on the related collection instrument or form, if applicable. The display of OMB control numbers in certain EPA regulations is consolidated in 40 CFR part 9.

Abstract: This Information Collection Request (ICR) renewal is being submitted for the NSPS for Secondary Lead Smelters (40 CFR part 60, subpart L), which was promulgated on March 8, 1974. This standard applies to owners and operators of secondary lead smelters facilities. Owners and operators of secondary lead smelters subject to NSPS must notify EPA of construction, reconstruction, anticipated and actual startup dates, and results of performance tests. Records of performance test results, shutdowns, and malfunctions must be maintained.

These notifications, reports, and records are essential in determining compliance; and are required, in general, of all sources subject to NSPS.

Burden Statement: The annual public reporting and recordkeeping burden for this collection of information is estimated to average 1.5 hours per response. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements which have subsequently changed; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information.

Respondents/Affected Entities: Secondary lead smelters.

Estimated Number of Respondents: 25.

Frequency of Response: Initially and on occasion.

Estimated Total Annual Hour Burden: 38.

Estimated Total Annual Cost: \$0 in annualized capital or O&M costs.

Changes in the Estimates: There is no change in the total estimated burden currently identified in the OMB Inventory of Approved ICR Burdens.

Dated: October 6, 2006.

Oscar Morales,

Director, Collection Strategies Division.

[FR Doc. E6-17423 Filed 10-18-06; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OW-2006-0454; FRL-8232-8]

Agency Information Collection Activities; Submission to OMB for Review and Approval; Comment Request; Community Water System Survey 2006; EPA ICR No. 2232.01; OMB Control No. 2040—New

AGENCY: Environmental Protection Agency.

ACTION: Notice.

SUMMARY: In compliance with the Paperwork Reduction Act (PRA) (44 U.S.C. 3501 *et seq.*), this document

announces that an Information Collection Request (ICR) has been forwarded to the Office of Management and Budget (OMB) for review and approval. This is a request for a new collection. The ICR, which is abstracted below, describes the nature of the information collection and its estimated burden and cost.

DATES: Additional comments may be submitted on or before November 20, 2006.

ADDRESSES: Submit your comments, referencing Docket ID No. EPA-HQ-OW-2006-0454, to (1) EPA online using <http://www.regulations.gov> (our preferred method), by e-mail to OW—OW-Docket@epa.gov, or by mail to Water Docket, EPA Docket Center, Environmental Protection Agency, Mail Code 4101T, 1200 Pennsylvania Ave., NW., Washington, DC 20460, and (2) OMB by mail to: Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), Attention: Desk Officer for EPA, 725 17th Street, NW., Washington, DC 20503.

FOR FURTHER INFORMATION CONTACT:

Brian Rourke, Standards and Risk Management Division (Mailcode 4607M), Office of Ground Water and Drinking Water, Environmental Protection Agency, 1200 Pennsylvania Ave. NW., Washington, DC 20460; telephone number: 202-564-5241; fax number 202-564-3760; e-mail address: rourke.brian@epa.gov.

SUPPLEMENTARY INFORMATION: EPA has submitted the following ICR to OMB for review and approval according to the procedures prescribed in 5 CFR 1320.12. On June 1, 2006 71 FR 31176-31177), EPA sought comments on this ICR pursuant to 5 CFR 1320.8(d). EPA received 2 comments during the comment period, which are addressed in the ICR. Any additional comments on this ICR should be submitted to EPA and OMB within 30 days of this notice.

EPA has established a public docket for this ICR under Docket ID No. EPA-HQ-OW-2006-0454, which is available for online viewing at <http://www.regulations.gov>, or in person viewing at the Water Docket in the EPA Docket Center (EPA/DC), EPA West, Room B102, 1301 Constitution Ave., NW., Washington, DC. The EPA/DC Public Reading Room is open from 8 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is 202-566-1744, and the telephone number for the Water Docket is 202-566-2422.