

CITY OF NEW YORK, NEW YORK—Continued

| State | City/town/county | Source of flooding | Location | #Depth in feet above ground. *Elevation in feet (NGVD) +Elevation in feet (NAVD) | |
|-------|------------------|---------------------------------|---|--|-------------------|
| | | | | Existing | Modified |
| | | Wolfes Pond (Staten Island). | Approximately 1,050 feet upstream of Richmond Avenue/Drumgoole Avenue. Approximately 1,175 feet upstream of Seguire Avenue. Approximately 175 feet upstream of Hylan Boulevard. | *95 *12 None | *99 *10 *21 |
| | | Wood Duck Pond (Staten Island). | Entire shoreline within the community | None | *54 |

* National Geodetic Vertical Datum.
Depth in feet above ground.
+ North American Vertical Datum.

ADDRESSES

Maps are available for inspection at the New York City Planning Department, Waterfront and Open Space Division, 22 Reade Street, Room 6E, New York, New York.
Send comments to The Honorable Michael Bloomberg, Mayor of the City of New York, New York City Hall, 52 Chambers Street, New York, New York 10007.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: November 13, 2006.

David I. Maurstad,

Director, Mitigation Division, Federal Emergency Management Agency, Department of Homeland Security.

[FR Doc. E6-19829 Filed 11-22-06; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket No. FEMA-B-7473]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed Base (1% annual chance) Flood Elevations (BFEs) and proposed BFEs modifications for the communities listed below. The BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: William R. Blanton, Jr., Engineering Management Section, Mitigation Division, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-3151.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency, (FEMA) proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations are used to meet the floodplain management

requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within the scope of the Regulatory Flexibility Act, 5 U.S.C. 601-612, a regulatory flexibility analysis is not required.

Regulatory Classification. This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 13132, Federalism. This rule involves no policies that have federalism implications under Executive Order 13132.

Executive Order 12988, Civil Justice Reform. This rule meets the applicable standards of Executive Order 12988.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.;
Reorganization Plan No. 3 of 1978, 3 CFR,
1978 Comp., p. 329; E.O. 12127, 44 FR 19367,
3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the
authority of § 67.4 are proposed to be
amended as follows:

| State | City/town/county | Source of flooding | Location | #Depth in feet above-ground *Elevation in feet (NGVD) +Elevation in feet (NAVD) | |
|--------------------------------|---------------------|------------------------------|--|---|----------|
| | | | | Existing | Modified |
| City of Cabot, Arkansas | | | | | |
| Arkansas | City of Cabot | Bayou Two Prairie Tributary. | Approximately 150 feet upstream from the intersection with West Main Street. | None | +288 |
| Arkansas | City of Cabot | Hudson Branch | Intersection of Deer Creek Road | None | +299 |
| | | | Upstream face of Highway 367 | None | +272 |
| | | | Approximately 850 feet upstream from the intersection with Mockingbird Lane. | None | +287 |

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Maps are available for inspection at 114 South 1st Street, Cabot, Arkansas 72023.
Send comments to The Honorable Mickey Spunbaugh, Mayor, City of Cabot, 101 North 2nd Street, Cabot, AR 72023.

Unincorporated Areas of Lonoke County, Arkansas

| | | | | | |
|----------------|--|--------------------------------|---|------|------|
| Arkansas | Unincorporated Areas of Lonoke County. | Hudson Branch Creek Tributary. | Confluence with Hudson Branch Creek | None | +260 |
| | | | Approximately 700 feet upstream from the intersection with Main Street. | None | +314 |

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Maps are available for inspection at 200 North Center Street, Lonoke, AR 72007.
Send comments to The Honorable Charlie Troutman, Judge, Lonoke County, 301 North Center Street, Suite 201, Lonoke, AR 72086.

City of Ward, Arkansas

| | | | | | |
|----------------|--------------------|-------------------------------|--|------|------|
| Arkansas | City of Ward | Cypress Bayou Tributary 11. | Confluence with Morrison Street | None | +225 |
| | | | Approximately 50 feet upstream from the intersection with Brewer Street. | None | +234 |
| Arkansas | City of Ward | Cypress Bayou Tributary 11.1. | Confluence with Cypress Bayou 11 | None | +227 |
| | | | Intersection with Cross Street | None | +241 |

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Maps are available for inspection at 405 Hickory Street, Ward, Arkansas 72126.
Send comments to The Honorable Art Brooke, Mayor, City of Ward, P.O. Box 237, Ward, AR 72176.

City of Eureka, Utah

| | | | | | |
|------------|----------------------|--------------------|---|--------|--------|
| Utah | City of Eureka | Eureka Gulch | Approximately 0.30 miles downstream of Church Street. | +6,305 | +6,306 |
| | | | Approximately 830 feet upstream of Church Street. | +6,395 | +6,396 |
| Utah | City of Eureka | Eureka Gulch | Approximately 490 feet upstream of Spring Street. | +6,529 | +6,528 |
| | | | Approximately 425 feet upstream of Bulk Plant Road. | None | +6,569 |

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

| State | City/town/county | Source of flooding | Location | #Depth in feet above-ground *Elevation in feet (NGVD) +Elevation in feet (NAVD) | |
|-------|------------------|--------------------|----------|---|----------|
| | | | | Existing | Modified |

ADDRESSES

City of Eureka

Maps are available for inspection at: City Hall, 15 North Church Street, Eureka, Utah.
Send comments to: Honorable Lloyd Conder, Mayor, City of Eureka, P.O. Box 156, Eureka, Utah 84626.

| Flooding source(s) | Location of referenced elevation | *Elevation in feet (NGVD) +Elevation in feet (NAVD) # Depth in feet above ground | | Communities affected |
|--------------------|----------------------------------|--|----------|----------------------|
| | | ¹ Effective | Modified | |

Walker County, Georgia, and Incorporated Areas

| | | | | |
|--------------------------------|--|--------------|--------------|--------------------|
| Andrews Street Tributary | At confluence with Tributary to Chattanooga Creek Approximately 35 feet upstream of confluence with Tributary to Chattanooga Creek. | +691 +691 | +690 +690 | City of Rossville. |
|--------------------------------|--|--------------|--------------|--------------------|

Depth in feet above ground.

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

¹ The existing elevation data included on the effective FIRM is printed in the elevation datum of the National Geodetic Vertical Datum of 1929 (NGVD29). In order to convert this printed elevation data from the NGVD29 datum to the NAVD88 datum, please add 0.02.

ADDRESSES

City of Rossville, Walker County, Georgia

Maps are available for inspection at Rossville City Government, 220 Ellis Road, Rossville, Georgia 30741.
Send comments to The Honorable John Baker, Mayor, City of Rossville, P.O. Box 159, Rossville, Georgia 30741.

McClain County, Oklahoma, and Incorporated Areas

| | | | | |
|----------------------------|---|-------|-------|---|
| Beaver Creek | Confluence with Walnut Creek | *1038 | +1042 | City of Purcell. |
| | Purcell Lake | None | +1049 | |
| Crooked Bridge Creek | Approximately 2000 feet downstream of the intersec- tion with State Route 74. | None | +1102 | Town of Goldsby. |
| | Approximately 2800 feet upstream from the intersec- tion with State Route 746. | None | +1198 | |
| Walnut Creek | Approximately 100 feet upstream from intersection with Interstate Highway 35. | *1047 | +1045 | City of Purcell, McClain County (Unincorporated Areas). |
| | Approximately 3000 feet upstream from the intersec- tion with W. Adams Street. | *1051 | +1049 | |

Depth in feet above ground.

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

ADDRESSES

City of Purcell

Maps are available for inspection at 230 W. Main, Purcell, OK 73080.
Send comments to The Honorable Betty Gerhard, Mayor, City of Purcell, 230 W. Main, Purcell, OK 73080.

Town of Goldsby

Maps are available for inspection at 100 E. Center Rd., Goldsby, OK 73093.
Send comments to The Honorable Glenn Berglan, Mayor, Town of Goldsby, 100 E. Center Rd., Goldsby, OK 73093.

Unincorporated Areas of McClain County

Maps are available for inspection at 121 N. 2nd, Purcell, OK 73080.
Send comments to Charles Foster, Chairman, McClain County, 121 N. 2nd, Purcell, OK 73080.

| Flooding source(s) | Location of referenced elevation | *Elevation in feet (NGVD) +Elevation in feet (NAVD) # Depth in feet above ground | | Communities affected |
|--------------------|----------------------------------|--|----------|----------------------|
| | | Effective | Modified | |

Montour County, Pennsylvania, and Incorporated Areas

| | | | | |
|----------------------|---|------|------|---|
| Mahoning Creek | Approximately 7345 feet downstream of Northumber- land Street. | *459 | +460 | Borough of Danville, Township of Mahoning. |
|----------------------|---|------|------|---|

| Flooding source(s) | Location of referenced elevation | *Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground | | Communities affected |
|-------------------------|--|---|----------|---|
| | | Effective | Modified | |
| | Approximately 1310 feet upstream of Northumberland Street. | *460 | +461 | |
| Roaring Creek | Approximately 1310 feet downstream of River Drive .. | *467 | +470 | Township of Mayberry. |
| | Approximately 980 feet upstream of River Drive | *467 | +470 | |
| Sechler Run | Approximately 215 feet downstream of Rooney Avenue Bridge. | *459 | +461 | Borough of Danville. |
| | Approximately at 1210 feet upstream of Railroad Street. | *460 | +461 | |
| Susquehanna River | Approximately at 9500 feet downstream of Factory Street, at the Montour County Line. | *458 | +459 | Township of Mayberry, Borough of Danville, Township of Cooper, Township of Mahoning. |
| | Approximately 6.4 miles upstream of Factory Street, at the Montour County Line. | *467 | +471 | |

#Depth in feet above ground.

*National Geodetic Vertical Datum.

+North American Vertical Datum.

ADDRESSES**Borough of Danville**

Maps are available for inspection at 239 Mill Street, Danville, PA 17821.

Send comments to The Honorable Ed Coleman, Mayor, Danville Borough, 239 Mill Street, Danville, PA 17821.

Township of Cooper

Maps are available for inspection at 19 Steltz Road, Danville, PA.

Send comments to Mr. Terry L. Heimbach, Chairman of Board of Supervisors, 216 Reinaker Road, Danville, PA 17821.

Township of Mahoning

Maps are available for inspection at 1101 Bloom Road, Danville, PA 17821.

Send comments to Ms. Christine A. Delong, Chairperson of Board of Supervisors, 1101 Bloom Road, Danville, PA 17821.

Township of Mayberry

Maps are available for inspection at 53 Sunset Road, Catawissa, PA 17820.

Send comments to Mr. David E. Bird, Chairman of Board of Supervisors, 68 W Onderview Road, Catawissa, PA 17820.

Snyder County, Pennsylvania, and Incorporated Areas

| | | | | |
|-----------------------------|--|------|------|--|
| Middle Creek | Approximately 550 feet upstream of Middle Creek Road. | *433 | +433 | Township of Union, Township of Penn. |
| | Approximately 750 feet downstream of Legislative Route 229. | *433 | +433 | |
| Penns Creek | Approximately at Penns Creeks confluence with the Susquehanna River. | *430 | +431 | Borough of Selinsgrove, Township of Penn, Township of Union. |
| | Approximately 3250 feet downstream of Gravel Pit Road. | *439 | +439 | |
| Penns Creek | Approximately 7000 feet downstream of Legislative Route 509. | None | +452 | |
| | Approximately 7200 feet upstream of Legislative Route 509. | None | +466 | |
| Silver Creek | Approximately 780 feet downstream of U.S. Routes 11 & 15. | *422 | +420 | Township of Union. |
| | Approximately 980 feet upstream of U.S. Routes 11 & 15. | *422 | +421 | |
| South Tributary | Approximately 420 feet downstream of Market Street | *433 | +435 | Township of Penn, Borough of Selinsgrove. |
| | Just upstream of West Sandhill Road | *433 | +435 | |
| Susquehanna River | Approximately at the Juniata & Snyder County boundary. | *409 | +405 | Township of Penn, Borough of Selinsgrove, Borough of Shamokin Dam, Township of Chapman, Township of Monroe, Township of Union. |
| | Approximately at Route 11 at the boundary of Snyder & Union Counties. | *448 | +448 | |
| West Mahantango Creek | Approximately at West Mahantango Creeks Confluence with Susquehanna River. | *409 | +405 | Township of Chapman. |
| | Approximately 175 feet downstream of Old Trail Road | *409 | +405 | |

#Depth in feet above ground.

*National Geodetic Vertical Datum.

| Flooding source(s) | Location of referenced elevation | *Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground | | Communities affected |
|--------------------|----------------------------------|---|----------|----------------------|
| | | Effective | Modified | |

+ North American Vertical Datum.

ADDRESSES

Borough of Selinsgrove

Maps are available for inspection at 1 North High Street, Selinsgrove, PA 17870.
Send comments to The Honorable Dianne K. Mengel, President of Borough Council, 1 North High Street, Selinsgrove, PA 17870.

Borough of Shamokin Dam

Maps are available for inspection at 144 West Eighth Ave, Shamokin Dam, PA 17876.
Send comments to The Honorable G. Robert Herbert, President of Borough Council, 126 Snyder Street, Shamokin Dam, PA 17876.

Township of Chapman

Maps are available for inspection at 1151 Wagner Hill Road, Port Trevorton, PA 17864.
Send comments to Mr. Foster S. Straub, Chairman of Board of Supervisors, 2550 Hoffer Road, Port Trevorton, PA 17864.

Township of Jackson

Maps are available for inspection at 57 Municipal Road, Winfield, PA 17889.
Send comments to Mr. Shawn N. Ressler, Chairman of Board of Supervisors, 57 Municipal Road, Winfield, PA 17889.

Township of Monroe

Maps are available for inspection at 39 Municipal Drive, Selinsgrove, PA 17870.
Send comments to Mr. Timothy Wolfe, Chairman of Board of Supervisors, 39 Municipal Drive, Selinsgrove, PA 17870.

Township of Penn

Maps are available for inspection at 12 Clifford Road, Selinsgrove, PA 17870.
Send comments to Mr. Frederick Ulrich, Chairman of Board of Supervisors, 12 Clifford Road, Selinsgrove, PA 17870

Township of Union

Maps are available for inspection at 1510 McNess Road, Port Trevorton, PA 17864.
Send comments to Mr. George T. Markley, Chairman of Board of Supervisors, 1510 McNess Road, Port Trevorton, PA 17864.

Brown County, South Dakota, and Incorporated Areas

| Flooding source(s) | Location of referenced elevation | Effective | Modified | Communities affected |
|------------------------------|--|-----------|----------|----------------------|
| 4th Street Drainageway | Approximately 400 feet downstream of Sixth Street | +1,297 | +1,295 | City of Groton. |
| | Approximately 200 feet downstream of Sixth Street | +1,302 | +1,296 | |
| | Approximately 300 feet upstream of 13th Avenue/ Highway 12. | +1,303 | +1,302 | |

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

City of Groton

Maps are available for inspection at City Hall, 204 North Main Street, Groton, South Dakota 57445.
Send comments to the Honorable Gerald Rix, Mayor, City of Groton, 209 North Main Street, Groton, South Dakota 57445.

Campbell County, Tennessee, and Incorporated Areas

| Flooding source(s) | Location of referenced elevation | Effective | Modified | Communities affected |
|---------------------------|--|-----------|----------|--|
| Big Creek | Approximately 70 feet downstream of High Knob Road. | None | +1032 | Unincorporated Areas of Campbell County. |
| | At the confluence with Casper Sharp Branch | None | +1032 | |
| Clear Fork | Approximately 900 feet upstream of the confluence of Rose Creek. | None | +1084 | Unincorporated Areas of Campbell County. |
| | Approximately 2,050 feet upstream of the confluence of Rose Creek. | None | +1086 | |
| Dog Creek | Just downstream of Elkins Road | None | +1032 | Unincorporated Areas of Campbell County, Town of Caryville, Town of Jacksboro. |
| | Approximately 1,690 feet upstream of U.S. Highway 25. | None | +1075 | |
| Dog Creek Tributary | At the confluence with Dog Creek | *1061 | +1060 | Town of Jacksboro. |
| | Just downstream of Eagle Bluff Road | None | +1090 | |
| Elk Creek | Approximately 800 feet upstream of railroad bridge | None | +972 | Unincorporated Areas of Campbell County. |
| | Approximately 1,730 feet downstream of the confluence of Burnt Pone Creek. | None | +975 | |

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Town of Caryville

Maps are available for inspection at 4839 Old Highway 63, Caryville, TN 37717.
Send comments to The Honorable Robert Stooksbury, Mayor, P. O. Box 308, Caryville, TN 37717-0308.

Town of Jacksboro

Maps are available for inspection at 585 Main Street, Jacksboro, TN 37757.

| Flooding source(s) | Location of referenced elevation | *Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground | | Communities affected |
|--------------------|----------------------------------|---|----------|----------------------|
| | | Effective | Modified | |

Send comments to The Honorable Jack Cannon, Mayor, P. O. Box 75, Jacksboro, TN 37757-0075.

Unincorporated Areas of Campbell County

Maps are available for inspection at County Courthouse, 195 Kentucky Street, Jacksboro, TN 37757.

Send comments to The Honorable Jerry Cross, Mayor, P. O. Box 435, Jacksboro, TN 37757.

Giles County, Tennessee, and Incorporated Areas

| | | | | |
|--------------------------------|---|------|------|--|
| Branch Creek | At the confluence with Robertson Fork Creek | None | +738 | Unincorporated Areas of Giles County, City of Lynnville. |
| | Approximately 1,000 feet upstream of Industrial Park Road. | None | +762 | |
| Branch Creek Tributary 1 | At the confluence with Branch Creek | None | +748 | City of Lynnville. |
| | Approximately 870 feet upstream of Mill Street | None | +763 | |
| Elk River | Approximately 2,800 feet downstream of U.S. Highway 31. | None | +607 | City of Elkton. |
| | Approximately 100 feet downstream of Interstate Highway 65. | None | +608 | |
| Robertson Fork Creek | Approximately 1.3 miles downstream of the confluence with Lynn Creek. | *715 | +715 | Unincorporated Areas of Giles County, City of Lynnville. |
| | Approximately 100 feet upstream of the confluence with Branch Creek. | None | +739 | |

Depth in feet above ground.

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

ADDRESSES

City of Elkton

Maps are available for inspection at Elkton City Hall, 110 Main Street, Elkton, TN 38455.

Send comments to The Honorable Bill Ware, Mayor, P. O. Box 157, Elkton, TN 38455-0157.

City of Lynnville

Maps are available for inspection at Lynnville City Hall, 101 Mill Street, Lynnville, TN 38472.

Send comments to The Honorable Troy C. Hood, Mayor, 151 Mill Street, Lynnville, TN 38472.

Unincorporated Areas of Giles County

Maps are available for inspection at County Courthouse, Pulaski, TN 38478.

Send comments to The Honorable Janet Vanzant, Mayor, P. O. Box 678, Pulaski, TN 38478-0678.

Hardeman County, Tennessee, and Incorporated Areas

| | | | | |
|--------------------|---|------|------|------------------|
| Spring Creek | Just upstream of U.S. Highway 64 | None | +352 | City of Bolivar. |
| | Approximately 500 feet upstream of State Highway 125. | None | +360 | |

* National Geodetic Vertical Datum.

Depth in feet above ground.

+ North American Vertical Datum.

ADDRESSES

City of Bolivar

Maps are available for inspection at County Tax Assessors Office, 106 Warren Street, Bolivar, TN 38008.

Send comments to The Honorable Bobby Sain, Mayor, 211 North Washington Street, Bolivar, TN 38008.

Henry County, Tennessee, and Incorporated Areas

| | | | | |
|-------------------------------|--|------|------|----------------|
| Bailey Fork Creek Tributary 2 | At Lone Oak Road | *390 | +390 | City of Paris. |
| | Approximately 280 feet upstream of U.S. Highway 641. | None | +450 | |
| Clifty Creek | Approximately 1,600 feet upstream of State Highway 77. | *422 | +422 | Henry County. |
| | Approximately 1,940 feet upstream of State Highway 218 Bypass. | None | +452 | |
| Greenbriar Creek | At the confluence with Barnes Fork | None | +377 | Henry County. |
| | Approximately 1,480 feet upstream of Hobby Road | None | +407 | |

Depth in feet above ground.

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

ADDRESSES

City of Paris

| Flooding source(s) | Location of referenced elevation | *Elevation in feet (NGVD) +Elevation in feet (NAVD) # Depth in feet above ground | | Communities affected |
|--------------------|----------------------------------|--|----------|----------------------|
| | | Effective | Modified | |

Maps are available for inspection at 100 North Caldwell Avenue, Paris, TN 38242.
Send comments to The Honorable David Travis, Mayor, P.O. Box 970, Paris, TN 38242-0970.

Henry County:

Maps are available for inspection at Henry County Courthouse, 213 West Washington Street, Paris, TN 38242.
Send comments to The Honorable Brent Greer, Mayor, P.O. Box 7, Paris, TN 38242-0007.

Lauderdale County, Tennessee, and Incorporated Areas

| | | | | |
|--------------------|--|------|------|--|
| Cane Creek 2 | At the confluence with Cane Creek | *339 | +339 | Unincorporated Areas of Lauderdale County. |
| | Approximately 6,600 feet upstream of Dam Site 14A | None | +369 | |
| Hyde Creek | At the confluence with Cane Creek | *318 | +318 | Unincorporated Areas of Lauderdale County, Town of Ripley. |
| | Approximately 50 feet upstream of Parrish Road | None | +379 | |

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Town of Ripley

Maps are available for inspection at Ripley Town Hall, 110 South Washington Street, Ripley, TN 38063.
Send comments to The Honorable Jon Pavletic, Mayor, 110 South Washington Street, Ripley, TN 38063.

Unincorporated Areas of Lauderdale County

Maps are available for inspection at County Courthouse, 100 Court Square, Ripley, TN.
Send comments to The Honorable Rod Schuh, Mayor, County Courthouse, 100 Court Square, Ripley, TN 38063.

Roanoke County, Virginia, and Incorporated Areas

| | | | | |
|------------------------------|---|------|-------|---|
| Back Creek Tributary A | Approximately 2330 feet downstream of U.S. Road 220. | *960 | +960 | Unincorporated Areas of Roanoke County. |
| | Approximately 2945 feet downstream of U.S. Road 220. | *960 | +960 | |
| Bradshaw Creek | Approximately 5490 feet downstream of Bradshaw Road at the County Line. | None | +1383 | Unincorporated Areas of Roanoke County. |
| | Approximately 6740 feet upstream of Hidden Cove Road. | None | +1850 | |
| Mason Creek | Approximately at Bendemeer Road | None | +1274 | Unincorporated Areas of Roanoke County. |
| Snyder Branch | Approximately 800 feet upstream of Bradshaw Road | None | +1586 | City of Salem. |
| | Approximately 100 feet downstream of South Market Street. | *960 | +960 | |
| | Approximately 2330 feet downstream of U.S. Road 220. | *960 | +960 | |

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

City of Salem

Maps are available for inspection at 114 North Broad St., Salem, VA 24018.
Send comments to Mr. Forest Jones, City Manager, 114 North Broad St., Salem, VA 24018.

Unincorporated Areas of Roanoke County

Maps are available for inspection at 5204 Bernard Drive SW., Roanoke, VA 24018.
Send comments to The Honorable Michael Wray, Chairman of Board of Supervisors, P.O. Box 29800, Roanoke, VA 24018.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: November 13, 2006.

David I. Maurstad,

Director, Mitigation Division, Federal Emergency Management Agency, Department of Homeland Security.

[FR Doc. E6-19828 Filed 11-22-06; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF TRANSPORTATION

National Highway Traffic Safety Administration

49 CFR Part 571

Federal Motor Vehicle Safety Standards; Definition of "Motorcycle"; Denial of Petition for Rulemaking

AGENCY: National Highway Traffic Safety Administration (NHTSA), Department of Transportation.

ACTION: Denial of petition for rulemaking.

SUMMARY: This document denies a petition for rulemaking from GG Quad North America requesting that NHTSA redefine the term "motorcycle" so that the vehicle it seeks to import and sell, a four-wheeled vehicle with a motorcycle-like body, would be classified as a motorcycle and thus be subject to the Federal motor vehicle safety standards (FMVSSs) for motorcycles. Currently, the petitioner's vehicle is classified as a passenger car. Since the initial FMVSSs were issued in 1967, the term "motorcycle" has been defined to exclude motor vehicles designed to travel on four wheels in contact with the ground.

NHTSA is denying the petition because the petitioner has not shown that redefining "motorcycle" to include the petitioner's vehicle would be consistent with the safety purposes of the National Traffic and Motor Vehicle Safety Act. Denial of the petition means that the petitioner's vehicle will remain classified as a passenger car. Before it can be imported, offered for sale or sold in the United States, it must meet all FMVSSs applicable to that type of motor vehicle.

FOR FURTHER INFORMATION CONTACT: For non-legal issues, you may call Ms. Gayle Dalrymple of the NHTSA Office of Crash Avoidance Standards, at 202-366-5559.

For legal issues, you may call Ms. Dorothy Nakama of the NHTSA Office of Chief Counsel at 202-366-2992.

You may send mail to both of these officials at the National Highway Traffic

Safety Administration, 400 Seventh St., SW., Washington, DC 20590.

SUPPLEMENTARY INFORMATION:

Petition for Rulemaking

Today's document responds to a May 19, 2006 petition for rulemaking from GG Quad North America (GG Quad), which wishes to import and sell the "Quad" in the United States. The Quad is a motor vehicle manufactured in Switzerland by Grüter & Gut Motorradtechnik GmbH. The petitioner describes the Quad as being in every respect a motorcycle other than its fourth wheel. "The Quad is equipped with a BMW-motorcycle power plant." It uses "motorcycle controls such as: foot-operated gear shifter, handlebar-mounted clutch, separately-operated front and rear brake systems, handle bars, saddles for the operator and tandem passenger, and the open operating environment associated with motorcycling." The petitioner's Web site states that the top speed is 115 plus miles per hour. <http://www.gg-quad-northamerica.com/SpecificationsAndOptions.htm>.

The petitioner states that the Quad meets all FMVSSs for motorcycles. However, since the Quad has four wheels, the petitioner notes that it "falls outside the current NHTSA definition of a motorcycle."

According to the petitioner's Web site, the Quad is authorized for on-road use in Europe, Russia, Japan, and Dubai. <http://www.gg-quad-northamerica.com/FrequentlyAskedQuestions.htm>.¹ The petitioner's Web site further indicates that the Quad has been in production since 2004 and that there are a total of 200 Quads in those four countries. <http://www.gg-quad-northamerica.com/index.htm>.

The petitioner requests that the current definition in 49 CFR 571.3(a) of "motorcycle,"

a motor vehicle with motive power having a seat or saddle for the use of the rider and designed to travel on not more than three wheels in contact with the ground.

be revised to read as follows:

a motor vehicle with motive power, other than a low-speed vehicle, having a seat or saddle for the use of the rider and designed to travel on two, three or four wheels in contact with the ground provided that its curb weight is less than 1,000 pounds.²

¹ According to its manufacturer's Web site, the Quad is authorized in Germany and Switzerland. <http://www.gg-technik.ch/eng/frameset.html>.

² NHTSA defines the term "low speed vehicle" as follows:

Low-speed vehicle (LSV) means a motor vehicle,
(1) That is 4-wheeled,
(2) Whose speed attainable in 1.6 km (1 mile) is more than 32 kilometers per hour (20 miles per

hour) and not more than 40 kilometers per hour (25 miles per hour) on a paved level surface, and

(3) Whose GVWR is less than 1,361 kilograms (3,000 pounds).
49 CFR 571.3(a).

In the event that its petition is denied, the petitioner asked for guidance as to how it "may import and sell the Quad in the United States under the laws that it administers."

In support of its petition, the petitioner makes four principal arguments. First, the petitioner argues that the configuration of the Quad "makes it unreasonable, impracticable, and inappropriate for it to comply with the FMVSS that apply to passenger cars."

Second, the petitioner argues that the Quad is safer than any two-wheeled motorcycle because it is more stable (due to its low center of gravity and a wide track), has better stopping ability (due to its four-wheel disc brakes) and has quick response to steering input.

Third, the petitioner argues that the Quad is safer than a three-wheeled motorcycle and offers the following reasons for that belief:

- The petitioner states that the center of gravity of most sidecar and three-wheeled motorcycle configurations is much higher than that of the Quad. The Quad's lower center of gravity provides improved stability and safety.

- The petitioner says that the center of gravity for a motorcycle with sidecar is located at a point between the axis of the two motorcycle wheels and the intersecting axis at 90 degrees of the sidecar wheel. The center of gravity point is not in line with the thrust line and "causes adverse yaw when accelerating the sidecar vehicle." In contrast, according to the petitioner, the Quad lines up the center of gravity and thrust line by design, avoiding adverse yaw under acceleration and deceleration.

- The petitioner states that most three-wheeled motorcycles use the "telescopic fork front suspension" of the base two-wheeled motorcycle. The petitioner asserts "[f]ront fork suspension does not respond well to input from bumps when loaded from the side" and that a side loading condition occurs when turning and causes binding in the sliding tubes. The petitioner states that the Quad overcomes such side load limitations by "using double, unequal length, a-arms or wishbone suspension with coil-over shocks in a fully four-wheel independent arrangement."

- The petitioner asserts that there are three-wheeled motorcycles designed with controls similar to those on

hour) and not more than 40 kilometers per hour (25 miles per hour) on a paved level surface, and

(3) Whose GVWR is less than 1,361 kilograms (3,000 pounds).

49 CFR 571.3(a).