

4. *How often the collection is required:* On occasion.

5. *Who will be required or asked to report:* Individuals or companies requesting document duplication.

6. *An estimate of the number of annual responses:* 7,940 responses.

7. *The estimated number of annual respondents:* 7,940.

8. *An estimate of the total number of hours needed annually to complete the requirement or request:* 990 hours (about 8 minutes per respondent).

9. *An indication of whether Section 3507(d), Public Law 104-13 applies:* N/A.

10. *Abstract:* This form is utilized by individual members of the public requesting reproduction of publicly available documents in NRC Headquarters' Public Document Room. Copies of the form are utilized by the reproduction contractor to accompany the orders and are then discarded.

A copy of the final supporting statement may be viewed free of charge at the NRC Public Document Room, One White Flint North, 11555 Rockville Pike, Room O-1 F21, Rockville, MD 20852. OMB clearance requests are available at the NRC worldwide Web site: <http://www.nrc.gov/public-involve/doc-comment/omb/index.html>. The document will be available on the NRC home page site for 60 days after the signature date of this notice.

Comments and questions should be directed to the OMB reviewer listed below by December 27, 2006. Comments received after this date will be considered if it is practical to do so, but assurance of consideration cannot be given to comments received after this date.

Sarah P. Garman, Office of Information and Regulatory Affairs (3150-0066), NEOB-10202, Office of Management and Budget, Washington, DC 20503.

Comments can also be e-mailed to [Sarah\\_P.\\_Garman@omb.eop.gov](mailto:Sarah_P._Garman@omb.eop.gov) or submitted by telephone at (202) 395-4650.

The NRC Clearance Officer is Brenda Jo. Shelton, 301-415-7233.

Dated at Rockville, Maryland, this 20th day of November 2006.

For the Nuclear Regulatory Commission.

**Brenda Jo. Shelton,**

*NRC Clearance Officer, Office of Information Services.*

[FR Doc. E6-19973 Filed 11-24-06; 8:45 am]

BILLING CODE 7590-01-P

## NUCLEAR REGULATORY COMMISSION

### Advisory Committee on the Medical Uses of Isotopes: Call for Nominations

**AGENCY:** U.S. Nuclear Regulatory Commission.

**ACTION:** Call for nominations.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is advertising for nominations for the position of radiation therapy medical physicist on the Advisory Committee on the Medical Uses of Isotopes (ACMUI).

**DATES:** Nominations are due on or before January 26, 2007.

**ADDRESSES:** Submit 4 copies of your resume or curriculum vitae to The Office of Human Resources, Attn: Ms. Joyce Riner, Mail Stop T2D32, U.S. Nuclear Regulatory Commission, Washington, DC 20555.

**FOR FURTHER INFORMATION, CONTACT:** Mohammad S. Saba, Office of Federal and State Materials and Environmental Management Program, U.S. Nuclear Regulatory Commission, Washington, DC 20555; telephone (301) 415-7608; e-mail [mss@nrc.gov](mailto:mss@nrc.gov).

**SUPPLEMENTARY INFORMATION:** The ACMUI advises NRC on policy and technical issues that arise in the regulation of the medical use of byproduct material. Responsibilities include providing comments on changes to NRC rules, regulations, and guidance documents; evaluating certain non-routine uses of byproduct material; providing technical assistance in licensing, inspection, and enforcement cases; and bringing key issues to the attention of NRC, for appropriate action.

ACMUI members possess the medical or technical skills needed to address evolving issues. The current membership is comprised of the following professionals: (a) Nuclear medicine physician; (b) nuclear cardiologist; (c) medical physicist in nuclear medicine unsealed byproduct material; (d) therapy medical physicist; (e) radiation safety officer; (f) nuclear pharmacist; (g) two radiation oncologists; (h) patients' rights advocate; (i) Food and Drug Administration representative; (j) Agreement State representative; and (k) health care administrator. NRC is inviting nominations for the therapy medical physicist to the ACMUI. The term of the individual currently occupying this position will end on September 30, 2007. Committee members will serve a 4-year term. Committee members may be considered for reappointment to one additional term.

Nominees must be U.S. citizens and be able to devote approximately 160 hours per year to Committee business. Members who are not Federal employees are compensated for their service. In addition, members are reimbursed travel (including per-diem in lieu of subsistence) and are reimbursed secretarial and correspondence expenses. Full-time Federal employees are reimbursed travel expenses only.

**Security Background Check:** Nominees will undergo a thorough security background check to obtain the security clearance that is mandatory for all ACMUI members. This check will include a requirement to complete financial disclosure statements to avoid conflict-of-interest issues. The security background check will involve the completion and submission of paperwork to NRC and will take approximately four weeks to complete.

Dated at Washington, DC, this 18th day of November 2006.

For the Nuclear Regulatory Commission.

**Andrew L. Bates,**

*Advisory Committee Management Officer, Office of the Secretary of the Commission.*

[FR Doc. E6-19911 Filed 11-24-06; 8:45 am]

BILLING CODE 7590-01-P

## NUCLEAR REGULATORY COMMISSION

### Notice of Availability of Model Application on Technical Specification Improvement To Modify Requirements Regarding LCO 3.10.1, Inservice Leak and Hydrostatic Testing Operation Using the Consolidated Line Item Improvement Process

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Notice of Availability.

**SUMMARY:** Notice is hereby given that the staff of the Nuclear Regulatory Commission (NRC) has prepared a model licensee application relating to the modification of shutdown testing requirements in technical specifications (TS) for Boiling Water Reactors (BWR). The purpose of this model is to permit the NRC to efficiently process amendments that propose to modify LCO 3.10.1, and the associated Bases, to expand its scope to include provisions for temperature excursions greater than [200]°F as a consequence of inservice leak and hydrostatic testing, and as a consequence of scram time testing initiated in conjunction with an inservice leak or hydrostatic test, while considering operational conditions to be in Mode 4. Licensees of nuclear power

reactors to which the model applies could then request amendments, confirming the applicability to their reactors.

**DATES:** The NRC staff issued a **Federal Register** Notice on September 25, 2006 (71 FR 55807) that provided a model application relating to modification of requirements regarding LCO 3.10.1, "Inservice Leak and Hydrostatic Testing Operation." The NRC staff hereby announces that the model application may be referenced in plant-specific applications to adopt the changes. The staff will post the model application on the NRC Web site to assist licensees in using the consolidated line item improvement process (CLIIP) to revise the TS on LCO 3.10.1, "Inservice Leak and Hydrostatic Testing Operation."

**FOR FURTHER INFORMATION CONTACT:** Tim Kobetz, Mail Stop: O-12H2, Division of Inspections and Regional Support, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, telephone 301-415-1932.

**SUPPLEMENTARY INFORMATION:**

**Background**

Regulatory Issue Summary 2000-06, "Consolidated Line Item Improvement Process for Adopting Standard Technical Specification Changes for Power Reactors," was issued on March 20, 2000. The consolidated line item improvement process (CLIIP) is intended to improve the efficiency of NRC licensing processes by processing proposed changes to the standard technical specifications (STS) in a manner that supports subsequent license amendment applications. The CLIIP includes an opportunity for the public to comment on a proposed change to the STS after a preliminary assessment by the NRC staff and a finding that the change will likely be offered for adoption by licensees. The CLIIP directs the NRC staff to evaluate any comments received for a proposed change to the STS and to either reconsider the change or announce the availability of the change for adoption by licensees.

A model safety evaluation and no significant hazards determination regarding the proposed changes to LCO 3.10.1 have been previously posted in the **Federal Register** for availability on October 27, 2006 (71 FR 63050). This notice makes available a model application that will permit the NRC to efficiently process amendments that propose to modify LCO 3.10.1, and the associated Bases, to expand its scope to include provisions for temperature excursions greater than [200]°F as a

consequence of inservice leak and hydrostatic testing, and as a consequence of scram time testing initiated in conjunction with an inservice leak or hydrostatic test, while considering operational conditions to be in Mode 4.

**Applicability**

Licensees opting to apply for this TS change are responsible for reviewing the staff's evaluation, referencing the applicable technical justifications, and providing any necessary plant-specific information. To efficiently process the incoming license amendment applications, the NRC staff requests that each licensee applying for the changes addressed by TSTF-484, Revision 0, using the CLIIP, submit a license amendment request that adheres to the attached model application. Variations from the model application in this notice may require additional review by NRC staff, and may increase the time and resources needed for review. Significant variations from the model application, or inclusion of additional changes to the license, may result in staff rejection of the submittal. Each amendment application made in response to the notice of availability will be processed and noticed in accordance with applicable rules and NRC procedures.

**Public Notices**

In a notice in the **Federal Register** dated September 25, 2006 (71 FR 55807), the staff requested comment on the use of a model application to process requests to revise the TS regarding LCO 3.10.1, "Inservice Leak and Hydrostatic Testing Operation." No comments have been received. TSTF-484, as well as the NRC staff's safety evaluation and model application, may be examined, and/or copied for a fee, at the NRC's Public Document Room, located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records are accessible electronically from the ADAMS Public Library component on the NRC Web site, (the Electronic Reading Room).

**Model Application for License Amendments Adopting TSTF-484, Rev. 0, "use of TS 3.10.1 for Scram Time Testing Activities"**

U.S. Nuclear Regulatory Commission, Document Control Desk, Washington, DC 20555.

SUBJECT: [Plant Name]  
Docket No. 50—License Amendment Request for Adoption of TSTF-484, Rev. 0, "Use of TS 3.10.1 for Scram Time Testing Activities"

In accordance with the provisions of Section 50.90 of Title 10 of the Code of Federal Regulations (10 CFR 50.90), [LICENSEE] is submitting a request for an amendment to the technical specifications (TS) for [PLANT NAME, UNIT NO.].

The proposed amendment would revise LCO 3.10.1, and the associated Bases, to expand its scope to include provisions for temperature excursions greater than [200]°F as a consequence of inservice leak and hydrostatic testing, and as a consequence of scram time testing initiated in conjunction with an inservice leak or hydrostatic test, while considering operational conditions to be in Mode 4. This change is consistent with NRC approved Revision 0 to Technical Specification Task Force (TSTF) Improved Standard Technical Specification Change Traveler, TSTF-484, "Use of TS 3.10.1 for Scram Time Testing Activities." The availability of the TS 3.10.1 revision was announced in the **Federal Register** on October 27, 2006 (71 FR 63050) as part of the consolidated line item improvement process (CLIIP).

Attachment 1 provides an evaluation of the proposed change. Attachment 2 provides the existing TS pages marked up to show the proposed change. Attachment 3 provides the proposed TS changes in final typed format. Attachment 4 provides the existing Bases pages marked up to show the proposed change.

[LICENSEE] requests approval of the proposed license amendment by [DATE], with the amendment being implemented [BY DATE OR WITHIN X DAYS].

In accordance with 10 CFR 50.91, a copy of this application, with attachments, is being provided to the designated [STATE] Official.

If you should have any questions regarding this submittal, please contact [ ] .

I declare under penalty of perjury under the laws of the United States of America that I am authorized by [LICENSEE] to make this request and that the foregoing is true and correct.

Executed on [DATE].

[NAME, TITLE]

*Attachments:* 1. Evaluation of Proposed Change; 2. Proposed Technical Specification Change (Mark-Up); 3. Proposed Technical Specification Change (Re-Typed); 4. Proposed Technical Specification Bases Change (Mark-Up).

cc: [NRR Project Manager]  
[Regional Office]  
[Resident Inspector]  
[State Contact]

**Attachment 1—Evaluation of Proposed Change**

*License Amendment Request for Adoption of TSTF-484, Rev. 0, "Use of TS 3.10.1 for Scram Time Testing Activities"*

- 1.0 Description
- 2.0 Proposed Change
- 3.0 Background
- 4.0 Technical Analysis
- 5.0 Regulatory Safety Analysis
- 5.1 No Significant Hazards Determination
- 5.2 Applicable Regulatory Requirements/ Criteria
- 6.0 Environmental Consideration
- 7.0 References

**1.0 Description**

The proposed amendment would revise LCO 3.10.1, and the associated Bases, to expand its scope to include provisions for temperature excursions greater than [200]°F as a consequence of inservice leak and hydrostatic testing, and as a consequence of scram time testing initiated in conjunction with an inservice leak or hydrostatic test, while considering operational conditions to be in Mode 4. This change is consistent with NRC approved Revision 0 to Technical Specification Task Force (TSTF) Improved Standard Technical Specification Change Traveler, TSTF-484, "Use of TS 3.10.1 for Scram Time Testing Activities." The availability of the TS 3.10.1 revision was announced in the **Federal Register** on October 27, 2006 (71 FR 63050) as part of the consolidated line item improvement process (CLIIP).

**2.0 Proposed Change**

Consistent with the NRC approved Revision 0 of TSTF-484, the proposed TS changes include a revised TS 3.10.1, "Inservice Leak and Hydrostatic Testing Operation." Proposed revisions to the TS Bases are also included in this application. Adoption of the TS Bases associated with TSTF-484, Revision 0 is an integral part of implementing this TS amendment. The changes to the affected TS Bases pages will be incorporated in accordance with the TS Bases Control Program.

This application is being made in accordance with the CLIIP. [LICENSEE] is [not] proposing variations or deviations from the TS changes described in TSTF-484, Revision 0, or the NRC staff's model safety evaluation (SE) published on October 27, 2006 (71 FR 63050) as part of the CLIIP Notice of Availability. [Discuss any deviations]

**3.0 Background**

The background for this application is adequately addressed by the NRC Notice

of Availability published on October 27, 2006 (71 FR 63050).

**4.0 Technical Analysis**

[LICENSEE] has reviewed the safety evaluation (SE) published on October 27, 2006 (71 FR 63050) as part of the CLIIP Notice of Availability. [LICENSEE] has concluded that the technical justifications presented in the SE prepared by the NRC staff are applicable to [PLANT, UNIT NO.] and therefore justify this amendment for the incorporation of the proposed changes to the [PLANT] TS.

**5.0 Regulatory Safety Analysis****5.1 No Significant Hazards Determination**

[LICENSEE] has reviewed the no significant hazards determination published on August 21, 2006 (71 FR 48561) as part of the CLIIP Notice for Comment. The no significant hazards determination was made available on October 27, 2006 (71 FR 63050) as part of the CLIIP Notice of Availability. [LICENSEE] has concluded that the determination presented in the notice is applicable to [PLANT, UNIT NO.] and the determination is hereby incorporated by reference to satisfy the requirements of 10 CFR 50.91(a).

**5.2 Applicable Regulatory Requirements / Criteria**

A description of the proposed TS change and its relationship to applicable regulatory requirements was provided in the NRC Notice of Availability published on October 27, 2006 (71 FR 63050).

**6.0 Environmental Consideration**

[LICENSEE] has reviewed the environmental evaluation included in the safety evaluation (SE) published on October 27, 2006 (71 FR 63050) as part of the CLIIP Notice of Availability. [LICENSEE] has concluded that the staff's findings presented in that evaluation are applicable to [PLANT, NO.] and the evaluation is hereby incorporated by reference for this application.

**7.0 References**

1. **Federal Register** Notice, Notice of Availability published on October 27, 2006 (71 FR 63050).
2. **Federal Register** Notice, Notice for Comment published on August 21, 2006 (71 FR 48561)
3. TSTF-484 Revision 0, "Use of TS 3.10.1 for Scram Times Testing Activities"

**Attachment 2**

Proposed Technical Specification Change (Mark-Up)

**Attachment 3**

Proposed Technical Specification Change (Re-Typed)

**Attachment 4**

Proposed Technical Specification Bases Change (Mark-Up)  
*Principal Contributor:* Aron Lewin.

Dated at Rockville, Maryland this 20th of November 2006.

For the Nuclear Regulatory Commission.

**Timothy Kobetz,**

*Chief, Technical Specifications Branch,  
Division of Inspections and Regional Support,  
Office of Nuclear Reactor Regulation.*

[FR Doc. E6-19972 Filed 11-24-06; 8:45 am]

**BILLING CODE 7590-01-P**

**RAILROAD RETIREMENT BOARD****Proposed Collection; Comment Request**

**SUMMARY:** In accordance with the requirement of Section 3506(c)(2)(A) of the Paperwork Reduction Act of 1995 which provides opportunity for public comment on new or revised data collections, the Railroad Retirement Board (RRB) will publish periodic summaries of proposed data collections.

*Comments are invited on:* (a) Whether the proposed information collection is necessary for the proper performance of the functions of the agency, including whether the information has practical utility; (b) the accuracy of the RRB's estimate of the burden of the collection of the information; (c) ways to enhance the quality, utility, and clarity of the information to be collected; and (d) ways to minimize the burden related to the collection of information on respondents, including the use of automated collection techniques or other forms of information technology.

*Title and purpose of information collection:* Application to Act as Representative Payee; OMB 3220-0052. Under Section 12 of the Railroad Retirement Act, the Railroad Retirement Board (RRB) may pay benefits to a representative payee when an employee, spouse or survivor annuitant is incompetent or is a minor. A representative payee may be a court-appointed guardian, a statutory conservator or an individual selected by the RRB. The procedures pertaining to the appointment and responsibilities of a representative payee are prescribed in 20 CFR Part 266.

The forms furnished by the RRB to apply for representative payee status,