

FOR FURTHER INFORMATION CONTACT: Eugene J. Bondoc, PhD, or Randall Breaux, Laboratories and Scientific Services, Bureau of Customs and Border Protection, 1300 Pennsylvania Avenue, NW., Suite 1500N, Washington, DC 20229, 202-344-1060.

Dated: April 6, 2007.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. E7-6905 Filed 4-11-07; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

Bureau of Customs and Border Protection

[CBP Dec. 07-24]

Re-Accreditation and Re-Approval of Saybolt LP as a Commercial Gauger and Laboratory

AGENCY: Bureau of Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of re-approval of Saybolt LP of Corpus Christi, Texas, as a commercial gauger and laboratory.

SUMMARY: Notice is hereby given that, pursuant to 19 CFR 151.12 and 151.13, Saybolt LP, 414 Westchester, Corpus Christi, Texas 78408, has been re-approved to gauge petroleum and petroleum products, organic chemicals and vegetable oils, and to test petroleum and petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 151.13. Anyone wishing to employ this entity to conduct laboratory analysis or gauger services should request and receive written assurances from the entity that it is accredited or approved by the Bureau of Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific tests or gauger services this entity is accredited or approved to perform may be directed to the Bureau of Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to http://www.cbp.gov/xp/cgov/import/operations_support/labs_scientific_svcs/org_and_operations.xml.

DATES: The re-approval of Saybolt LP as a commercial gauger and laboratory became effective on February 23, 2005. The next triennial inspection date will be scheduled for February 2008.

FOR FURTHER INFORMATION CONTACT: Eugene J. Bondoc, Ph.D, or Randall Breaux, Laboratories and Scientific

Services, Bureau of Customs and Border Protection, 1300 Pennsylvania Avenue, NW., Suite 1500N, Washington, DC 20229, 202-344-1060.

Dated: April 6, 2007.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. E7-6906 Filed 4-11-07; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

Bureau of Customs And Border Protection

[CBP Dec. 07-16]

Re-Accreditation of Intertek Caleb Brett Stolthaven Terminal as a Commercial Laboratory

AGENCY: Bureau of Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of re-accreditation of Intertek Caleb Brett Stolthaven Terminal of Houston, Texas, as an accredited commercial laboratory.

SUMMARY: Notice is hereby given that, pursuant to 19 CFR 151.12, Intertek Caleb Brett Stolthaven Terminal, 15602 Jacintoport Boulevard, Houston, Texas 77015, has been re-accredited to test Petroleum and Petroleum Products entered under Chapters 27 and 29 of the Harmonized Tariff Schedule of the United States (HTSUS) for customs purposes, in accordance with the provisions of 19 CFR 151.12. Anyone wishing to employ this entity to conduct laboratory analysis should request and receive written assurances from the entity that it is accredited or approved by the Bureau of Customs and Border Protection to conduct the specific test requested. Alternatively, inquiries regarding the specific tests this entity is accredited to perform may be directed to the Bureau of Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to http://www.cbp.gov/xp/cgov/import/operations_support/labs_scientific_svcs/org_and_operations.xml.

DATES: The re-accreditation of Intertek Caleb Brett Stolthaven Terminal as an accredited laboratory became effective on February 17, 2005. The next triennial inspection date will be scheduled for February 2008.

FOR FURTHER INFORMATION CONTACT: Eugene J. Bondoc, Ph.D, or Randall Breaux, Laboratories and Scientific Services, Bureau of Customs and Border Protection, 1300 Pennsylvania Avenue,

NW., Suite 1500N, Washington, DC 20229, 202-344-1060.

Dated: April 6, 2007.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. E7-6899 Filed 4-11-07; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Citizenship and Immigration Services

Agency Information Collection Activities: Extension of an Existing Information Collection; Comment Request

ACTION: 30-Day Notice of Information Collection under Review: Form N-4, Monthly Report Naturalization Papers; OMB Control No. 1615-0051.

The Department of Homeland Security, U.S. Citizenship and Immigration Services (USCIS) has submitted the following information collection request to the Office of Management and Budget (OMB) for review and clearance in accordance with the Paperwork Reduction Act of 1995. The information collection was previously published in the **Federal Register** on February 5, 2007, at 72 FR 5299 allowing for a 60-day public comment period. No comments were received on this information collection.

The purpose of this notice is to allow an additional 30 days for public comments. Comments are encouraged and will be accepted until May 14, 2007. This process is conducted in accordance with 5 CFR 1320.10.

Written comments and/or suggestions regarding the item(s) contained in this notice, especially regarding the estimated public burden and associated response time, should be directed to the Department of Homeland Security (DHS), USCIS, Chief, Regulatory Management Division, Clearance Office, 111 Massachusetts Avenue, 3rd floor, Washington, DC 20529. Comments may also be submitted to DHS via facsimile to 202-272-8352 or via e-mail at rfs.regs@dhs.gov, and to the OMB USCIS Desk Officer via facsimile at 202-395-6974 or via e-mail at kastrich@omb.eop.gov.

When submitting comments by e-mail please make sure to add OMB Control Number 1615-0051 in the subject box. Written comments and suggestions from the public and affected agencies should address one or more of the following four points: