

Louisville, KY 40225, [earl.f.jones@ge.com](mailto:earl.f.jones@ge.com), 502-452-3164 (voice), 502-452-0395 (fax).

**Affected Persons**

Primary affected persons in the refrigerator-freezer category include BSH Home Appliances Corp. (Bosch-Siemens Hausgerate GmbH), Electrolux Home Products, Equator, Fisher & Paykel Appliances, Inc., Gorenje USA, Haier America Trading, L.L.C., Heartland Appliances, Inc., Kelon Electrical Holdings Col, Ltd., Liebherr Hausgerate, LG Electronics USA Inc., Northland Corporation, Samsung Electronics America, Inc., Sanyo Fisher Company, Sears, Sub-Zero Freezer Company, U-Line, Viking Range, and Whirlpool Corporation. The Association of Home Appliance Manufacturers is also generally interested in energy efficiency requirements for appliances. Consumers' Union, ACEEE, NRDC, Alliance to Save Energy are not manufacturers but have an interest in this matter. GE will notify all these organizations as required by the Department's rules and provide them with a non-confidential version of this Petition.

**Exhibit A—AHAM Statement on Interpretation of HRF-1 and DOE Refrigerator-Freezer Test Procedure**

(As revised during 9/15/06 conference call of AHAM's DOE Test Procedures Task Force)

AHAM's position is that the following principles of interpretation should be applied to the existing refrigerator-freezer test procedure, and should apply to and guide any revisions to the test procedure. The intent of the energy test procedure is to simulate typical room conditions (approximately 70 °F) with door openings, by testing at 90 °F without door openings.

Except for operating characteristics that are affected by ambient temperature (for

example, compressor percent run time), the unit, when tested under this standard, shall operate equivalent to the unit in typical room conditions. The energy used by the unit shall be calculated when a calculation is provided by the standard.

Energy-consuming components that operate in typical room conditions (including as a result of door openings, or a function of humidity), and that are not exempted by this standard, shall operate in an equivalent manner during energy testing under this standard, or be accounted for by all calculations as provided for in the standard.

Examples:

1. Energy saving features that are designed to operate when there are no door openings for long periods of time shall not be functional during the energy test.

2. The defrost heater should not either function or turn off differently during the energy test than it would when in typical room conditions.

3. Electric heaters that would normally operate at typical room conditions with door openings should also operate during the energy test.

4. Energy used during adaptive defrost shall continue to be tested and adjusted per the calculation provided for in this standard.

[FR Doc. E7-7232 Filed 4-16-07; 8:45 am]

**BILLING CODE 6450-01-P**

**DEPARTMENT OF ENERGY**

**Federal Energy Regulatory Commission**

**Sunshine Act Notice**

April 12, 2007.

The following notice of meeting is published pursuant to section 3(a) of the

government in the Sunshine Act (Pub. L. No. 94-409), 5 U.S.C 552b:

**AGENCY HOLDING MEETING:** Federal Energy Regulatory Commission.

**DATE AND TIME:** April 19, 2007, 10 a.m.

**PLACE:** Room 2C, 888 First Street, NE., Washington, DC 20426.

**STATUS:** Open.

**MATTERS TO BE CONSIDERED:** Agenda.

**Note:** Items listed on the agenda may be deleted without further notice.

**FOR FURTHER INFORMATION CONTACT:** Kimberly D. Bose, Secretary, Telephone (202) 502-8400. For a recorded message listing items Struck from or added to the meeting, call (202) 502-8627.

This is a list of matters to be considered by the Commission. It does not include a listing of all documents relevant to the items on the agenda. All public documents, however, may be viewed on line at the Commission's Web site at <http://www.ferc.gov> using the eLibrary link, or may be examined in the Commission's Public Reference Room.

**917TH—Meeting**

*Regular Meeting*

April 19, 2007, 10 a.m.

Item No.	Docket No.	Company
<b>Administrative</b>		
A-1 .....	AD02-1-000 .....	Agency Administrative Matters.
A-2 .....	AD02-7-000 .....	Customer Matters, Reliability, Security and Market Operations.
A-3 .....	AD06-3-000 .....	Energy Market Update.
<b>Electric</b>		
E-1 .....	RR06-1-006 .....	North American Electric Reliability Corporation.
E-2 .....	RR06-3-001 .....	North American Electric Reliability Corporation.
E-3 .....	RM06-4-002 .....	Promoting Transmission Investment through Pricing Reform.
E-4 .....	ER06-615-001, ER06-615-002, ER02-1656-027, ER02-1656-029, ER02-1656-031.	California Independent System Operator Corporation.
E-5 .....	EL07-33-000 .....	California Independent System Operator Corporation.
E-6 .....	EL07-37-000 .....	Californians for Renewable Energy, Inc. v. California Public Utilities Commission, Southern California Edison, and Long Beach Generation, L.L.C.
	EL07-40-000 .....	Californians for Renewable Energy, Inc. v. California Public Utilities Commission, Pacific Gas and Electric Company, Metcalf Energy Center, L.L.C. and the Los Medanos Energy Center, L.L.C.
E-7 .....	OMITTED.	
E-8 .....	EL05-121-000, EL05-121-002 .....	PJM Interconnection, L.L.C.
E-9 .....	EL06-102-000 .....	American Electric Power Service Corporation.
E-10 .....	EL05-102-002 .....	Southern Company Services, Inc., Alabama Power Company, Georgia Power Company, Gulf Power Company, Mississippi Power Company, Savannah Electric and Power Company and Southern Power Company.
E-11 .....	ER07-568-000 .....	Pacific Gas and Electric Company.
E-12 .....	ER07-543-000 .....	Linden VFT, L.L.C.

Item No.	Docket No.	Company
E-13	EL02-23-008, EL02-23-009, EL02-23-010, EL02-23-011, EL02-23-012.	Consolidated Edison Company of New York, Inc. v. Public Service Electric and Gas Company, PJM Interconnection, L.L.C., and New York Independent System Operator, Inc.
E-14	RM07-14-000	Electronic Filing of FERC Form No. 714.
E-15	RM05-5-003	Standards for Business Practices and Communication Protocols for Public Utilities.
E-16	RM07-2-000	Accounting and Reporting Requirements for Nonoperating Public Utilities and Licenses.
E-17	RM01-8-006	Revised Public Utility Filing Requirements for Electric Quarterly Reports.
E-18	OMITTED.	
E-19	RR06-1-004	North American Electric Reliability Council, North American Electric Reliability Corporation.
	RR07-1-000	Delegation Agreement Between the North American Electric Reliability Corporation and Texas Regional Entity, a division of ERCOT.
	RR07-2-000	Delegation Agreement Between the North American Electric Reliability Corporation and Midwest Reliability Organization.
	RR07-3-000	Delegation Agreement Between the North American Electric Reliability Corporation and Northeast Power Coordinating Council: Cross Border Regional Entity, Inc.
	RR07-4-000	Delegation Agreement Between the North American Electric Reliability Corporation and Reliability First Corporation.
	RR07-5-000	Delegation Agreement Between the North American Electric Reliability Corporation and SERC Reliability Corporation.
	RR07-6-000	Delegation Agreement Between the North American Electric Reliability Corporation and Southwest Power Pool, Inc.
	RR07-7-000	Delegation Agreement Between the North American Reliability Corporation and Western Electricity Coordinating Council.
	RR07-8-000	Delegation Agreement Between the North American Electric Reliability Corporation and Florida Reliability Coordinating Council.
	RR06-3-000	North American Electric Reliability Corporation.
E-20	EL03-3-002, ER02-1472-006	Entergy Gulf States, Inc.
E-21	OMITTED.	
E-22	EL02-23-003	Consolidated Edison Company of New York, Inc. v. Public Service Electric and Gas Company, PJM Interconnection, L.L.C., and New York Independent System Operator, Inc.
E-23	ER06-1271-003, ER06-954-004, ER06-456-008.	PJM Interconnection, L.L.C.
	ER06-880-005	PJM Transmission Owners
E-24	EL01-106-001	Old Dominion Electric Cooperative v. PJM Interconnection, L.L.C.
E-25	OMITTED.	
E-26	ER06-700-002, ER06-700-003	California Independent System Operator Corporation.
<b>Miscellaneous</b>		
M-1	RM07-10-000, AD06-11-000	Transparency Provisions of Section 23 of the Natural Gas Act.
M-2	IN07-7-000	Compliance with Financial Forms Filing Requirements.
	IN07-8-000, IN07-9-000, IN07-10-000, IN07-11-000, IN07-12-000, IN07-13-000, IN07-14-000, IN07-16-000, IN07-17-000, IN07-18-000, IN07-19-000, IN07-20-000, IN07-21-000, IN07-22-000.	Black Creek Hydro, Inc., Chugach Electric Association, Inc., Dauphin Island Gathering Partners, Eastern Shore Natural Gas Company, Energy West Development, Golden State Water Company, Granite State Gas Transmission Company, Jackson Prairie Underground Storage Project, MarkWest New Mexico, L.P., Nornew Energy Supply, Inc., Omya Inc., Panther Interstate Pipeline Energy, L.L.C., Steuben Gas Storage Company, UGI Utilities, Inc.
<b>Gas</b>		
G-1	RP04-249-001	AES Ocean Express, L.L.C. v. Florida Gas Transmission Company.
	CP05-388-000	Southern Natural Gas Company.
	CP06-1-000	Florida Gas Transmission Company.
G-2	RP06-437-001	Northern Natural Gas Company.
G-3	OMITTED.	
<b>Hydro</b>		
H-1	P-459-163	Union Electric Company d/b/a AmerenUE.
H-2	P-637-031	Public Utility District No. 1 of Chelan County, Washington.
<b>Certificates</b>		
C-1	CP06-354-000, CP06-354-001	Rockies Express Pipeline L.L.C.
	CP06-401-000	TransColorado Gas Transmission Company.
	CP06-423-000	Questar Overthrust Pipeline Company.
C-2	CP06-407-000	Missouri Interstate Gas, L.L.C.
	CP06-408-000	Missouri Gas Company, L.L.C.
	CP06-409-000	Missouri Pipeline Company, L.L.C.
	RP06-274-000	Missouri Interstate Gas, L.L.C.
C-3	CP06-452-000	Trunkline Gas Company, L.L.C.

Item No.	Docket No.	Company
C-4 .....	CP07-25-000 .....	Questar Pipeline Company.
C-5 .....	CP06-435-000 .....	Columbia Gas Transmission Corporation.
	CP06-438-000 .....	Cobra Pipeline Company, Ltd.
C-6 .....	CP06-469-000 .....	Dominion Cove Point LNG, LP.
C-7 .....	CP06-442-000, CP06-443-000, CP06-444-000.	UGI LNG, Inc.
C-8 .....	CP06-66-001 .....	Port Barre Investments, L.L.C. d/b/a Bobcat Gas Storage.

A free webcast of this event is available through <http://www.ferc.gov>. Anyone with Internet access who desires to view this event can do so by navigating to [www.ferc.gov](http://www.ferc.gov)'s Calendar of Events and locating this event in the Calendar. The event will contain a link to its webcast. The Capitol Connection provides technical support for the free webcasts. It also offers access to this event via television in the DC area and via phone bridge for a fee. If you have any questions, visit <http://www.CapitolConnection.org> or contact Danelle Perkowski or David Reininger at 703-993-3100.

Immediately following the conclusion of the Commission Meeting, a press briefing will be held in the Commission Meeting Room. Members of the public may view this briefing in the designated overflow room. This statement is intended to notify the public that the press briefings that follow Commission meetings may now be viewed remotely at Commission headquarters, but will not be telecast through the Capitol Connection service.

**Kimberly D. Bose,**  
Secretary.

[FR Doc. E7-7334 Filed 4-16-07; 8:45 am]

BILLING CODE 6717-01-P

## ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-RCRA-2007-0231, FRL-8300-7]

### Agency Information Collection Activities: Proposed Collection; Comment Request; 2007 Hazardous Waste Report, EPA ICR Number 0976.12, OMB Control Number 2050-0024

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice.

**SUMMARY:** In compliance with the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*), this document announces that EPA is planning to submit a continuing Information Collection Request (ICR) to the Office of Management and Budget (OMB). This is a request for an existing approved

collection. This ICR is scheduled to expire on October 31, 2007. Before submitting the ICR to OMB for review and approval, EPA is soliciting comments on specific aspects of the proposed information collection as described below.

**DATES:** Comments must be submitted on or before June 18, 2007.

**ADDRESSES:** Submit your comments, referencing docket ID number EPA-HQ-RCRA-2007-0231, by one of the following methods:

- <http://www.regulations.gov>: Follow the on-line instructions for submitting comments.
- E-mail: [rcra-docket@epa.gov](mailto:rcra-docket@epa.gov).
- Fax: 202-566-0272.
- Mail: RCRA Docket (5305T), U.S. Environmental Protection Agency, 1200 Pennsylvania Avenue, NW., Washington, DC 20460.
- Hand Delivery: 1301 Constitution Ave., NW., Room B102, Washington, DC 20460. Such deliveries are only accepted during the Docket's normal hours of operation, and special arrangements should be made for deliveries of boxed information.

**Instructions:** Direct your comments to Docket ID No. EPA-HQ-RCRA-2007-0231. EPA's policy is that all comments received will be included in the public docket without change and may be made available online at <http://www.regulations.gov>, including any personal information provided, unless the comment includes information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Do not submit information that you consider to be CBI or otherwise protected through [www.regulations.gov](http://www.regulations.gov) or e-mail. The [www.regulations.gov](http://www.regulations.gov) Web site is an "anonymous access" system, which means EPA will not know your identity or contact information unless you provide it in the body of your comment. If you send an e-mail comment directly to EPA without going through [www.regulations.gov](http://www.regulations.gov) your e-mail address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you

include your name and other contact information in the body of your comment and with any disk or CD-ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses. For additional information about EPA's public docket visit the EPA Docket Center homepage at <http://www.epa.gov/epahome/dockets.htm>.

**FOR FURTHER INFORMATION CONTACT:** Peggy Vyas, Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460; telephone number: 703-308-5477; fax number: 703-308-8433; e-mail address: [vyas.peggy@epa.gov](mailto:vyas.peggy@epa.gov).

#### SUPPLEMENTARY INFORMATION:

#### How Can I Access the Docket and/or Submit Comments?

EPA has established a public docket for this ICR under Docket ID No. EPA-HQ-RCRA-2007-0231, which is available for online viewing at <http://www.regulations.gov>, or in person viewing at the RCRA Docket in the EPA Docket Center (EPA/DC), EPA West, Room B102, 1301 Constitution Ave., NW., Washington, DC. The EPA/DC Public Reading Room is open from 8 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is 202-566-1744, and the telephone number for RCRA Docket is (202) 566-0270.

Use [www.regulations.gov](http://www.regulations.gov) to obtain a copy of the draft collection of information, submit or view public comments, access the index listing of the contents of the docket, and to access those documents in the public docket that are available electronically. Once in the system, select "search," then key in the docket ID number identified in this document.

#### What Information Is EPA Particularly Interested In?

Pursuant to section 3506(c)(2)(A) of the PRA, EPA specifically solicits comments and information to enable it to: