

A. Revising paragraphs (b)(ii), (iii), and (iv), and

B. Adding paragraph (b)(ix) to read as follows:

§ 10.12 Civil penalties.

* * * * *

(b) * * *

(1) * * *

(ii) After November 16, 1993, or a date specified under § 10.13, whichever deadline is applicable, has not completed summaries as required by the Act; or

(iii) After November 16, 1995, or a date specified under § 10.13, or the date specified in an extension issued by the Secretary, whichever deadline is applicable, has not completed inventories as required by the Act; or

(iv) After May 16, 1996, or 6 months after completion of an inventory under an extension issued by the Secretary, or 6 months after the date specified under § 10.13, whichever deadline is applicable, has not notified culturally affiliated Indian tribes and Native Hawaiian organizations; or

* * * * *

(ix) Does not offer to transfer control of culturally unidentifiable human remains for which it cannot prove right of possession under § 10.11.

* * * * *

Dated: October 2, 2007.

David M. Verhey,

Acting Assistant Secretary for Fish and Wildlife and Parks.

[FR Doc. E7-20209 Filed 10-15-07; 8:45 am]

BILLING CODE 4310-70-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket No. FEMA-B-7740]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule.

SUMMARY: Comments are requested on the proposed Base (1 percent annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed in the table below. The purpose of this notice is to seek general information and comment

regarding these proposed regulatory flood elevations. The BFEs and modified BFEs are a part of the floodplain management measures that the community is required either to adopt or show evidence of having in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP). In addition, these elevations, once finalized, will be used by insurance agents, and others to calculate appropriate flood insurance premium rates for new buildings and the contents in those buildings.

DATES: Comments are to be submitted on or before January 14, 2008.

ADDRESSES: The corresponding preliminary Flood Insurance Rate Map (FIRM) for the proposed BFEs for each community are available for inspection at the community's map repository. The respective addresses are listed in the table below.

You may submit comments, identified by Docket No. FEMA-B-7740, to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

FOR FURTHER INFORMATION CONTACT: William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are

made final, and for the contents in these buildings.

Comments on any aspect of the Flood Insurance Study and FIRM, other than the proposed BFEs, will be considered. A letter acknowledging receipt of any comments will not be sent.

Administrative Procedure Act Statement. This matter is not a rulemaking governed by the Administrative Procedure Act (APA), 5 U.S.C. 553. FEMA publishes flood elevation determinations for notice and comment; however, they are governed by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and the National Flood Insurance Act of 1968, 42 U.S.C. 4001 *et seq.*, and do not fall under the APA.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. An environmental impact assessment has not been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within the scope of the Regulatory Flexibility Act, 5 U.S.C. 601-612, a regulatory flexibility analysis is not required.

Executive Order 12866, Regulatory Planning and Review. This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866, as amended.

Executive Order 13132, Federalism. This proposed rule involves no policies that have federalism implications under Executive Order 13132.

Executive Order 12988, Civil Justice Reform. This proposed rule meets the applicable standards of Executive Order 12988.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

Flooding source(s)	Location of referenced elevation	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground		Communities affected
		Effective	Modified	
Randolph County, Illinois, and Incorporated Areas				
Kaskaskia River	At confluence with Mississippi River	+395	+392	Village of Evansville, Unincorporated Areas of Randolph County.
	Randolph/Monroe County boundary (approximately 700 feet upstream Anna Lane extended).	+395	+392	
Mississippi River	Jackson/Randolph County boundary (approximately Cora Road extended).	+385	+382	City of Chester, Unincorporated Areas of Randolph County, Village of Kaskaskia, Village of Prairie Du Rocher, Village of Rockwood.
	Randolph/Monroe County boundary (approximately 3,025 feet downstream of Regtown Road extended).	+404	+402	

*National Geodetic Vertical Datum.

+North American Vertical Datum.

#Depth in feet above ground.

ADDRESSES

City of Chester

Maps are available for inspection at 1330 Swanwick Street, Chester, IL 62233.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Unincorporated Areas of Randolph County

Maps are available for inspection at 1 Taylor Street, Zoning Administrator, Chester, IL 62233.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Village of Evansville

Maps are available for inspection at 403 Spring Street, P.O. Box 257, Evansville, IL 62242.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Village of Kaskaskia

Maps are available for inspection at 1 Taylor Street, Chester, IL 62233.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Village of Prairie Du Rocher

Maps are available for inspection at 209 Henry Street, P.O. Box 325, Prairie Du Rocher, IL 62277.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Village of Rockwood

Maps are available for inspection at 900 Original Street, Rockwood, IL 62280.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Gibson County, Tennessee, and Incorporated Areas

Clear Creek	At the confluence with Wolf Creek	None	+396	Unincorporated Areas of Gibson County.
	Approximately 2,300 feet upstream of the confluence with Wolf Creek.	None	+401	
Wolf Creek	Approximately 480 feet upstream of State Highway 104.	None	+395	Unincorporated Areas of Gibson County.
	Approximately 2,211 feet upstream of State Highway 104.	None	+397	

*National Geodetic Vertical Datum.

+North American Vertical Datum.

#Depth in feet above ground.

ADDRESSES

Unincorporated Areas of Gibson County

Maps are available for inspection at 309 S. College Street, Trenton, TN 38382.

Flooding source(s)	Location of referenced elevation	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground		Communities affected
		Effective	Modified	

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Obion County, Tennessee, and Incorporated Areas

Fifteenth Street Tributary	Approximately 1,740 feet upstream of the confluence with Richland Creek.	None	+284	Unincorporated Areas of Obion County.
Grove Creek	At the confluence with Richland Creek	None	+284	Unincorporated Areas of Obion County.
	Approximately 2,070 feet downstream of State Highway 22.	None	+311	
Hoosier Creek	Approximately 950 feet downstream of State Highway 22.	None	+313	Unincorporated Areas of Obion County.
	Approximately 1,950 feet downstream of State Highway 3.	None	+314	
Johnson Hurt Avenue Tributary.	Approximately 1,250 feet downstream of State Highway 3.	None	+314	Unincorporated Areas of Obion County.
	At the confluence with Obion River	None	+284	
Obion River	Approximately 1,070 feet upstream of the confluence with Obion River.	None	+284	Unincorporated Areas of Obion County.
	Just upstream of State Highway 3	None	+284	
Drainage Canal	Approximately 2,400 feet upstream of State Highway 211.	None	+284	Unincorporated Areas of Obion County.
	Just upstream of State Highway 3	None	+284	
Old Obion River Drainage Canal.	Approximately 4,280 feet upstream of State Highway 211.	None	+284	Unincorporated Areas of Obion County.
	Just upstream of State Highway 3	None	+284	
Pursley Creek	Approximately 2,800 feet upstream of State Highway 211.	None	+284	Unincorporated Areas of Obion County.
	Approximately 320 feet upstream of Nailing Drive.	None	+323	
Richland Creek	Approximately 800 feet downstream of State Highway 3.	None	+332	Unincorporated Areas of Obion County.
	At the confluence with Obion River	None	+284	
	Approximately 100 feet downstream of West Palestine Road.	None	+284	

*National Geodetic Vertical Datum.

+North American Vertical Datum.

#Depth in feet above ground.

ADDRESSES

Unincorporated Areas of Obion County

Maps are available for inspection at County Mayor, P.O. Box 236, Union City, TN 38281.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Rhea County, Tennessee, and Incorporated Areas

Little Richland Creek Tributary.	At the confluence of Little Richland Creek	None	+695	City of Dayton, Unincorporated Areas of Rhea County.
	Approximately 210 feet downstream of Back Valley Road.	None	+736	

*National Geodetic Vertical Datum.

+North American Vertical Datum.

#Depth in feet above ground.

ADDRESSES

City of Dayton

Maps are available for inspection at Dayton City Hall, 399 First Avenue, Dayton, TN 37321.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Unincorporated Areas of Rhea County

Maps are available for inspection at Rhea County Property Assessor's Office, 375 Church Street, Suite 100, Dayton, TN 37321.

Flooding source(s)	Location of referenced elevation	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground		Communities affected
		Effective	Modified	

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Weakley County, Tennessee, and Incorporated Areas

Cane Creek	Approximately 50 feet upstream of Mount Pelia Road.	None	+337	Unincorporated Areas of Weakley County.
	Approximately 450 feet downstream of the confluence with Cane Creek Tributary.	None	+344	
Tributary	Just Upstream of Gardener Hyndsver Road	None	+363	Unincorporated Areas of Weakley County.
	Approximately 70 feet downstream of Old Fulton Road.	None	+371	
Mud Creek	Just downstream of State Route 22	None	+365	City of Dresden.
	Approximately 900 feet upstream of Boydenville Road.	None	+402	

*National Geodetic Vertical Datum.
+North American Vertical Datum.
#Depth in feet above ground.

ADDRESSES

City of Dresden

Maps are available for inspection at 117 W. Main Street, Dresden, TN 38225.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Unincorporated Areas of Weakley County

Maps are available for inspection at 116 W. Main Street, Dresden, TN 38225.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Dallas County, Texas, and Incorporated Areas

Bear Creek	Approximately 505 feet upstream of the intersection with S. Belt Line Road.	+443	+446	City of Desoto, City of Glenn Heights.
	Approximately 548 feet upstream from intersection with N. County Line Road.	+475	+472	
Bentle Branch	Approximately 1820 feet downstream from intersection with Joe Wilson Road.	+649	+647	City of Dallas, City of Cedar Hill, City of Duncanville.
	Approximately 2960 feet upstream from the intersection with Joe Wilson Road.	+710	+711	
Cottonwood Creek (of Lake Ray Hubbard).	Approximately 40 feet downstream from intersection with Stonewall Road.	+451	+447	City of Dallas, City of Garland, City of Richardson, City of Rowlett, City of Wylie, Unincorporated Areas of Dallas County.
	Approximately 1670 feet upstream from intersection with Stonewall Road.	+456	+455	
Cottonwood Creek (of White Rock Creek).	Approximately 805 feet upstream from confluence with White Rock Creek.	+501	+502	City of Dallas, City of Richardson, Unincorporated Areas of Dallas County.
	Approximately 425 feet downstream of intersection with Spring Valley Road.	+561	+563	
Estes Branch	Approximately 413 feet downstream from intersection with Bruton Road.	+474	+471	City of Dallas.
	Approximately 373 feet downstream from intersection with Saint Augustine Drive.	+475	+477	
Furneaux Creek	Approximately 1296 feet downstream from intersection with Dickerson Parkway.	+453	+455	City of Carrollton.
	Approximately 2018 feet upstream from intersection with Dickerson Parkway.	+457	+460	
Hatfield Branch	At the intersection with Prairie Creek Road	+404	+400	City of Dallas.
	Approximately 4660 feet downstream from intersection with N. Master's Drive.	+485	+482	

Flooding source(s)	Location of referenced elevation	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground		Communities affected
		Effective	Modified	
Hickory Creek	Approximately 920 feet downstream from intersection with S. Woody Road.	+400	+399	City of Balch Springs, City of Dallas.
	Approximately 410 feet downstream from intersection with Arrowdell Road.	+441	+439	
Hutton Branch	Approximately 436 feet downstream from intersection with Denton Drive.	+451	+453	City of Carrollton, Town of Addison.
	Approximately 920 feet downstream from intersection with Midway Road.	+596	+597	
Lake June Branch	Approximately 1530 feet downstream from intersection with Lake June Road.	+458	+455	City of Dallas.
	Approximately 157 feet downstream from intersection with Frostwood Street.	+489	+491	
Long Branch of Duck Creek.	Approximately 5710 feet downstream from intersection with Northwest Drive.	+461	+458	City of Mesquite, City of Dallas, City of Garland.
	Approximately 2230 feet downstream from intersection with Ferguson Road.	+522	+520	
North Mesquite Creek	Approximately 2380 feet downstream of intersection with Lawson Road.	+381	+380	City of Balch Springs, City of Mesquite, Town of Sunnyvale, Unincorporated Areas of Dallas County.
	Approximately 205 feet upstream from intersection with Via Del Nortway.	+505	+507	
Pleasant Branch	Approximately 440 feet downstream from intersection with Prairie Creek Road.	+465	+462	City of Dallas.
	Approximately 273 feet upstream from intersection with Bohannon Drive.	+497	+498	
Prairie Creek	Approximately 1510 feet downstream from intersection with LBJ Freeway.	+398	+397	City of Dallas.
	Approximately 540 feet downstream from intersection with Military Parkway.	+503	+504	
Pruitt Branch	Approximately 2423 feet downstream from intersection with Kingsfield Road.	+412	+411	City of Dallas.
	Approximately 696 feet upstream from intersection with Ryoak Drive.	+434	+435	
Richardson Branch	Approximately 540 feet downstream of intersection with Royal Lane.	+490	+491	City of Dallas.
	At intersection with Windy Crest Drive	+578	+580	
Rylie Branch	Approximately 984 feet downstream from the intersection with Saint Augustine Drive.	+412	+410	City of Dallas.
	Approximately 1388 feet upstream from intersection with Old Seagoville Road.	+452	+456	
South Mesquite Creek	Approximately 2007 feet downstream from intersection with Lawson Road.	+384	+383	City of Balch Springs, City of Dallas, City of Mesquite.
	Approximately 1905 feet downstream from intersection with Demaret Drive.	+548	+547	
Stream 2A4	At intersection with Oak Hollow Drive	+459	+461	City of Rowlett, City of Dallas, Unincorporated Areas of Dallas County.
	Approximately 280 feet upstream from intersection with Oak Hollow Drive.	+480	+477	
Stream 2A5	Approximately 155 feet downstream from intersection with Pecan Lane.	+440	+439	City of Rowlett, City of Dallas.
	Approximately 200 feet downstream from intersection with Spinnaker Cove.	+460	+464	
Stream 2B1	Approximately 98 feet from the intersection with South Belt Line Road.	+427	+429	City of Balch Springs.
	Approximately 840 feet downstream from intersection with Eastgate Drive.	+463	+464	
Stream 2B2	Approximately 150 feet upstream from intersection with Burton Road.	+432	+434	City of Mesquite.
	Approximately 880 feet upstream from intersection with I-635.	+448	+450	

Flooding source(s)	Location of referenced elevation	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground		Communities affected
		Effective	Modified	
Stream 2B4	Approximately 1930 feet downstream from the intersection with Military Parkway.	+442	+437	City of Mesquite, Unincorporated Areas of Dallas County.
	Approximately 57 feet upstream of intersection with Kearney Street.	+475	+476	
Stream 2B5	Approximately 1650 feet upstream from intersection with Peachtree Road.	+463	+465	City of Mesquite.
	Approximately 4130 feet upstream from intersection with Peachtree Road.	+481	+480	
Stream 2B6	Approximately 285 feet downstream from intersection with I-80.	+480	+482	City of Mesquite.
	Approximately 42 feet downstream from intersection with Baker Drive.	+500	+503	
Stream 2B7	Approximately 800 feet downstream from intersection with Gus Thomasson Road.	+474	+470	City of Mesquite.
	Approximately 437 feet upstream from intersection with I-30.	+522	+521	
Stream 2B8	Approximately 970 feet upstream from the intersection with I-635.	+470	+472	City of Mesquite.
	Approximately 326 feet downstream from intersection with I-80.	+495	+493	
Stream 2E2	Approximately 1180 feet downstream from intersection with Liberty Grove Road.	+442	+445	City of Rowlett, City of Dallas.
	Approximately 3730 feet downstream from intersection with Liberty Grove Road.	+479	+480	
Stream 4C3	Approximately 40 feet upstream from intersection with Kleberg Road.	+402	+400	City of Dallas.
	Approximately 1447 feet upstream from intersection with Woody Road.	+445	+443	
Stream 6A1	Approximately 1054 feet downstream from intersection with Euclid Avenue.	+509	+505	Town of Highland Park.
	Approximately 95 feet downstream from intersection with Beverly Drive.	+520	+518	
Stream 6D4	Approximately 190 feet from intersection with Scott Mill Road.	+498	+502	City of Carrollton.
	Approximately 128 feet downstream of E. Jackson Road.	+508	+503	
Stream 6D8	Approximately 390 feet downstream from intersection with Ballantrae Road.	+560	+562	City of Carrollton.
	Approximately 780 feet downstream from intersection with Tarplex Road.	+612	+614	
Stream JC1	Approximately 85 feet upstream from the intersection with Northwest 19th Street.	+462	+459	City of Grand Prairie.
	Approximately 940 feet upstream from intersection with I-30.	+499	+501	
West Fork of South Mesquite Creek.	Approximately 4020 feet downstream from the intersection with I-80.	+465	+462	City of Mesquite.
	Approximately 150 feet downstream from intersection with Town East Boulevard.	+501	+503	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

ADDRESSES

City of Balch Springs

Maps are available for inspection at 3117 Hickory Tree Road, Balch Springs, TX 75980.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Carrollton

Maps are available for inspection at 1945 E. Jackson Road, Carrollton, TX 75006.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Cedar Hill

Maps are available for inspection at 502 Cedar Street, Cedar Hill, TX 75104.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Dallas

Flooding source(s)	Location of referenced elevation	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground		Communities affected
		Effective	Modified	

Maps are available for inspection at 320 E. Jefferson Blvd., Room 321, Dallas, TX 75203.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Desoto

Maps are available for inspection at 211 E. Pleasant Run Rd., Building A, Desoto, TX 75115.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Duncanville

Maps are available for inspection at 203 E. Wheatland Rd., Duncanville, TX 75116.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Garland

Maps are available for inspection at 800 Main St., Garland, TX 75040.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Glenn Heights

Maps are available for inspection at 1938 S. Hampton, Glenn Heights, TX 75154.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Grand Prairie

Maps are available for inspection at 206 W. Church St., Grand Prairie, TX 75051.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Mesquite

Maps are available for inspection at 1515 N. Galloway Ave., Mequite, TX 75185.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Richardson

Maps are available for inspection at 411 W. Arapaho Rd., Richardson, TX 75083.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Rowlett

Maps are available for inspection at 4000 Main St., Rowlett, TX 75088.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Wylie

Maps are available for inspection at 114 N. Ballard Ave., Wylie, TX 75098.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Town of Addison

Maps are available for inspection at 16801 Westgrove Drive, Addison, TX 75001.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Town of Highland Park

Maps are available for inspection at 4700 Drexel Dr., Highland Park, TX 75205.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Town of Sunnyvale

Maps are available for inspection at 537 Long Creek Rd., Sunnyvale, TX 75182.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Unincorporated Areas of Dallas County

Maps are available for inspection at 509 Main St., Dallas, TX 75202.
Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Denton County, Texas, and Incorporated Areas

Cooper Creek	Approximately 2 feet upstream of intersection with N. Mayhill Road.	+572	+570	City of Denton, Unincorporated Areas of Denton County.
	Approximately 5 feet downstream of intersection with N. Locust Street.	+656	+652	

Flooding source(s)	Location of referenced elevation	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground		Communities affected
		Effective	Modified	
Dudley Branch	Approximately 2455 feet downstream of intersection with Indian Road.	+452	+449	City of Carrollton, Town of Hebron.
	Approximately 2600 feet downstream from intersection with Standridge Drive.	+500	+501	
Fletcher Branch	Approximately ten feet downstream of intersection with Hickory Creek Road.	+554	+555	City of Denton, Unincorporated Areas of Denton County.
	Approximately 360 feet upstream of intersection with El Paso Street.	+610	+612	
Furneaux Creek	Approximately 1320 feet upstream from the intersection with Old Denton Road.	+470	+464	City of Carrollton, City of Plano, Town of Hebron.
	Approximately 115 feet from intersection with E. Hebron Parkway.	+550	+549	
Indian Creek	Approximately 180 ft from the intersection at Hebron Parkway.	+461	+463	City of Carrollton, City of Lewisville, City of Plano, City of The Colony, Town of Hebron, Unincorporated Areas of Denton County.
	Approximately 2940 feet from the intersection with the E. Old Denton Road bridge.	+476	+477	
Stream 6E1	Approximately 980 feet downstream of intersection with N. Josey Lane.	+487	+485	City of Carrollton, City of Dallas.
	Approximately 1095 feet upstream from intersection with E. Frankford Road.	+523	+524	
Timber Creek	Approximately 4,925 feet downstream of intersection with Hebron Parkway.	+453	+450	City of Lewisville, Town of Double Oak, Town of Flower Mound.
	Approximately 295 feet upstream from the intersection with S. Woodland Trail.	+628	+626	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

ADDRESSES

City of Carrollton

Maps are available for inspection at 1945 E. Jackson Rd., Carrollton, TX 75006.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Dallas

Maps are available for inspection at 320 E. Jefferson Blvd., Room 321, Dallas, TX 75203.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Denton

Maps are available for inspection at 215 E. McKinney, Denton, TX 76201.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Lewisville

Maps are available for inspection at 1197 W. Main St., Lewisville, TX 75067.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of Plano

Maps are available for inspection at 1520 Avenue K, Plano, TX 75086.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

City of The Colony

Maps are available for inspection at 5151 N. Colony Blvd., The Colony, TX 75056.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Town of Double Oak

Maps are available for inspection at 1100 Cross Timber Dr., Double Oak, TX 75067.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Flooding source(s)	Location of referenced elevation	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground		Communities affected
		Effective	Modified	

Town of Flower Mound

Maps are available for inspection at 2121 Cross Timbers Rd, Flower Mound, TX 75028.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Town of Hebron

Maps are available for inspection at 4624 Charles St., Carrollton, TX 75010.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Unincorporated Areas of Denton County

Maps are available for inspection at 306 N. Loop 288, Suite 115, Denton, TX 76201.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: October 9, 2007.

David I. Maurstad,

Federal Insurance Administrator of the National Flood Insurance Program, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. E7-20382 Filed 10-15-07; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY**Federal Emergency Management Agency****44 CFR Part 67**

[Docket No. FEMA-B-7739]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule.

SUMMARY: Comments are requested on the proposed Base (1 percent annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed in the table below. The purpose of this notice is to seek general information and comment regarding the proposed regulatory flood elevations for the reach described by the downstream and upstream locations in the table below. The BFEs and modified BFEs are a part of the floodplain management measures that the community is required either to adopt or show evidence of having in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP). In addition, these elevations, once finalized, will be used by insurance agents, and others to

calculate appropriate flood insurance premium rates for new buildings and the contents in those buildings.

DATES: Comments are to be submitted on or before January 14, 2008.

ADDRESSES: The corresponding preliminary Flood Insurance Rate Map (FIRM) for the proposed BFEs for each community are available for inspection at the community's map repository. The respective addresses are listed in the table below.

You may submit comments, identified by Docket No. FEMA-B-7739, to William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-3151, or (e-mail) bill.blanton@dhs.gov.

FOR FURTHER INFORMATION CONTACT: William R. Blanton, Jr., Chief, Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-3151 or (e-mail) bill.blanton@dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The

community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

Comments on any aspect of the Flood Insurance Study and FIRM, other than the proposed BFEs, will be considered. A letter acknowledging receipt of any comments will not be sent.

Administrative Procedure Act Statement. This matter is not a rulemaking governed by the Administrative Procedure Act (APA), 5 U.S.C. 553. FEMA publishes flood elevation determinations for notice and comment; however, they are governed by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and the National Flood Insurance Act of 1968, 42 U.S.C. 4001 *et seq.*, and do not fall under the APA.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. An environmental impact assessment has not been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within the scope of the Regulatory Flexibility Act, 5 U.S.C. 601-612, a regulatory flexibility analysis is not required.

Executive Order 12866, Regulatory Planning and Review. This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866, as amended.

Executive Order 13132, Federalism. This proposed rule involves no policies