

Exporter	Producer	Weighted-Average Margin
Tianjin Xingyuda Import & Export Co., Ltd.	Tianjin Xingyuda Steel Pipe Co.	25.67
Tianjin Xingyuda Import & Export Co., Ltd.	Tianjin Lituo Steel Products Co.	25.67
Tianjin Xingyuda Import & Export Co., Ltd.	Tangshan Fengnan District Xinlida Steel Pipe Co., Ltd.	25.6
Jiangyin Jianye Metal Products Co., Ltd.	Jiangyin Jianye Metal Products Co., Ltd.	25.67
Rizhao Xingye Import & Export Co., Ltd.	Shandong Xinyuan Group Co., Ltd.	25.67
Tianjin No. 1 Steel Rolled Co., Ltd.	Tianjin Hexing Steel Co., Ltd.	25.67
Tianjin No. 1 Steel Rolled Co., Ltd.	Tianjin Ruitong Steel Co., Ltd.	25.67
Tianjin No. 1 Steel Rolled Co., Ltd.	Tianjin Yayi Industrial Co.	25.67
Kunshan Hongyuan Machinery Manufacture Co., Ltd.	Kunshan Hongyuan Machinery Manufacture Co., Ltd.	25.67
Qingdao Yongjie Import & Export Co., Ltd.	Shandong Xinyuan Group Co., Ltd.	25.67
Jiangsu Yulong Steel Pipe Co. Ltd.	Jiangsu Yulong Steel Pipe Co. Ltd.	0.00
PRC-Wide Entity (Including Shuangjie)		51.34

Disclosure

We will disclose the calculations performed within five days of the date of publication of this notice to parties in this proceeding in accordance with 19 CFR 351.224(b).

Suspension of Liquidation

As noted above, the Department has found that critical circumstances exist with respect to imports of subject merchandise from the PRC. Therefore, in accordance with section 733(d) of the Act, we will instruct U.S. Customs and Border Protection (“CBP”) to suspend liquidation of all entries of CWP from the PRC as described in the “Scope of Investigation” section, entered, or withdrawn from warehouse, for consumption from the separate rate companies and the PRC-wide entity (including Shuangjie) on or after 90 days prior to the date of publication in the **Federal Register** of our preliminary determination. We will instruct CBP to require a cash deposit or the posting of a bond equal to the weighted-average amount by which the NV exceeds U.S. price, as indicated above. The suspension of liquidation will remain in effect until further notice.

In accordance with section 733(d)(2) of the Act, we are directing CBP not to suspend liquidation of imports of certain CWP from the PRC produced and exported by Yulong, and entered, or withdrawn from warehouse, for consumption on or after the date of publication of this preliminary determination in the **Federal Register**. CBP shall not require a cash deposit or the posting of a bond, as indicated above, because we have calculated a margin of zero percent for Yulong.

International Trade Commission Notification

In accordance with section 733(f) of the Act, we have notified the ITC of our preliminary affirmative determination of sales at less than fair value. Section

735(b)(2) of the Act requires the ITC to make its final determination as to whether the domestic industry in the United States is materially injured, or threatened with material injury, by reason of imports of CWP, or sales (or the likelihood of sales) for importation, of the subject merchandise within 45 days of our final determination.

Public Comment

Case briefs or other written comments may be submitted to the Assistant Secretary for Import Administration no later than seven days after the date of the final verification report is issued in this proceeding and rebuttal briefs limited to issues raised in case briefs no later than five days after the deadline date for case briefs. A list of authorities used and an executive summary of issues should accompany any briefs submitted to the Department. This summary should be limited to five pages total, including footnotes.

In accordance with section 774 of the Act, we will hold a public hearing, if requested, to afford interested parties an opportunity to comment on arguments raised in case or rebuttal briefs. If a request for a hearing is made, we intend to hold the hearing three days after the deadline of submission of rebuttal briefs at the U.S. Department of Commerce, 14th Street and Constitution Ave, NW, Washington, DC 20230, at a time and location to be determined. Parties should confirm by telephone the date, time, and location of the hearing two days before the scheduled date.

Interested parties who wish to request a hearing, or to participate if one is requested, must submit a written request to the Assistant Secretary for Import Administration, U.S. Department of Commerce, Room 1870, within 30 days after the date of publication of this notice. See 19 CFR 351.310(c). Requests should contain the party’s name, address, and telephone number, the number of participants, and a list of the issues to be discussed. At the hearing,

each party may make an affirmative presentation only on issues raised in that party’s case brief and may make rebuttal presentations only on arguments included in that party’s rebuttal brief.

This determination is issued and published in accordance with sections 733(f) and 777(i)(1) of the Act.

Dated: January 3, 2008.

David M. Spooner,

Assistant Secretary for Import Administration.

[FR Doc. E8–494 Filed 1–14–08; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

International Trade Administration

(C–580–835)

Stainless Steel Sheet and Strip in Coils from the Republic of Korea: Final Results of Countervailing Duty Administrative Review

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

Background: On September 10, 2007, the Department of Commerce (“the Department”) published in the **Federal Register** its preliminary results of administrative review of the countervailing duty (“CVD”) order on stainless steel sheet and strip in coils from the Republic of Korea (“Korea”) for the period January 1, 2005, through December 31, 2005. See *Stainless Steel Sheet and Strip in Coils from the Republic of Korea: Preliminary Results of Countervailing Duty Administrative Review*, 72 FR 51615 (September 10, 2007) (“*Preliminary Results*”). The Department preliminarily found that Dai Yang Metal Co., Ltd. (“DMC”), the producer/exporter of subject merchandise covered by this review, had a *de minimis* net subsidy rate during the period of review (“POR”).

We did not receive any comments on our preliminary results and have made no revisions to those results.

EFFECTIVE DATE: January 15, 2008

FOR FURTHER INFORMATION CONTACT: Eric Greynolds, AD/CVD Operations, Office 3, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW, Washington, DC 20230; telephone: (202) 482-6071.

SUPPLEMENTARY INFORMATION:

Scope of the Order

The products subject to this order are certain stainless steel sheet and strip in coils. Stainless steel is an alloy steel containing, by weight, 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements. The subject sheet and strip is a flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness and that is annealed or otherwise heat treated and pickled or otherwise descaled. The subject sheet and strip may also be further processed (e.g., cold-rolled, polished, aluminized, coated), provided that it maintains the specific dimensions of sheet and strip following such processing.

The merchandise subject to this order is currently classifiable in the *Harmonized Tariff Schedule of the United States* ("HTSUS") at subheadings: 7219.13.00.30, 7219.13.00.50, 7219.13.00.70, 7219.13.00.80, 7219.14.00.30, 7219.14.00.65, 7219.14.00.90, 7219.32.00.05, 7219.32.00.20, 7219.32.00.25, 7219.32.00.35, 7219.32.00.36, 7219.32.00.38, 7219.32.00.42, 7219.32.00.44, 7219.33.00.05, 7219.33.00.20, 7219.33.00.25, 7219.33.00.35, 7219.33.00.36, 7219.33.00.38, 7219.33.00.42, 7219.33.00.44, 7219.34.00.05, 7219.34.00.20, 7219.34.00.25, 7219.34.00.30, 7219.34.00.35, 7219.35.00.05, 7219.35.00.15, 7219.35.00.30, 7219.35.00.35, 7219.90.00.10, 7219.90.00.20, 7219.90.00.25, 7219.90.00.60, 7219.90.00.80, 7220.12.10.00, 7220.12.50.00, 7220.20.10.10, 7220.20.10.15, 7220.20.10.60, 7220.20.10.80, 7220.20.60.05, 7220.20.60.10, 7220.20.60.15, 7220.20.60.60, 7220.20.60.80, 7220.20.70.05, 7220.20.70.10, 7220.20.70.15, 7220.20.70.60, 7220.20.70.80, 7220.20.80.00, 7220.20.90.30, 7220.20.90.60, 7220.90.00.10, 7220.90.00.15, 7220.90.00.60, and 7220.90.00.80. Although the HTSUS subheadings are provided for

convenience and customs purposes, the Department's written description of the merchandise is dispositive.

Excluded from the scope of this order are the following: (1) sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled, (2) sheet and strip that is cut to length, (3) plate (i.e., flat-rolled stainless steel products of a thickness of 4.75 mm or more), (4) flat wire (i.e., cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm), and (5) razor blade steel. Razor blade steel is a flat rolled product of stainless steel, not further worked than cold-rolled (cold-reduced), in coils, of a width of not more than 23 mm and a thickness of 0.266 mm or less, containing, by weight, 12.5 to 14.5 percent chromium, and certified at the time of entry to be used in the manufacture of razor blades. See Chapter 72 of the HTSUS, "Additional U.S. Note" 1(d).

The Department has determined that certain specialty stainless steel products are also excluded from the scope of this order. These excluded products are described below:

Flapper valve steel is defined as stainless steel strip in coils containing, by weight, between 0.37 and 0.43 percent carbon, between 1.15 and 1.35 percent molybdenum, and between 0.20 and 0.80 percent manganese. This steel also contains, by weight, phosphorus of 0.025 percent or less, silicon of between 0.20 and 0.50 percent, and sulfur of 0.020 percent or less. The product is manufactured by means of vacuum arc remelting, with inclusion controls for sulphide of no more than 0.04 percent and for oxide of no more than 0.05 percent. Flapper valve steel has a tensile strength of between 210 and 300 ksi, yield strength of between 170 and 270 ksi, plus or minus 8 ksi, and a hardness (Hv) of between 460 and 590. Flapper valve steel is most commonly used to produce specialty flapper valves in compressors.

Also excluded is a product referred to as suspension foil, a specialty steel product used in the manufacture of suspension assemblies for computer disk drives. Suspension foil is described as 302/304 grade or 202 grade stainless steel of a thickness between 14 and 127 microns, with a thickness tolerance of plus-or-minus 2.01 microns, and surface glossiness of 200 to 700 percent Gs. Suspension foil must be supplied in coil widths of not more than 407 mm, and with a mass of 225 kg or less. Roll marks may only be visible on one side, with no scratches of measurable depth. The material must exhibit residual stresses of 2 mm maximum deflection,

and flatness of 1.6 mm over 685 mm length.

Certain stainless steel foil for automotive catalytic converters is also excluded from the scope of this order. This stainless steel strip in coils is a specialty foil with a thickness of between 20 and 110 microns used to produce a metallic substrate with a honeycomb structure for use in automotive catalytic converters. The steel contains, by weight, carbon of no more than 0.030 percent, silicon of no more than 1.0 percent, manganese of no more than 1.0 percent, chromium of between 19 and 22 percent, aluminum of no less than 5.0 percent, phosphorus of no more than 0.045 percent, sulfur of no more than 0.03 percent, lanthanum of between 0.002 and 0.05 percent, and total rare earth elements of more than 0.06 percent, with the balance iron.

Permanent magnet iron-chromium-cobalt alloy stainless strip is also excluded from the scope of this order. This ductile stainless steel strip contains, by weight, 26 to 30 percent chromium, and 7 to 10 percent cobalt, with the remainder of iron, in widths 228.6 mm or less, and a thickness between 0.127 and 1.270 mm. It exhibits magnetic remanence between 9,000 and 12,000 gauss, and a coercivity of between 50 and 300 oersteds. This product is most commonly used in electronic sensors and is currently available under proprietary trade names such as "Arnokrome III."¹

Certain electrical resistance alloy steel is also excluded from the scope of this order. This product is defined as a non-magnetic stainless steel manufactured to American Society of Testing and Materials ("ASTM") specification B344 and containing, by weight, 36 percent nickel, 18 percent chromium, and 46 percent iron, and is most notable for its resistance to high temperature corrosion. It has a melting point of 1390 degrees Celsius and displays a creep rupture limit of 4 kilograms per square millimeter at 1000 degrees Celsius. This steel is most commonly used in the production of heating ribbons for circuit breakers and industrial furnaces, and in rheostats for railway locomotives. The product is currently available under proprietary trade names such as "Gilphy 36."²

Certain martensitic precipitation-hardenable stainless steel is also excluded from the scope of this order. This high-strength, ductile stainless steel product is designated under the Unified Numbering System ("UNS") as

¹ "Arnokrome III" is a trademark of the Arnold Engineering Company.

² "Gilphy 36" is a trademark of Imphy, S.A.

S45500-grade steel, and contains, by weight, 11 to 13 percent chromium and 7 to 10 percent nickel. Carbon, manganese, silicon and molybdenum each comprise, by weight, 0.05 percent or less, with phosphorus and sulfur each comprising, by weight, 0.03 percent or less. This steel has copper, niobium, and titanium added to achieve aging, and will exhibit yield strengths as high as 1700 Mpa and ultimate tensile strengths as high as 1750 Mpa after aging, with elongation percentages of 3 percent or less in 50 mm. It is generally provided in thicknesses between 0.635 and 0.787 mm, and in widths of 25.4 mm. This product is most commonly used in the manufacture of television tubes and is currently available under proprietary trade names such as "Durphynox 17."³

Finally, three specialty stainless steels typically used in certain industrial blades and surgical and medical instruments are also excluded from the scope of this order. These include stainless steel strip in coils used in the production of textile cutting tools (e.g., carpet knives).⁴ This steel is similar to ASTM grade 440F, but containing, by weight, 0.5 to 0.7 percent of molybdenum. The steel also contains, by weight, carbon of between 1.0 and 1.1 percent, sulfur of 0.020 percent or less and includes between 0.20 and 0.30 percent copper and between 0.20 and 0.50 percent cobalt. This steel is sold under proprietary names such as "GIN4 HI-C." The second excluded stainless steel strip in coils is similar to AISI 420-J2 and contains, by weight, carbon of between 0.62 and 0.70 percent, silicon of between 0.20 and 0.50 percent, manganese of between 0.45 and 0.80 percent, phosphorus of no more than 0.025 percent and sulfur of no more than 0.020 percent. This steel has a carbide density on average of 100 carbide particles per square micron. An example of this product is "GIN5" steel. The third specialty steel has a chemical composition similar to AISI 420 F, with carbon of between 0.37 and 0.43 percent, molybdenum of between 1.15 and 1.35 percent, but lower manganese of between 0.20 and 0.80 percent, phosphorus of no more than 0.025 percent, silicon of between 0.20 and 0.50 percent, and sulfur of no more than 0.020 percent. This product is supplied with a hardness of more than Hv 500 guaranteed after customer processing, and is supplied as, for example, "GIN6."

Final Results of Review

As noted above, the Department received no comments concerning the Preliminary Results. Therefore, consistent with the *Preliminary Results*, we continue to find the net subsidy for DMC to be 0.03 percent *ad valorem*, which is *de minimis*. See 19 CFR 351.106(c)(1). As there have been no changes to or comments on the *Preliminary Results*, we are not attaching a decision memorandum to this **Federal Register** notice. For further details of the programs included in this proceeding, see the *Preliminary Results*.

Assessment Rates/Cash Deposits

The Department intends to issue assessment instructions to U.S. Customs and Border Protection ("CBP") 15 days after the date of publication of these final results of this review, to liquidate shipments of subject merchandise by DMC entered, or withdrawn from warehouse, for consumption on or after January 1, 2005, through December 31, 2005, without regard to countervailing duties. We will also instruct CBP not to collect cash deposits of estimated countervailing duties on shipments of the subject merchandise by DMC entered, or withdrawn from warehouse, for consumption on or after the date of publication of the final results of this review.

For all non-reviewed companies, we will instruct CBP to continue to collect cash deposits at the most recent company-specific or country-wide rate applicable to the company. Accordingly, the cash deposit rates that will be applied to non-reviewed companies covered by this order are those established in the most recently completed administrative proceeding. See *Final Results of Countervailing Duty Administrative Review: Stainless Steel Sheet and Strip in Coils from the Republic of Korea*, 72 FR 120 (January 3, 2007). These rates shall apply to all non-reviewed companies until a review of a company assigned these rates is completed.

Return of Destruction of Proprietary Information

This notice also serves as a reminder to parties subject to administrative protective order ("APO") of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Timely written notification of the return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply

with the regulations and the terms of an APO is a sanctionable violation.

We are issuing and publishing these results in accordance with sections 751(a)(1) and 777(i)(1) of the Act.

Dated: January 8, 2008.

David M. Spooner,

Assistant Secretary for Import Administration.

[FR Doc. E8-558 Filed 1-14-08; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

National Institute of Standards and Technology

Visiting Committee on Advanced Technology

AGENCY: National Institute of Standards and Technology Department of Commerce.

ACTION: Notice of Public Meeting.

SUMMARY: Pursuant to the Federal Advisory Committee Act, 5 U.S.C. app. 2, notice is hereby given that the Visiting Committee on Advanced Technology (VCAT), National Institute of Standards and Technology (NIST), will meet Tuesday, February 5, 2008, from 8:30 a.m. to 5 p.m. and Wednesday, February 6, 2008, from 8 a.m. to 12 p.m. The Visiting Committee on Advanced Technology is composed of fifteen members appointed by the Director of NIST who are eminent in such fields as business, research, new product development, engineering, labor, education, management consulting, environment, and international relations.

The purpose of this meeting is to review and make recommendations regarding general policy for the Institute, its organization, its budget, and its programs within the framework of applicable national policies as set forth by the President and the Congress. Agenda items will include preparation of the VCAT annual report, with break-out sessions for the three sub-committee groups on Information Technology, Nanotechnology, and Biosciences to discuss recommendations made to NIST throughout the year, with input back to the full committee. The agenda may change to accommodate Committee business. The final agenda will be posted on the NIST Web site at <http://www.nist.gov/director/vcat/agenda.htm>.

Anyone wishing to attend this meeting must submit name, e-mail address and phone number to Denise Herbert (denise.herbert@nist.gov) or 301-975-5607 no later than February 1, 2008.

³ "Durphynox 17" is a trademark of Imphy, S.A.

⁴ This list of uses is illustrative and provided for descriptive purposes only.