

from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Public Reading Room is 202-566-1744. Such deliveries are only accepted during the docket's normal hours of operation, and special arrangements should be made for deliveries of boxed information.

If you provide comments by mail or hand delivery, please submit one unbound original with pages numbered consecutively, and three copies of the comments. For attachments, provide an index, number pages consecutively with the comments, and submit an unbound original and three copies.

Instructions: Direct your comments to Docket ID No. EPA-HQ-ORD-2007-1095. Please ensure that your comments are submitted within the specified comment period. Comments received after the closing date will be marked "late," and may only be considered if time permits. It is EPA's policy to include all comments it receives in the public docket without change and to make the comments available online at www.regulations.gov, including any personal information provided, unless a comment includes information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Do not submit information that you consider to be CBI or otherwise protected through www.regulations.gov or e-mail. The www.regulations.gov Web site is an "anonymous access" system, which means EPA will not know your identity or contact information unless you provide it in the body of your comment. If you send an e-mail comment directly to EPA without going through www.regulations.gov, your e-mail address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you include your name and other contact information in the body of your comment and with any disk or CD-ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses. For additional information about EPA's public docket visit the EPA Docket Center homepage at <http://www.epa.gov/epahome/dockets.htm>.

Docket: All documents in the docket are listed in the www.regulations.gov index. Although listed in the index, some information is not publicly

available, e.g., CBI or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, will be publicly available only in hard copy. Publicly available docket materials are available either electronically in www.regulations.gov or in hard copy at the OEI Docket in the EPA Headquarters Docket Center.

Dated: January 17, 2008.

Rebecca Clark,

Deputy Director, National Center for Environmental Assessment.

[FR Doc. E8-1224 Filed 1-23-08; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[Regional Docket Nos. V-2006-4, FRL-8520-2]

Clean Air Act Operating Permit Program; Petition for Objection to State Operating Permit for Wisconsin Public Service Corporation—Weston Generating Station

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice of final order on petition to object to Clean Air Act operating permit.

SUMMARY: This document announces that the EPA Administrator has responded to a petition asking EPA to object to a Clean Air Act (Act) operating permit issued by the Wisconsin Department of Natural Resources. Specifically, the Administrator granted in part and denied in part the petition submitted by the Sierra Club to object to the operating permit for Wisconsin Public Service Corporation—Weston Generating Station (Weston).

Pursuant to section 505(b)(2) of the Act, a Petitioner may seek in the United States Court of Appeals for the appropriate circuit judicial review of those portions of a petition which EPA denied. Any petition for review shall be filed within 60 days from the date this notice appears in the **Federal Register**, pursuant to section 307 of the Act.

ADDRESSES: You may review copies of the final order, the petition, and other supporting information at the EPA, Region 5 Office, 77 West Jackson Boulevard, Chicago, Illinois 60604. If you wish to examine these documents, you should make an appointment at least 24 hours before visiting day. Additionally, the final order for the Weston petition is available electronically at: [\[yosemite.epa.gov/r5/ardcorre.nsf/permits\]\(http://yosemite.epa.gov/r5/ardcorre.nsf/permits\).](http://</p>
</div>
<div data-bbox=)

FOR FURTHER INFORMATION CONTACT:

Pamela Blakley, Chief, Air Permits Section, Air Programs Branch, Air and Radiation Division, EPA, Region 5, 77 West Jackson Boulevard, Chicago, Illinois 60604, telephone (312) 886-4447.

SUPPLEMENTARY INFORMATION: The Act affords EPA a 45-day period to review, and object to as appropriate, operating permits proposed by state permitting authorities. Section 505(b)(2) of the Act authorizes any person to petition the EPA Administrator within 60 days after the expiration of the EPA review period to object to a state operating permit if EPA has not done so. A petition must be based only on objections to the permit that were raised with reasonable specificity during the public comment period provided by the state, unless the petitioner demonstrates that it was impracticable to raise issues during the comment period, or the grounds for the issues arose after this period.

On November 20, 2006, EPA received a petition from the Sierra Club requesting that EPA object to the Title V operating permit for Weston. The petition alleged that: (1) The permit limits evidence that can be used by citizens to demonstrate noncompliance; (2) the permit omits operating limitations applicable to Unit 3; (3) the permit fails to include a compliance schedule for the plant's continuing violations of the heat and energy limits in the prevention of significant deterioration ("PSD") permit for Unit 3; (4) the permit contains insufficient monitoring for particulate matter emissions from Units 1, 2, and 3; (5) the permit fails to require sufficient monitoring to ensure compliance with visible emission limits on sources B11, B12, and B13; (6) revisions to the permit constitute a change in the method of operation without going through PSD permitting; (7) Units 1 and 2 underwent major modifications without PSD permit review; and (8) Weston Generating Station has unaddressed opacity violations.

On December 19, 2007, the Administrator issued an order granting in part and denying in part the petition. The order explains the reasons behind EPA's conclusion.

Dated: January 11, 2008.

Gary Gulezian,

Acting Regional Administrator, Region 5.

[FR Doc. E8-1221 Filed 1-23-08; 8:45 am]

BILLING CODE 6560-50-P