

### Further Information

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," the details with respect to this action, including the SER and accompanying documentation, and license amendment request, are available electronically at the NRC's Electronic Reading Room at <http://www.nrc.gov/reading-rm/adams.html>. From this site, you can access the NRC's Agencywide Document Access and Management System (ADAMS), which provides text and image files of NRC's public documents. The ADAMS accession numbers for the documents related to this notice are:

1. NRC Order dated December 23, 2008—ML083500508.
2. Amendment 85 to SNM-124: dated December 31, 2008—ML083530117.

If you do not have access to ADAMS or if there are problems in accessing the documents located in ADAMS, contact the NRC Public Document Room (PDR) Reference staff at 1-800-397-4209, 301-415-4737, or via e-mail to [pdr@nrc.gov](mailto:pdr@nrc.gov).

These documents may also be viewed electronically on the public computers located at the NRC's PDR, O 1 F21, One White Flint North, 11555 Rockville Pike, Rockville, MD 20852. The PDR reproduction contractor will copy documents for a fee.

Dated at Rockville, Maryland, this 9th day of February, 2009.

For the Nuclear Regulatory Commission.

**Kevin M. Ramsey,**

*Project Manager, Fuel Manufacturing Branch, Division of Fuel Cycle Safety and Safeguards, Office of Nuclear Material Safety and Safeguards.*

[FR Doc. E9-3752 Filed 2-20-09; 8:45 am]

BILLING CODE 7590-01-P

## NUCLEAR REGULATORY COMMISSION

[DOCKET NO. 030-32959; NRC-2009-0059]

### Notice of Availability of Environmental Assessment and Finding of No Significant Impact For License Amendment to Byproduct Materials License No. 09-10672-03 for Unrestricted Release of the Environmental Protection Agency's Facility in Key Largo, FL

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Issuance of Environmental Assessment and Finding of No Significant Impact for License Amendment.

**FOR FURTHER INFORMATION CONTACT:** Dennis Lawyer, Health Physicist,

Commercial and R&D Branch, Division of Nuclear Materials Safety, Region I, 475 Allendale Road, King of Prussia, Pennsylvania; telephone 610-337-5366; fax number 610-337-5269 or by e-mail: [dennis.lawyer@nrc.gov](mailto:dennis.lawyer@nrc.gov).

### SUPPLEMENTARY INFORMATION:

#### I. Introduction

The U.S. Nuclear Regulatory Commission (NRC) is considering the issuance of a license amendment to Byproduct Materials License No. 09-10672-03. This license is held by Environmental Protection Agency, Gulf Ecology Division (the Licensee), for its Key Largo Laboratory NOAA Facility located at 512 Caribbean Avenue in Key Largo, Florida (the Facility). Issuance of the amendment would authorize release of the Facility for unrestricted use. The Licensee requested this action in a letter dated September 3, 2008. The NRC has prepared an Environmental Assessment (EA) in support of this proposed action in accordance with the requirements of Title 10, *Code of Federal Regulations* (CFR), Part 51 (10 CFR Part 51). Based on the EA, the NRC has concluded that a Finding of No Significant Impact (FONSI) is appropriate with respect to the proposed action. The amendment will be issued to the Licensee following the publication of this FONSI and EA in the **Federal Register**.

#### II. Environmental Assessment

##### Identification of Proposed Action

The proposed action would approve the Licensee's September 3, 2008, license amendment request, resulting in release of the Facility for unrestricted use. License No. 09-10672-03 was issued on November 2, 1992, pursuant to 10 CFR Part 30, and has been amended periodically since that time. This license authorizes the Licensee to use unsealed byproduct material for purposes of conducting research and development activities on laboratory bench tops. The proposed action pertains only to the cessation of licensed activities at the Facility. The license authorizes use of licensed material at other locations that will not be affected by this action, and the license will thus not be terminated if the proposed action is approved.

The Facility is situated within a 2000 square foot building on 0.53 acres and consists of general office, residential, laboratory, and storage space. Within the Facility, use of licensed materials was confined to 120 square feet laboratory. The Facility is located in a mixed residential and commercial area. Within the Facility, the radionuclide of concern was Hydrogen-3 and carbon-14

because their half-lives being greater than 120 days.

In December 1996, the Licensee ceased licensed activities at the Facility and initiated survey and decontamination actions there. Based on the Licensee's historical knowledge of the site and the conditions of the Facility, the Licensee determined that only routine decontamination activities, in accordance with their NRC-approved, operating radiation safety procedures, were required. The Licensee was not required to submit a decommissioning plan to the NRC because worker cleanup activities and procedures are consistent with those approved for routine operations. The Licensee conducted surveys of the Facility and provided information to the NRC to demonstrate that it meets the criteria in Subpart E of 10 CFR Part 20 for unrestricted release.

##### Need for the Proposed Action

The Licensee has ceased conducting licensed activities at the Facility, and seeks the unrestricted use of its Facility.

##### Environmental Impacts of the Proposed Action

The historical review of licensed activities conducted at the Facility shows that such activities involved use of the following radionuclides with half-lives greater than 120 days: Hydrogen-3 and carbon-14. Prior to performing the final status survey, the Licensee conducted decontamination activities, as necessary, in the areas of the Facility affected by these radionuclides.

The Licensee conducted a final status survey on January 8 and 9, 2008. The final status survey report was attached to the Licensee's amendment request dated September 3, 2008. The Licensee elected to demonstrate compliance with the radiological criteria for unrestricted release as specified in 10 CFR 20.1402 by using the screening approach described in NUREG-1757, "Consolidated NMSS Decommissioning Guidance," Volume 2. The Licensee used the radionuclide-specific derived concentration guideline levels (DCGLs), developed there by the NRC, which comply with the dose criterion in 10 CFR 20.1402. These DCGLs define the maximum amount of residual radioactivity on building surfaces, equipment, and materials that will satisfy the NRC requirements in Subpart E of 10 CFR Part 20 for unrestricted release. The Licensee's final status survey results were below these DCGLs and are in compliance with the As Low As Reasonably Achievable (ALARA) requirement of 10 CFR 20.1402. The NRC thus finds that the Licensee's final status survey results are acceptable.

Based on its review, the staff has determined that the affected environment and any environmental impacts associated with the proposed action are bounded by the impacts evaluated by the "Generic Environmental Impact Statement in Support of Rulemaking on Radiological Criteria for License Termination of NRC-Licensed Nuclear Facilities" (NUREG-1496) Volumes 1-3 (ML042310492, ML042320379, and ML042330385). The staff finds there were no significant environmental impacts from the use of radioactive material at the Facility. The NRC staff reviewed the docket file records and the final status survey report to identify any non-radiological hazards that may have impacted the environment surrounding the Facility. No such hazards or impacts to the environment were identified. The NRC has identified no other radiological or non-radiological activities in the area that could result in cumulative environmental impacts.

The NRC staff finds that the proposed release of the Facility for unrestricted use and the termination of the NRC materials license is in compliance with 10 CFR 20.1402. Based on its review, the staff considered the impact of the residual radioactivity at the Facility and concluded that the proposed action will not have a significant effect on the quality of the human environment.

#### *Environmental Impacts of the Alternatives to the Proposed Action*

Due to the largely administrative nature of the proposed action, its environmental impacts are small. Therefore, the only alternative the staff considered is the no-action alternative, under which the staff would leave things as they are by simply denying the amendment request. This no-action alternative is not feasible because it conflicts with 10 CFR 30.36(d), requiring that decommissioning of byproduct material facilities be completed and approved by the NRC after licensed activities cease. The NRC's analysis of the Licensee's final status survey data confirmed that the Facility meets the requirements of 10 CFR 20.1402 for unrestricted release. Additionally, denying the amendment request would result in no change in current environmental impacts. The environmental impacts of the proposed action and the no-action alternative are therefore similar, and the no-action alternative is accordingly not further considered.

#### *Conclusion*

The NRC staff has concluded that the proposed action is consistent with the

NRC's unrestricted release criteria specified in 10 CFR 20.1402. Because the proposed action will not significantly impact the quality of the human environment, the NRC staff concludes that the proposed action is the preferred alternative.

#### *Agencies and Persons Consulted*

NRC provided a draft of this Environmental Assessment to the Bureau of Radiation Control, Florida Department of Health for review on December 2, 2008. On December 9, 2008, the Florida Bureau of Radiation Control responded by electronic mail. The State agreed with the conclusions of the EA, and otherwise had no comments.

The NRC staff has determined that the proposed action is of a procedural nature, and will not affect listed species or critical habitat. Therefore, no further consultation is required under Section 7 of the Endangered Species Act. The NRC staff has also determined that the proposed action is not the type of activity that has the potential to cause effects on historic properties. Therefore, no further consultation is required under Section 106 of the National Historic Preservation Act.

#### **III. Finding of No Significant Impact**

The NRC staff has prepared this EA in support of the proposed action. On the basis of this EA, the NRC finds that there are no significant environmental impacts from the proposed action, and that preparation of an environmental impact statement is not warranted. Accordingly, the NRC has determined that a Finding of No Significant Impact is appropriate.

#### **IV. Further Information**

Documents related to this action, including the application for license amendment and supporting documentation, are available electronically at the NRC's Electronic Reading Room at <http://www.nrc.gov/reading-rm/adams.html>. From this site, you can access the NRC's Agencywide Documents Access and Management System (ADAMS), which provides text and image files of NRC's public documents. The documents related to this action are listed below, along with their ADAMS accession numbers.

1. NUREG-1757, "Consolidated NMSS Decommissioning Guidance;"
2. Title 10 *Code of Federal Regulations*, Part 20, Subpart E, "Radiological Criteria for License Termination;"
3. Title 10, *Code of Federal Regulations*, Part 51, "Environmental Protection Regulations for Domestic

Licensing and Related Regulatory Functions;"

4. NUREG-1496, "Generic Environmental Impact Statement in Support of Rulemaking on Radiological Criteria for License Termination of NRC-Licensed Nuclear Facilities;" and

5. United States Environmental Protection Agency letter dated September 3, 2008 [ML082690377].

If you do not have access to ADAMS, or if there are problems in accessing the documents located in ADAMS, contact the NRC Public Document Room (PDR) Reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). These documents may also be viewed electronically on the public computers located at the NRC's PDR, O 1 F21, One White Flint North, 11555 Rockville Pike, Rockville, MD 20852. The PDR reproduction contractor will copy documents for a fee.

Dated at Region I, 475 Allendale Road, King of Prussia this 10th day of February 2009.

For the Nuclear Regulatory Commission.

**James P. Dwyer,**

*Chief, Commercial and R&D Branch, Division of Nuclear Materials Safety Region I.*

[FR Doc. E9-3750 Filed 2-20-09; 8:45 am]

**BILLING CODE 7590-01-P**

## **NUCLEAR REGULATORY COMMISSION**

### **Advisory Committee on Reactor Safeguards (ACRS) Subcommittee Meeting on Materials, Metallurgy & Reactor Fuels; Revised**

The ACRS Subcommittee on Materials, Metallurgy & Reactor Fuels scheduled for Wednesday, March 4, 2009, has been moved to the Commission Hearing Room, 01-F16/01-G16, 11555 Rockville Pike, Rockville, Maryland, 20852. All other items pertaining to this meeting remain the same as published previously in the **Federal Register** on Tuesday, February 10, 2009.

*For future information contact:* Michael L. Benson, Designated Federal Officer (Telephone: 301-415-6396) between 7 a.m. and 5 p.m. (ET) or by e-mail [Michael.Benson@nrc.gov](mailto:Michael.Benson@nrc.gov).

Dated, February 17, 2009.

**Cayetano Santos,**

*Branch Chief Reactor Safety Branch A, Advisory Committee on Reactor Safeguards.*

[FR Doc. E9-3753 Filed 2-20-09; 8:45 am]

**BILLING CODE 7590-01-P**