

The owner of the bridge, New York City Transit Authority, requested a temporary deviation to facilitate maintenance repairs to the bridge rails.

Under this temporary deviation the Beach Channel Railroad Bridge need not open for the passage of vessel traffic between 6 a.m. and 9 p.m., from May 2, 2009 through May 3, 2009 and between 6 a.m. and 9 p.m., from May 9, 2009 through May 10, 2009.

In accordance with 33 CFR 117.35(e), the bridge must return to its regular operating schedule immediately at the end of the designated time period. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: March 30, 2009.

Gary Kassof,

Bridge Program Manager, First Coast Guard District.

[FR Doc. E9-8268 Filed 4-10-09; 8:45 am]

BILLING CODE 4910-15-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[USCG-2009-0219]

Drawbridge Operation Regulations; Chelsea River, Chelsea and East Boston, MA, Maintenance

AGENCY: Coast Guard, DHS.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander, First Coast Guard District, has issued a temporary deviation from the regulation governing the operation of the Chelsea Street Bridge across the Chelsea River, mile 1.2, between Chelsea and East Boston, Massachusetts. This deviation allows the bridge to remain in the closed position for nine hours to facilitate bridge maintenance. Vessels that can pass under the draw without a bridge opening may do so at all times.

DATES: This deviation is effective from 8 p.m. on April 25, 2009, through 5 a.m. on April 26, 2009.

ADDRESSES: Documents indicated in this preamble as being available in the docket are part of docket USCG-2009-0219 and are available online at <http://www.regulations.gov>. They are also available for inspection or copying at two locations: The Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590, between 9 a.m.

and 5 p.m., Monday through Friday, except Federal holidays; and the First Coast Guard District, Bridge Branch Office, 408 Atlantic Avenue, Boston, Massachusetts 02110, between 7 a.m. and 3 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: John McDonald, Project Officer, First Coast Guard District, at (617) 223-8364.

SUPPLEMENTARY INFORMATION: The Massachusetts Highway Department, requested this temporary deviation to facilitate a power supply relocation project. The Chelsea Street Bridge, across the Chelsea River at mile 1.2, between Chelsea and East Boston, Massachusetts, has a vertical clearance in the closed position of 9 feet at mean high water and 19 feet at mean low water. The bridge opens on signal as required by 33 CFR 117.593.

This deviation allows the bridge to remain closed from 8 p.m. on April 25, 2009 through 5 a.m. on April 26, 2009. Vessels able to pass under the closed draw may do so at any time.

The waterway is primarily used by deep draft tankers, tugs and barge units. Waterway users were advised of the requested bridge closure period and offered no objection.

In accordance with 33 CFR 117.35(e), the bridge must return to its regular operating schedule immediately at the end of the designated time period. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: March 30, 2009.

Gary Kassof,

Bridge Program Manager, First Coast Guard District.

[FR Doc. E9-8305 Filed 4-10-09; 8:45 am]

BILLING CODE 4910-15-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 65

[Docket ID FEMA-2008-0020; Internal Agency Docket No. FEMA-B-1044]

Changes in Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Interim rule.

SUMMARY: This interim rule lists communities where modification of the Base (1% annual-chance) Flood Elevations (BFEs) is appropriate because of new scientific or technical data. New

flood insurance premium rates will be calculated from the modified BFEs for new buildings and their contents.

DATES: These modified BFEs are currently in effect on the dates listed in the table below and revise the Flood Insurance Rate Maps (FIRMs) in effect prior to this determination for the listed communities.

From the date of the second publication of these changes in a newspaper of local circulation, any person has ninety (90) days in which to request through the community that the Mitigation Assistant Administrator of FEMA reconsider the changes. The modified BFEs may be changed during the 90-day period.

ADDRESSES: The modified BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: William R. Blanton Jr., Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-3151.

SUPPLEMENTARY INFORMATION: The modified BFEs are not listed for each community in this interim rule. However, the address of the Chief Executive Officer of the community where the modified BFE determinations are available for inspection is provided.

Any request for reconsideration must be based on knowledge of changed conditions or new scientific or technical data.

The modifications are made pursuant to section 201 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are in accordance with the National Flood Insurance Act of 1968, 42 U.S.C. 4001 *et seq.*, and with 44 CFR part 65.

For rating purposes, the currently effective community number is shown and must be used for all new policies and renewals.

The modified BFEs are the basis for the floodplain management measures that the community is required to either adopt or to show evidence of being already in effect in order to qualify or to remain qualified for participation in the National Flood Insurance Program (NFIP).

These modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The