

| Document—Edition | Document title | Proposal closing date |
|----------------------|--|-----------------------|
| NFPA 288—2007 | Standard Methods of Fire Tests of Floor Fire Door Assemblies Installed Horizontally in Fire Resistance-Rated Floor Systems. | 5/28/2010 |
| NFPA 318—2009 | Standard for the Protection of Semiconductor Fabrication Facilities | 11/24/2009 |
| NFPA 385—2007 | Standard for Tank Vehicles for Flammable and Combustible Liquids | 5/28/2010 |
| NFPA 407—2007 | Standard for Aircraft Fuel Servicing | 11/24/2009 |
| NFPA 414—2007 | Standard for Aircraft Rescue and Fire-Fighting Vehicles | 11/24/2009 |
| NFPA 484—2009 | Standard for Combustible Metals | 11/24/2009 |
| NFPA 496—2008 | Standard for Purged and Pressurized Enclosures for Electrical Equipment | 5/23/2011 |
| NFPA 497—2008 | Recommended Practice for the Classification of Flammable Liquids, Gases, or Vapors and of Hazardous (Classified) Locations for Electrical Installations in Chemical Process Areas. | 5/28/2010 |
| NFPA 499—2008 | Recommended Practice for the Classification of Combustible Dusts and of Hazardous (Classified) Locations for Electrical Installations in Chemical Process Areas. | 5/28/2010 |
| NFPA 655—2007 | Standard for Prevention of Sulfur Fires and Explosions | 11/24/2009 |
| NFPA 664—2007 | Standard for the Prevention of Fires and Explosions in Wood Processing and Woodworking Facilities | 11/24/2009 |
| NFPA 704—2007 | Standard System for the Identification of the Hazards of Materials for Emergency Response | 11/24/2009 |
| NFPA 720—2009 | Standard for the Installation of Carbon Monoxide (CO) Detection and Warning Equipment | 11/24/2009 |
| NFPA 790 P* | Standard for Competency of Third Party Field Evaluation Bodies | 11/24/2009 |
| NFPA 791 P* | Recommended Practice and Procedures for Unlabeled Electrical Equipment Evaluation | 11/24/2009 |
| NFPA 820—2008 | Standard for Fire Protection in Wastewater Treatment and Collection Facilities | 11/24/2009 |
| NFPA 1081—2007 | Standard for Industrial Fire Brigade Member Professional Qualifications | 11/24/2009 |
| NFPA 1125—2007 | Code for the Manufacture of Model Rocket and High Power Rocket Motors | 11/24/2009 |
| NFPA 1141—2008 | Standard for Fire Protection Infrastructure for Land Development in Suburban and Rural Areas | 11/24/2009 |
| NFPA 1142—2007 | Standard on Water Supplies for Suburban and Rural Fire Fighting | 11/24/2009 |
| NFPA 1404—2006 | Standard for Fire Service Respiratory Protection Training | 5/23/2011 |
| NFPA 1500—2007 | Standard on Fire Department Occupational Safety and Health Program | 11/24/2009 |
| NFPA 1582—2007 | Standard on Comprehensive Occupational Medical Program for Fire Departments | 11/24/2009 |
| NFPA 1971—2007 | Standard on Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting | 12/4/2009 |
| NFPA 1981—2007 | Standard on Open-Circuit Self-Contained Breathing Apparatus (SCBA) for Emergency Services | 12/4/2009 |
| NFPA 1991—2005 | Standard on Vapor-Protective Ensembles for Hazardous Materials Emergencies | 1/15/2010 |
| NFPA 1992—2005 | Standard on Liquid Splash-Protective Ensembles and Clothing for Hazardous Materials Emergencies | 1/15/2010 |
| NFPA 1994—2007 | Standard on Protective Ensembles for First Responders to CBRN Terrorism Incidents | 1/15/2010 |
| NFPA 2112—2007 | Standard on Flame-Resistant Garments for Protection of Industrial Personnel Against Flash Fire | 11/24/2009 |
| NFPA 2113—2007 | Standard on Selection, Care, Use, and Maintenance of Flame-Resistant Garments for Protection of Industrial Personnel Against Flash Fire. | 11/24/2009 |

* Proposed NEW document drafts are available from NFPA's Web site—www.nfpa.org or may be obtained from NFPA's Codes and Standards Administration, 1 Batterymarch Park, Quincy, Massachusetts 02169-7471.

Dated: November 24, 2009.

Patrick Gallagher,

Director.

[FR Doc. E9-28708 Filed 11-30-09; 8:45 am]

BILLING CODE 3510-13-P

COMMODITY FUTURES TRADING COMMISSION

Sunshine Act Meetings

TIME AND DATE: 11 a.m., December 18, 2009.

PLACE: 1155 21st St., NW., Washington, DC, 9th Floor Commission Conference Room.

STATUS: Closed.

MATTERS TO BE CONSIDERED: Surveillance Matters.

FOR FURTHER INFORMATION CONTACT: Sauntia S. Warfield, 202-418-5084.

Sauntia S. Warfield,

Assistant Secretary of the Commission.

[FR Doc. E9-28840 Filed 11-27-09; 4:15 pm]

BILLING CODE 6351-01-P

COMMODITY FUTURES TRADING COMMISSION

Sunshine Act Meetings

TIME AND DATE: 11 a.m., Friday December 4, 2009.

PLACE: 1155 21st St., NW., Washington, DC, 9th Floor Commission Conference Room.

STATUS: Closed.

MATTERS TO BE CONSIDERED: Surveillance Matters.

FOR FURTHER INFORMATION CONTACT: Sauntia S. Warfield, 202-418-5084.

Sauntia S. Warfield,

Assistant Secretary of the Commission.

[FR Doc. E9-28843 Filed 11-27-09; 4:15 pm]

BILLING CODE 6351-01-P

COMMODITY FUTURES TRADING COMMISSION

Sunshine Act Meetings

TIME AND DATE: 2 p.m., Wednesday, December 16, 2009.

PLACE: 1155 21st St., NW., Washington, DC, 9th Floor Commission Conference Room.

STATUS: Closed.

MATTERS TO BE CONSIDERED: Enforcement Matters.

FOR FURTHER INFORMATION CONTACT: Sauntia S. Warfield, 202-418-5084.

Sauntia S. Warfield,

Assistant Secretary of the Commission.

[FR Doc. E9-28841 Filed 11-27-09; 4:15 pm]

BILLING CODE 6351-01-P

COMMODITY FUTURES TRADING COMMISSION

Sunshine Act Meetings

TIME AND DATE: 11 a.m., Friday December 11, 2009.

PLACE: 1155 21st St., NW., Washington, DC, 9th Floor Commission Conference Room.

STATUS: Closed.

MATTERS TO BE CONSIDERED: Surveillance Matters.