

Section	Remove	Add
104.8(g) .....	100.7(b)(22) .....	100.83
104.8(g) .....	100.8(b)(24) .....	100.143
104.8(g)(2) .....	100.7(b)(22)(iii) .....	100.83(c)

**PART 110—CONTRIBUTION AND EXPENDITURE LIMITATIONS AND PROHIBITIONS**

■ 23. The authority citation for part 110 continues to read as follows:

**Authority:** 2 U.S.C. 431(8), 431(9), 432(c)(2), 437d, 438(a)(8), 441a, 441b, 441d, 441e, 441f, 441g, 441h, and 36 U.S.C. 510.

**§ 110.1 [Amended]**

■ 24. In paragraph (a) of § 110.1, remove “110.10” and add, in its place, “100.1”.

■ 25. Paragraph (f)(2)(i) introductory text of § 110.14 is revised to read as follows:

**§ 110.14 Contributions to and expenditures by delegates and delegate committees.**

\* \* \* \* \*

(f) \* \* \*

(2) \* \* \*

(i) Such expenditures are in-kind contributions to a Federal candidate if they are coordinated communications under 11 CFR 109.21.

\* \* \* \* \*

■ 26. In paragraph (a) introductory text of § 110.17, remove “110.7” and add, in its place, “109.32”.

**PART 113—PERMITTED AND PROHIBITED USES OF CAMPAIGN ACCOUNTS**

■ 27. The authority citation for part 113 is revised to read as follows:

**Authority:** 2 U.S.C. 432(h), 438(a)(8), 439a, and 441a.

■ 28. In paragraph (g)(8) of § 113.1, the first sentence is revised to read as follows:

**§ 113.1 Definitions (2 U.S.C. 439a).**

\* \* \* \* \*

(g) \* \* \*

(8) *Recordkeeping.* For those uses of campaign funds described in paragraphs (g)(1)(i) and (g)(1)(ii) of this section that involve both personal use and either campaign or office-holder use, a contemporaneous log or other record must be kept to document the dates and expenses related to the personal use of the campaign funds. \* \* \*

**PART 114—CORPORATE AND LABOR ORGANIZATION ACTIVITY**

■ 29. The authority citation for part 114 is revised to read as follows:

**Authority:** 2 U.S.C. 431(8), 431(9), 432, 434, 437d(a)(8), 438(a)(8), and 441b.

**§ 114.10 [Amended]**

■ 30. In paragraph (e)(2)(ii) of § 114.10, remove “104.14” and add, in its place, “104.20(b)”.

**PART 201—EX PARTE COMMUNICATIONS**

■ 31. The authority citation for part 201 is revised read as follows:

**Authority:** 2 U.S.C. 437d(a)(8), 437f, 438(a)(8), and 438(b); 26 U.S.C. 9007, 9008, 9009(b), 9038, and 9039(b).

■ 32. Paragraph (c) of § 201.2 is revised to read as follows:

**§ 201.2 Definitions.**

\* \* \* \* \*

(c) *Commissioner* means an individual appointed to the Federal Election Commission pursuant to 2 U.S.C. 437c(a).

\* \* \* \* \*

**PART 300—NON-FEDERAL FUNDS**

■ 33. The authority citation for part 300 is revised read as follows:

**Authority:** 2 U.S.C. 434(e), 438(a)(8), 441a(a), 441i, and 453.

■ 34. Paragraph (g) of § 300.31 is revised to read as follows:

**§ 300.31 Receipt of Levin Funds.**

\* \* \* \* \*

(g) *Safe Harbor.* The use of a common vendor for fundraising by more than one State, district, or local committee of a political party, or the agent of such a committee, does not constitute joint fundraising within the meaning of this section.

■ 35. The heading of § 300.63 is revised to read as follows:

**§ 300.63 Exception for State candidates (2 U.S.C. 441i(e)(2)).**

\* \* \* \* \*

On behalf of the Commission.  
**Steven T. Walther,**  
*Chairman, Federal Election Commission.*  
[FR Doc. E9-30797 Filed 12-31-09; 8:45 am]  
**BILLING CODE 6715-01-P**

**DEPARTMENT OF TRANSPORTATION**

**Federal Aviation Administration**

**14 CFR Part 25**

[Docket No. NM423; Special Conditions No. 25-399-SC]

**Special Conditions: Airbus Model A340 Series Airplanes; Seats With Non-Traditional, Large, Non-Metallic Panels**

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Final special conditions; request for comments.

**SUMMARY:** These special conditions are issued for the Airbus Model A340 series airplanes. These airplanes will have a novel or unusual design feature(s) associated with seats that include non-traditional, large, non-metallic panels that would affect survivability during a post-crash fire event. The applicable airworthiness regulations do not contain adequate or appropriate safety standards for this design feature. These special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

**DATES:** The effective date of these special conditions is December 28, 2009.

We must receive your comments by February 18, 2010.

**ADDRESSES:** You must mail two copies of your comments to: Federal Aviation Administration, Transport Airplane Directorate, Attn: Rules Docket (ANM-113), Docket No. NM423, 1601 Lind Avenue, SW., Renton, Washington 98057-3356. You may deliver two copies to the Transport Airplane Directorate at the above address. You must mark your comments: Docket No. NM423. You can inspect comments in the Rules Docket weekdays, except Federal holidays, between 7:30 a.m. and 4 p.m.

**FOR FURTHER INFORMATION CONTACT:** Alan Sinclair, FAA, Airframe/Cabin Safety Branch, ANM-115, Transport Airplane Directorate, Aircraft Certification Service, 1601 Lind Avenue, SW., Renton, Washington 98057-3356; telephone (425) 227-2785; facsimile (425) 227-2195; e-mail [alan.sinclair@faa.gov](mailto:alan.sinclair@faa.gov).

**SUPPLEMENTARY INFORMATION:** The FAA has determined that notice of, and opportunity for, prior public comment on these special conditions are impracticable because these procedures would significantly delay issuance of the design approval and thus delivery of the affected aircraft. In addition, the substance of these special conditions has been subject to the public-comment process in several prior instances with no substantive comments received. The FAA therefore finds that good cause exists for making these special conditions effective upon issuance.

#### Comments Invited

We invite interested people to take part in this rulemaking by sending written comments, data, or views. The most helpful comments reference a specific portion of the special conditions, explain the reason for any recommended change, and include supporting data. We ask that you send us two copies of written comments.

We will file in the docket all comments we receive, as well as a report summarizing each substantive public contact with FAA personnel about these special conditions. You can inspect the docket before and after the comment closing date. If you wish to review the docket in person, go to the address in the **ADDRESSES** section of this preamble between 7:30 a.m. and 4 p.m., Monday through Friday, except Federal holidays.

We will consider all comments we receive by the closing date for comments. We will consider comments filed late if it is possible to do so without incurring expense or delay. We may change these special conditions based on the comments we receive.

If you want us to let you know we received your comments on these special conditions, send us a self-addressed, stamped postcard on which the docket number appears. We will stamp the date on the postcard and mail it back to you.

#### Background

On September 15, 2009, Airbus Industrie, 1 Rond Point Maurice Bellonte, 31707 Blagnac, Cedex, France, applied for a design change to Type Certificate No. A43NM for installation of seats that include non-traditional, large, non-metallic panels in Airbus Model A340 series airplanes. These airplanes, currently approved under Type Certificate No. A43NM, are swept-wing, conventional-tail, twin-engine, turbofan-powered, twin-aisle, large-sized transport-category airplanes.

The applicable regulations to airplanes currently approved under

Type Certificate No. A43NM do not require seats to meet the more stringent flammability standards required of large, non-metallic panels in the cabin interior. At the time the applicable rules were written, seats were designed with a metal frame covered by fabric, not with large, non-metallic panels. Seats also met the then-recently adopted standards for flammability of seat cushions. With the seat design being mostly fabric and metal, the contribution to a fire in the cabin had been minimized and was not considered a threat. For these reasons, seats did not need to be tested to heat-release and smoke-emission requirements.

Seat designs have now evolved to occasionally include non-traditional, large, non-metallic panels. Taken in total, the surface area of these panels is on the same order as the sidewall and overhead stowage-bin interior panels. To provide the level of passenger protection intended by the airworthiness standards, these non-traditional, large, non-metallic panels in the cabin must meet the standards of Title 14, Code of Federal Regulations (14 CFR), part 25, appendix F, parts IV and V, heat-release and smoke-emission requirements.

#### Type Certification Basis

Under the provisions of § 21.101, Airbus must show that the Model A340 series airplanes, as changed, continue to meet the applicable provisions of the regulations incorporated by reference in Type Certificate No. A43NM, or the applicable regulations in effect on the date of application for the change. The regulations incorporated by reference in the type certificate are commonly referred to as the "original type certification basis." The regulations incorporated by reference in Type Certificate No. A43NM are as follows: 14 CFR part 25, as amended by Amendments 25-1 through 25-63; certain regulations at later Amendments 25-65, 25-66, and 25-77; and Amendment 25-64 with exceptions. Refer to Type Certificate Data Sheet (TCDS) A43NM for a complete description of the certification basis for that model, including certain special conditions that are not relevant to these special conditions.

If the Administrator finds that the applicable airworthiness regulations (*i.e.*, 14 CFR part 25) do not contain adequate or appropriate safety standards for the Model A340 series airplanes because of a novel or unusual design feature, special conditions are prescribed under the provisions of § 21.16.

In addition to the applicable airworthiness regulations and special conditions, the Model A340 series airplanes must comply with the fuel-vent and exhaust-emission requirements of 14 CFR part 34 and the noise-certification requirements of 14 CFR part 36.

The FAA issues special conditions, as defined in § 11.19, under § 11.38 and they become part of the type certification basis under § 21.101.

Special conditions are initially applicable to the model for which they are issued. Should the type certificate for that model be amended later to include any other model that incorporates the same novel or unusual design feature, or should any other model already included on the same type certificate be modified to incorporate the same novel or unusual design feature, the special conditions would also apply to the other model.

#### Novel or Unusual Design Features

The Model A340 series airplanes will incorporate the following novel or unusual design features: These models offer interior arrangements that include passenger seats that incorporate non-traditional, large, non-metallic panels in lieu of the traditional metal frame covered by fabric. The flammability properties of these panels have been shown to significantly affect the survivability of occupants of the cabin in the case of fire. These seats are considered a novel design for transport-category airplanes that include Amendment 25-61 and Amendment 25-66 in the certification basis, and were not considered when those airworthiness standards were established.

The existing regulations do not provide adequate or appropriate safety standards for seat designs that incorporate non-traditional, large, non-metallic panels. To provide a level of safety that is equivalent to that provided by the balance of the cabin, additional airworthiness standards, in the form of special conditions, are necessary. These special conditions supplement § 25.853. The requirements contained in these special conditions consist of applying the identical test conditions, required of all other large panels in the cabin, to seats with non-traditional, large, non-metallic panels.

#### Definition of "Non-Traditional, Large, Non-Metallic Panel"

A non-traditional, large, non-metallic panel, in this case, is defined as a panel with exposed-surface areas greater than 1.5 square feet installed per seat place. The panel may consist of either a single

component or multiple components in a concentrated area. Examples of parts of the seat where these non-traditional panels are installed include, but are not limited to: seat backs and bottoms, leg/foot rests, kick panels, back shells, credenzas, and associated furniture. Examples of traditional exempted parts of the seat include: arm caps, armrest close-outs such as end bays and armrest-styled center consoles, food trays, video monitors, and shrouds.

#### Clarification of "Exposed"

"Exposed" is considered to include those panels directly exposed to the passenger cabin in the traditional sense, plus those panels enveloped such as by a dress cover. Traditional fabrics or leathers currently used on seats are excluded from these special conditions. These materials still must comply with § 25.853(a) and § 25.853(c) if used as a covering for a seat cushion, or § 25.853(a) if installed elsewhere on the seat. Non-traditional, large, non-metallic panels covered with traditional fabrics or leathers will be tested without their coverings or covering attachments.

#### Discussion

In the early 1980s, the FAA conducted extensive research on the effects of post-crash flammability in the passenger cabin. As a result of this research and service experience, we adopted new standards for interior surfaces associated with large-surface-area parts. Specifically, the rules require measurement of heat release and smoke emission (part 25, Appendix F, parts IV and V) for the affected parts. Heat release has been shown to have a direct correlation with post-crash fire survival time. Materials that comply with the standards (i.e., § 25.853, entitled "Compartment interiors," as amended by Amendment 25-61 and Amendment 25-66) extend survival time by approximately 2 minutes over materials that do not comply.

At the time these standards were written, the FAA explored the potential application of the requirements of heat-release and smoke-emission requirements to seats. The seat frame itself was not a concern because it was primarily made of aluminum and only small amounts of non-metallic materials. It was determined that the overall effect on survivability was negligible, whether or not the food trays met the heat-release and smoke-emission requirements. The requirements, therefore, did not address seats. The preambles to both the Notice of Proposed Rule Making (NPRM), Notice No. 85-10 (50 FR 15038, April 16, 1985), and the Final Rule at

Amendment 25-61 (51 FR 26206, July 21, 1986), specifically note that seats were excluded "because the recently-adopted standards for flammability of seat cushions will greatly inhibit involvement of the seats."

Subsequently, the Final Rule at Amendment 25-83 (60 FR 6615, March 6, 1995) clarified the definition of minimum panel size: "It is not possible to cite a specific size that will apply in all installations; however, as a general rule, components with exposed-surface areas of one square foot or less may be considered small enough that they do not have to meet the new standards. Components with exposed-surface areas greater than two square feet may be considered large enough that they do have to meet the new standards. Those with exposed-surface areas greater than one square foot, but less than two square feet, must be considered in conjunction with the areas of the cabin in which they are installed before a determination could be made."

In the late 1990s, the FAA issued Policy Memorandum 97-112-39, "Guidance for Flammability Testing of Seat/Console Installations," October 17, 1997 (<http://rpl.faa.gov>). That memo was issued when it became clear that seat designs were evolving to include large non-metallic panels with surface areas that would impact survivability during a cabin fire event, comparable to partitions or galleys. The memo noted that large-surface-area panels must comply with heat-release and smoke-emission requirements, even if they were attached to a seat. If the FAA had not issued such policy, seat designs could have been viewed as a loophole to the airworthiness standards that would result in an unacceptable decrease in survivability during a cabin fire event.

In October of 2004, an issue was raised regarding the appropriate flammability standards for passenger seats that incorporated non-traditional, large, non-metallic panels in lieu of the traditional metal covered by fabric. The Seattle Aircraft Certification Office and Transport Standards Staff reviewed this design and determined that it represented the kind and quantity of material that should be required to pass the heat-release and smoke-emission requirements. We have determined that special conditions would be issued to apply the standards defined in § 25.853(d) to seats with large, non-metallic panels in their design.

#### Applicability

As discussed above, these special conditions are applicable to Airbus Model A340 series airplanes. Although

the heat-release and smoke-emission testing requirements of § 25.853, per Appendix F, parts IV and V, are not part of the part 25 certification basis for the Airbus Model A340 series airplanes, these special conditions are applicable if the airplanes are in 14 CFR part 121 service. Part 121 requires applicable interior panels to comply with § 25.853, Appendix F, parts IV and V, regardless of the certification basis. It is not our intent to require seats with large, non-metallic panels to meet § 25.853, Appendix F, parts IV and V, if they are installed in cabins of airplanes that otherwise are not required to meet these standards. Should Airbus apply at a later date for a change to the type certificate to include another model incorporating the same novel or unusual design feature, the special conditions would apply to that model as well.

#### Conclusion

This action affects only certain novel or unusual design features on Airbus Model A340 series airplanes. It is not a rule of general applicability.

The substance of these special conditions has been subjected to the notice-and-comment period in several prior instances, and has been derived without substantive change from those previously issued. It is unlikely that prior public comment would result in a significant change from the substance contained herein. Therefore, the FAA has determined that prior public notice and comment are unnecessary, and good cause exists for adopting these special conditions upon issuance. The FAA is requesting comments to allow interested persons to submit views that may not have been submitted in response to the prior opportunities for comment described above.

#### List of Subjects in 14 CFR Part 25

Aircraft, Aviation safety, Reporting and recordkeeping requirements.

The authority citation for these special conditions is as follows:

**Authority:** 49 U.S.C. 106(g), 40113, 44701, 44702, 44704.

#### The Special Conditions

Accordingly, pursuant to the authority delegated to me by the Administrator, the following special conditions are issued as part of the type certification basis for Airbus Model A340 series airplanes.

1. Compliance with 14 CFR part 25, appendix F, parts IV and V, heat release and smoke emission, is required for seats that incorporate non-traditional, large, non-metallic panels that may be either a single component or multiple components in a concentrated area in

their design. Traditional panels are exempted.

2. The applicant may designate up to and including 1.5 square feet of non-traditional, non-metallic panel material per seat place that does not have to comply with No. 1. A triple-seat assembly may have a total of 4.5 square feet excluded on any portion of the assembly (e.g., outboard seat place, 1 sq. ft.; middle, 1 sq. ft.; and inboard, 2.5 sq. ft.)

3. Seats need not meet the test requirements of 14 CFR part 25, appendix F, parts IV and V, when installed in compartments that are not otherwise required to meet these requirements. Examples include:

a. Airplanes with passenger capacities of 19 or less,

b. Airplanes that do not have smoke-and-heat release in their certification basis, and do not need to comply with the requirements per 14 CFR 121.312,

c. Airplanes exempted from smoke-and-heat-release requirements.

4. The applicability requirements fall into two categories: either new-seat certification program or previously certified. New-seat certification programs must meet the special conditions, previously certified are not required to.

Issued in Renton, Washington on December 28, 2009.

**Ali Bahrami,**

*Manager, Transport Airplane Directorate, Aircraft Certification Service.*

[FR Doc. E9-31119 Filed 12-31-09; 8:45 am]

**BILLING CODE 4910-13-P**

## DEPARTMENT OF TRANSPORTATION

### Federal Aviation Administration

#### 14 CFR Part 25

[Docket No. NM422; Special Conditions No. 25-398-SC]

#### Special Conditions: Airbus Model A318-112 Airplane (S/N 3886); Certification of a Cooktop

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Final special conditions; request for comments.

**SUMMARY:** The FAA issues these special conditions for the Airbus Model A318-112. This airplane, as modified by Bizjet, a Lufthansa Technik Company, will have a novel or unusual design feature when compared to the state of technology envisioned in the airworthiness standards for transport-category airplanes. The modification consists of installing an electrically heated surface, called a cooktop. The

applicable airworthiness regulations do not contain adequate or appropriate safety standards for this design feature. These special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

**DATES:** The effective date of these special conditions is December 23, 2009.

We must receive your comments by February 18, 2010.

**ADDRESSES:** You must mail two copies of your comments to: Federal Aviation Administration, Transport Airplane Directorate, Attn: Rules Docket (ANM-113), Docket No. NM422, 1601 Lind Avenue, SW., Renton, Washington 98057-3356. You may deliver two copies to the Transport Airplane Directorate at the above address. You must mark your comments: Docket No. NM422. You can inspect comments in the Rules Docket weekdays, except Federal holidays, between 7:30 a.m. and 4 p.m.

**FOR FURTHER INFORMATION CONTACT:** Dan Jacquet, FAA, Airframe and Cabin Safety Branch, Transport Airplane Directorate, Aircraft Certification Service, 1601 Lind Avenue, SW., Renton, Washington 98057-3356; telephone (425) 227-2676; facsimile (425) 227-1100; e-mail [daniel.jacquet@faa.gov](mailto:daniel.jacquet@faa.gov).

**SUPPLEMENTARY INFORMATION:** The FAA has determined that notice and opportunity for prior public comment for these special conditions is impracticable because this procedure would significantly delay certification and delivery of the affected aircraft. In addition, the substance of these special conditions has been subject to the public comment process in several prior instances with no substantive comments received. We therefore find that good cause exists for making these special conditions effective upon issuance.

#### Comments Invited

We invite interested persons to take part in this rulemaking by sending written comments. The most helpful comments reference a specific portion of the special conditions, explain the reason for any recommended change, and include supporting data. We ask that you send us two copies of written comments.

We will file in the docket all comments we receive, as well as a report summarizing each substantive public contact with FAA personnel about these special conditions. You may inspect the docket before and after the comment closing date. If you wish to

review the docket in person, go to the address in the **ADDRESSES** section of this preamble between 7:30 a.m. and 4 p.m., Monday through Friday, except Federal holidays.

We will consider all comments we receive by the closing date for comments. We will consider comments filed late if it is possible to do so without incurring expense or delay. We may change these special conditions based on the comments we receive.

If you want us to let you know we received your comments on these special conditions, include with your comments a self-addressed, stamped postcard on which the docket number appears. We will stamp the date on the postcard and mail it back to you.

#### Background

On December 5, 2008, Bizjet International (Bizjet) applied for a supplemental type certificate for the Airbus Model A318-112 airplane, serial number 3886. The Airbus Model A318-112 airplane is a large, transport-category airplane powered by two CFM56-5B9/P engines, with a basic maximum takeoff weight of 130,071 pounds. The modified Airbus Model A318-112 airplane, serial number 3886, operates with a two-pilot crew, up to four flight attendants, and can hold up to 19 passengers.

The modification consists of installing an electrically heated surface, called a cooktop. Cooktops introduce high heat, smoke, and the possibility of fire into the passenger-cabin environment. These potential hazards to the airplane and its occupants must be satisfactorily addressed. Because existing airworthiness regulations do not contain safety standards addressing cooktops, we issue these special conditions.

#### Type Certification Basis

Under the provisions of Title 14, Code of Federal Regulations (14 CFR) 21.101, Bizjet must show that the Airbus 318-112, as changed, continues to meet the applicable provisions of the regulations incorporated by reference in Type Certificate No. A28NM, or the applicable regulations in effect on the date of application for the change. The regulations incorporated by reference in the type certificate are commonly referred to as the "original type certification basis." The regulations incorporated by reference in A28NM are 14 CFR part 25, as amended by Amendments 25-1 through 25-56, with reversions to earlier amendments, voluntary compliance to later amendments, special conditions, equivalent-safety findings, and