

**DEPARTMENT OF COMMERCE****National Oceanic and Atmospheric Administration****50 CFR Part 660**

[Docket No. 0809121213-9221-02]

RIN 0648-AY40

**Magnuson-Stevens Act Provisions; Fisheries Off West Coast States; Pacific Coast Groundfish Fishery; Biennial Specifications and Management Measures; Inseason Adjustments**

**AGENCY:** National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

**ACTION:** Final rule; inseason adjustments to biennial groundfish management measures; request for comments.

**SUMMARY:** This final rule announces inseason changes to management measures in the commercial, recreational and tribal Pacific Coast groundfish fisheries. These actions, which are authorized by the Pacific Coast Groundfish Fishery Management Plan (FMP), are intended to allow fisheries to access more abundant groundfish stocks while protecting overfished and depleted stocks.

**DATES:** Effective 0001 hours (local time) February 26, 2010. Comments on this final rule must be received no later than 5 p.m., local time on March 29, 2010.

**ADDRESSES:** You may submit comments, identified by RIN 0648-AY40 by any one of the following methods:

- **Electronic Submissions:** Submit all electronic public comments via the Federal eRulemaking Portal <http://www.regulations.gov>.
- **Fax:** 206-526-6736, Attn: Gretchen Arentzen
- **Mail:** Barry Thom, Acting Regional Administrator, Northwest Region, NMFS, 7600 Sand Point Way NE., Seattle, WA 98115-0070, Attn: Gretchen Arentzen.

**Instructions:** No comments will be posted for public viewing until after the comment period has closed. All comments received are a part of the public record and will generally be posted to <http://www.regulations.gov> (<http://www.regulations.gov/>) without change. All Personal Identifying Information (for example, name, address, etc.) voluntarily submitted by the commenter may be publicly accessible. Do not submit Confidential Business Information or otherwise sensitive or protected information.

NMFS will accept anonymous comments (enter N/A in the required

fields, if you wish to remain anonymous). You may submit attachments to electronic comments in Microsoft Word, Excel, WordPerfect, or Adobe PDF file formats only.

**FOR FURTHER INFORMATION CONTACT:**

Gretchen Arentzen (Northwest Region, NMFS), *phone:* 206-526-6147, *fax:* 206-526-6736 and e-mail [gretchen.arentzen@noaa.gov](mailto:gretchen.arentzen@noaa.gov).

**SUPPLEMENTARY INFORMATION:****Electronic Access**

This final rule is accessible via the Internet at the Office of the Federal Register's Web site at <http://www.gpoaccess.gov/fr/index.html>. Background information and documents are available at the Pacific Fishery Management Council's website at <http://www.pcouncil.org/>.

**Background**

The Pacific Coast Groundfish FMP and its implementing regulations at title 50 in the Code of Federal Regulations (CFR), part 660, subpart G, regulate fishing for over 90 species of groundfish off the coasts of Washington, Oregon, and California. Groundfish specifications and management measures are developed by the Pacific Fishery Management Council (Council), and are implemented by NMFS. A proposed rule to implement the 2009-2010 groundfish harvest specifications and management measures published on December 31, 2008, (73 FR 80516). The final rule to implement the 2009-2010 specifications and management measures for the Pacific Coast Groundfish Fishery was published on March 6, 2009 (74 FR 9874). This final rule was subsequently amended by inseason actions on April 27, 2009 (74 FR 19011), July 6, 2009 (74 FR 31874), and October 28, 2009 (74 FR 55468). Additional changes to the 2009-2010 specifications and management measures for petrale sole were made in two final rules: On November 4, 2009 (74 FR 57117) and December 10, 2009 (74 FR 65480). These specifications and management measures are codified in the CFR (50 CFR part 660, subpart G).

Changes to the biennial groundfish management measures implemented by this action were recommended by the Council, in consultation with Pacific Coast Treaty Indian Tribes and the States of Washington, Oregon, and California, at its October 31 through November 5, 2009, meeting in Costa Mesa, California. The Council recommended adjusting the biennial groundfish management measures for the remainder of the biennial period to respond to updated fishery information

and other inseason management needs. These changes include: Adjustments to cumulative limits in commercial fisheries off Washington, Oregon, and California; adjustments to lingcod retention in the Washington recreational fishery on days when the primary halibut fishery is open; and revisions to tribal management measures for black rockfish and widow rockfish. Increases to cumulative limits may be implemented at any time during a "two-month cumulative limit period". There are six two-month cumulative limit periods during the year: January-February, March-April, etc. Prior to the effective date of this rule (see the **DATES** section above), landings must not exceed the applicable cumulative limits as described in the Code of Federal Regulations. The additional fish that become available under the new, higher limits for January and February may be harvested by the fishery after the effective date that is listed in the **DATES** section above. Total landings for January and February (the current cumulative limit period) may not exceed the new, higher cumulative limit.

The projected impacts to three of the seven overfished species (widow and darkblotched rockfishes and Pacific Ocean perch) will increase slightly with the adjustments to the cumulative limits in the limited entry non-whiting trawl fishery. These impacts, however, when combined with the impacts from all other fisheries, are not projected to exceed the 2010 rebuilding OYs for these species. The other adjustments to fishery management measures are not expected to result in greater impacts to overfished species than originally projected through the end of 2010. Estimated mortality of overfished and target species are the result of management measures designed to meet the Pacific Coast Groundfish FMP objective of achieving, to the extent possible, but not exceeding, OYs of target species, while fostering the rebuilding of overfished stocks by remaining within their rebuilding OYs.

**Review of 2009 Fisheries and Setting Management Measures for the Remainder of the Biennium**

At its November 2009 meeting, the Council reviewed the 2009 commercial groundfish fisheries by considering: (1) The fishery management measures initially set for 2009, (2) modifications to management measures that were needed inseason in 2009 as new data became available throughout the season, and (3) retrospective total catch pattern data from the 2009 year-to-date. Two noticeable features of the 2009 fishing

season were that the Council had to: recommend adjustments to limited entry non-whiting trawl fishery management measures to reduce the harvest of petrale sole to facilitate rebuilding; and, on several occasions, recommend inseason adjustments to commercial fisheries to liberalize trip limits in order to allow total catch of some target species to approach, but not exceed, their 2009 allowable harvest levels. This practice is in keeping with the Council's rebuilding goals for overfished species, but is challenging for an industry trying to predict whether and how much fish will be available for harvest in the next month (or bi-monthly period) of the year. The Council's goal in scrutinizing the 2009 groundfish fisheries was to develop a set of management measures for the remainder of the biennial period that would take into account new knowledge gained in 2009 to better structure the fisheries in 2010. The improved structure of the initial 2010 management measures was designed to continue to keep total catch of managed species within their optimum yield levels, yet be conservative enough to reduce the need for inseason restrictions, and liberal enough to allow the catch of target species to approach, but not exceed, their 2010 OYs. The purpose of revising the 2010 management measures was to reduce the frequency with which management measure adjustments would be needed inseason during the remainder of 2010; and to allow the industry to plan for their 2010 fishing season(s). These revisions also ensure that management measures in place for the remainder of the biennial period reflect the best available science and are appropriately designed to constrain total catch during the year for all species.

#### *Limited Entry Non-Whiting Trawl Fishery Management Measures*

Based on the Council's goals in reviewing 2009 fishery data, as described above, the Council's Groundfish Management Team (GMT) reviewed the adjustments to fishery management measures in the limited entry non-whiting trawl fishery during the 2009–2010 biennium. Two major factors were considered during development of changes to limited entry non-whiting trawl fishery management measures for the remainder of the biennium: The severe restrictions put in place to reduce catches of petrale sole in both 2009 and 2010; and routine adjustments to 2009 fishery management measures that were necessary during the first ten months of the biennium.

The most prominent feature of changes to the 2009–2010 trawl fishery were the more restrictive management measures for petrale sole, put in place for the end of 2009 and for all of 2010, to facilitate rebuilding of petrale sole. These changes are anticipated to indirectly affect the harvest of incidentally caught overfished species that co-occur with petrale sole. By reducing catches of petrale sole, projected impacts to Pacific Ocean perch (POP), darkblotched rockfish, and widow rockfish are also reduced. The GMT explored potential options for modest increases to trip limits for target species due to the availability of incidentally caught overfished species. Where possible, modest increases to target species trip limits were developed in an attempt to off-set some of the loss of petrale sole fishing opportunities. Projected impacts to POP, darkblotched and widow rockfish are slightly increased by providing additional target species opportunities. However the new projected impacts to these overfished species are approximately equivalent to what they were projected to be prior to the severe restrictions placed on petrale sole harvest opportunities.

The second major factor that was considered during development of changes to the limited entry non-whiting trawl fishery management measures for the remainder of the biennium was performance of the 2009 fishery. Performance of the 2009 fishery includes both the scope and magnitude of routine adjustments to 2009 fishery management measures that were necessary during 2009, and the most recent fishery information through October 30, 2009. Review of changes to trip limits implemented for target species during 2009 identified that, aside from petrale sole, sablefish was the primary species that needed adjustments to trip limits and closed areas in order to achieve, but not exceed, the 2009 harvest specification. During 2009, inseason adjustments were also made to arrowtooth flounder trip limits to modestly raise trip limits and reduce regulatory discarding that was reported by industry representatives during the summer fishery. Additionally, chilipepper rockfish trip limits were raised considerably during 2009 to allow additional targeting opportunities. At their November 2009 meeting, the Council also received the most recent Pacific Fishery Information Network's (PacFIN) and Quota Species Monitoring (QSM) data, which estimated catch through the end of October. The Council considered trip limit adjustments based on the

performance of the fishery during the first 10 months of the biennial period (January–October 2009).

The most recently available fishery information indicates that, with the inseason adjustments to increase trip limits and modify the trawl RCA that occurred in 2009, catches of sablefish through the end of 2009 are projected to come in just below the allocation (3,270 mt of the 3,280 mt sablefish allocation). The Council considered adjustments to sablefish cumulative limits for the remainder of the biennium that would re-distribute the projected catch more equitably throughout the calendar year, while still maintaining modest increases to approach, but not exceed, the 2010 sablefish allocation. To do this, the Council chose to raise cumulative limits in January–April, 2010, and lower cumulative limits at the end of the year, which were the limits that were raised via inseason action during 2009. The overall effect of these cumulative limit adjustments is to have a more constant cumulative limit throughout the year, rather than cumulative limits that ramp-up toward the end of the year. With this adjustment, catches of sablefish for 2010 are projected to come in just below the allocation (3,182 mt of the 3,280 mt sablefish allocation).

During 2009, the Council recommended and NMFS implemented an increase in the arrowtooth flounder trip limits, for vessels using large and small footrope gear, at the end of 2009 (from 150,000 lb (68,039 kg) per 2 months to 180,000 lb (81,647 kg) per 2 months in Periods 5 and 6) to reduce regulatory discards that were being reported by the industry. The Council considered options for arrowtooth flounder trip limits in the limited entry non-whiting trawl fishery for 2010. The Council recommended the 150,000 lb (68,039 kg) per 2 months trip limit, the same limit that was established for the 2009–2010 biennium during the harvest specifications and management measures process, remain in place for all of 2010, for vessels using large and small footrope trawl gear. These slightly lower limits are intended to slightly reduce projected impacts to co-occurring overfished species (POP and darkblotched rockfish). The Council may consider inseason adjustments to this trip limit during 2010 based on the most up to date fishery information, including industry reports of regulatory discard.

Based on analysis provided by the GMT at their June 2009 meeting, the Council recommended increasing the chilipepper rockfish cumulative limit for the limited entry non-whiting trawl fishery south of 40°10' N. lat. The

analysis presented in June 2009 was requested by industry representatives, who reported an increasing incidental encounter rate and high discards of chilipepper rockfish under the lower 5,000 lb (2,268 kg) per 2 months cumulative limit. West Coast Groundfish Observer Program (WCGOP) data confirmed that discards of chilipepper rockfish in this fishery were high. Results of the June 2009 analysis indicated that a 12,000 lb (5,443 kg) 2 month cumulative limit could reduce regulatory discards, while balancing the risk of inducing effort shifts to convert the trip limit from an incidental landing allowance to a cumulative limit that would be targeted by fishermen. The GMT presented analysis in June 2009 that indicated that, even if some change in fishing behavior were to occur, there was little risk of additional impacts to any overfished species (cowcod and bocaccio in particular) due to a decrease in trawl effort in areas where bycatch of cowcod and bocaccio have been observed. For the same reasons that the chilipepper rockfish trip limit was increased in June 2009, the Council recommended continuing the higher, 12,000 lb (5,443 kg) per 2 months, cumulative limit for chilipepper rockfish for all of 2010.

The Council recommended a suite of changes to trip limits in the non-whiting trawl fishery for the remainder of the biennium in response to the two major factors outlined above: The severe restrictions put in place to reduce catches of petrale sole in both 2009 and 2010; and routine adjustments to 2009 fishery management measures during the first ten months of the biennium.

Based on the considerations outlined above, the Council recommended and NMFS is implementing the following changes to cumulative limits in the limited entry non-whiting trawl fishery for 2010: increase slope rockfish limits north of 40°10' N. lat. from "1,500 lb (680 kg) per 2 months" to "6,000 lb (2,722 kg) per 2 months", all year, beginning on February 26, 2010; increase the slope rockfish limits between 40°10' N. lat. and 38° N. lat. from "10,000 lb (4,536 kg) per 2 months" to "15,000 lb (6,804 kg) per 2 months" in July–August and decrease from "18,000 lb (8,165 kg) per 2 months" to "15,000 lb (6,804 kg) per 2 months" in November–December; modify sablefish cumulative limits caught with large and small footrope trawl gears north of 40°10' N. lat. to "20,000 lb (9,072 kg) per 2 months" in January–April, "24,000 lb (10,886 kg) per 2 months" in May–October, and "20,000 lb (9,072 kg) per 2 months" in November–December, beginning on February 26, 2010; modify

sablefish limits caught with selective flatfish trawl gear and multiple trawl gears north of 40°10' N. lat. to "9,000 lb (4,082 kg) per 2 months" all year, beginning February 26, 2010; modify sablefish limits south of 40°10' N. lat. to "22,000 lb (9,979 kg) per 2 months" all year, beginning on February 26, 2010; increase longspine thornyhead limits taken with large and small footrope trawl gears north of 40°10' N. lat. and with all trawl gears south of 40°10' N. lat. from "22,000 lb (9,979 kg) per 2 months" to "24,000 lb (10,886 kg) per 2 months" all year, beginning on February 26, 2010; increase longspine thornyhead limits taken with selective flatfish trawl gear and multiple trawl gears north of 40°10' N. lat. from "3,000 lb (1,361 kg) per 2 months" to "5,000 lb (2,268 kg) per 2 months" for January–February and November–December (Periods 1 and 6), beginning on February 26, 2010; increase shortspine thornyhead limits taken with large and small footrope trawl gears North of 40°10' N. lat. and with all trawl gears south of 40°10' N. lat. from "17,000 lb (7,711 kg) per 2 months" to "18,000 lb (8,165 kg) per 2 months" all year, beginning on February 26, 2010; increase shortspine thornyhead limits taken with selective flatfish trawl gear and multiple trawl gears north of 40°10' N. lat. from "3,000 lb (1,361 kg) per 2 months" to "5,000 lb (2,268 kg) per 2 months" all year, beginning on February 26, 2010; increase Dover sole limits taken with selective flatfish trawl gear and multiple trawl gears north of 40°10' N. lat. from 40,000 lb/2 months for January–February and November–December (Periods 1 and 6) and from 45,000 lb/2 months in March–October (Periods 2–5) to "65,000 lb/2 months" all year, beginning on February 26, 2010; decrease "other flatfish" limits taken with selective flatfish trawl gear and multiple trawl gears, from "90,000 lb/2 months" to "60,000 lb/2 months" all year, beginning on March 1, 2010; decrease arrowtooth flounder limits taken with large and small footrope trawl gears from "180,000 lb (81,647 kg) 2 months" to "150,000 lb (68,039 kg) per 2 months" in September–December; increase splitnose rockfish limits taken with all trawl gears between 40°10' N. lat. and 38° N. lat. from "10,000 lb (4,536 kg) per 2 months" to "15,000 lb (6,804 kg) per 2 months" in July–October; and increase chilipepper rockfish limits south of 40°10' N. lat. taken with all trawl gears from "5,000 lb (2,268 kg) per 2 months" to "12,000 lb/2 months" from January–June, beginning on February 26, 2010.

#### *Limited Entry Fixed Gear and Open Access Fishery Management Measures*

Based on the Council's goals in reviewing 2009 fishery data, as described above, the Council's GMT reviewed the adjustments to fishery management measures in the limited entry fixed gear and open access fisheries during the first ten months of the 2009–2010 biennium. The major factor considered during development of changes to limited entry fixed gear and open access fisheries' management measures for the remainder of the biennium were the routine adjustments to 2009 fishery management measures that were necessary during the first ten months of the biennium.

#### *Minor Nearshore and Black Rockfish Trip Limits Between 42° N. lat. and 40°10.00' N. lat.*

Black rockfish is a nearshore rockfish species that was assessed in 2007 as two separate stocks, and therefore the harvest specifications are divided at the Washington/Oregon border (46°16.00' N. lat.). The 2010 black rockfish OY for the area south of 46°16.00' N. lat. is 1,000 mt. Oregon and California work cooperatively to manage their nearshore fisheries (both commercial and recreational) to approach but not exceed the black rockfish OY in this area. The 2010 black rockfish commercial allocation for California is 185 mt. At their June 2009 meeting, the Council recommended an increase in the minor nearshore and black rockfish trip limit, as catches were projected to be well below the 2009 allocation (74 mt of a 185 mt allocation) if no action were taken. This trip limit increase was only considered for the area between 42° N. lat. and 40°10.00' N. lat., where the lower trip limits were being attained. At their June 2009 meeting, the Council also considered the potential for increased impacts to blue rockfish if the trip limit were increased while leaving the minor nearshore rockfish and black rockfish trip limit structure as "no more than 1,200 lb (544 kg) may be species other than black or blue rockfish". So, on July 6, 2009 (74 FR 31974) NMFS implemented the Council recommendations to raise the trip limit for minor nearshore and black rockfish, while decreasing the blue rockfish trip limit by changing the trip limit structure. The limit for the limited entry fixed gear and open access fisheries between 42° N. lat. and 40°10.00' N. lat. was raised and restructured from "6,000 lb (2,722 kg) per two months, no more than 1,200 lb (544 kg) of which may be species other than black or blue rockfish" to "7,000 lb (3,175 kg) per two

months, no more than 1,200 lb (544 kg) of which may be species other than black rockfish" in July–December (Periods 3–6) of 2009.

At their November 2009 meeting, the Council considered the most recent limited entry fixed gear and open access nearshore fishery information, and recommended that the increased and re-structured limit that was implemented inseason during 2009 remain in place for the 2010 fishery. Therefore, the Council recommended and NMFS is implementing an increase to the minor nearshore rockfish trip limit, and a decrease in the blue rockfish sub-limit, between 42° N. lat. and 40°10' N. lat. from "6,000 lb (2,722 kg) per two months, no more than 1,200 lb (544 kg) of which may be species other than black or blue rockfish" to "7,000 lb (3,175 kg) per two months, no more than 1,200 lb (544 kg) of which may be species other than black rockfish." Because the re-structuring of this trip limit restricts the catch of blue rockfish, it cannot be implemented during the middle of a cumulative limit period. Therefore, it will go into effect beginning March 1, 2010 through the end of the year. Limited Entry Fixed Gear Sablefish Daily Trip Limit Fishery North of 36° N. lat.

Over the past several years, the amount of sablefish harvested in the limited entry fixed gear sablefish daily trip limit (DTL) fishery north of 36° N. lat. has been lower than their sablefish allocation. The Council recommended and NMFS implemented a precautionary adjustment that moderately raised the daily, weekly and bi-monthly trip limits for sablefish in this fishery on May 1, 2009 (74 FR 19011). At their June 2009 meeting the Council recommended and NMFS implemented a second precautionary adjustment that modestly increased the bi-monthly limit for July–October (July 6, 2009, 74 FR 31874). At their September 2009 meeting the Council recommended and NMFS implemented a third adjustment to remove the daily limit and increase the weekly and bimonthly limits from October–December (October 28, 2009, 74 FR 55468). With the numerous adjustments to increase limits for sablefish in this fishery, the projected impacts through the end of 2009 are 199 mt out of a 351 mt allocation.

At their November 2009 meeting, the Council considered the scope and magnitude of routine adjustments to 2009 fishery management measures. The Council also received the most recent PacFIN and QSM data, which estimated catch through the end of October, and considered trip limit adjustments based

on the performance of the fishery during the first 10 months of the biennial period (January–October 2009).

Review of changes to trip limits implemented for sablefish during 2009 and analysis of the effects that changes to sablefish trip limits in this fishery had on sablefish landings found that maintaining the higher bi-monthly limit that was in place during the end of 2009 could be considered for all of 2010, without exceeding the 2010 sablefish allocation of 321 mt. As described above, the catch limits for sablefish in this fishery were gradually increased throughout 2009. The Council considered adjustments to sablefish cumulative limits for the remainder of the biennium that would re-distribute the projected catch more equitably throughout the calendar year, while still maintaining increases to approach, but not exceed, the 2010 sablefish allocation. To do this, the Council chose to eliminate the daily limit and raise the weekly and bi-monthly limits in January–August, and lower the weekly cumulative limit at the end of the year (September–December). The overall effect of these cumulative limit adjustments is to have a more constant cumulative limit throughout the year, rather than cumulative limits that ramp-up toward the end of the year. With this adjustment, catches of sablefish for 2010 are projected to be 201 mt (63 percent of the 321 mt sablefish allocation).

This increase in sablefish trip limits is not anticipated to increase projected impacts to overfished species, because projected impacts to overfished species are calculated assuming that the entire sablefish allocation is harvested. Increases in projected impacts to co-occurring target species are not anticipated to exceed OYs.

Therefore, the Council recommended and NMFS is implementing trip limit changes for the limited entry fixed gear fishery north of 36° N. lat. that increase sablefish DTL fishery limits to "1,750 lb (794 kg) per week, not to exceed 7,000 lb (3,175 kg) per 2 months" beginning on February 26, 2010 through the end of the year.

#### **Tribal Fishery Management Measures**

At their November 2009 meeting, the Council received a request from the Makah Indian Tribe to increase their 2010 black rockfish harvest guideline and to re-structure their widow rockfish landing limit for their midwater trawl fishery for 2010.

The Makah Indian Tribe requested an increase in the 2010 tribal black rockfish harvest guideline for the area north of Cape Alava, Washington (48°10' N. lat.) from 20,000 lbs (9.1-mt) to 30,000 lbs

(13.6-mt) to allow a small amount of targeting opportunity to occur on black rockfish in a live-fish fishery. With the higher tribal harvest guideline north of Cape Alava, and the projected catches of black rockfish from all other fisheries North of 46°16' N. lat., the total catch of black rockfish is not projected to exceed the 2010 northern black rockfish OY of 490 mt.

Therefore, the Council recommended and NMFS is implementing an increase in the black rockfish tribal harvest guideline for the area north of Cape Alava, Washington (48°10' N. lat.) from 20,000 lbs (9.1-mt) to 30,000 lbs (13.6-mt).

The Makah Indian Tribe also requested that the widow rockfish landing limit in the midwater trawl fishery be re-structured in 2010 to allow greater flexibility in management and to reduce discarding of widow rockfish, while maintaining the overall catch below their annual widow rockfish limit. The current limit structure states that "landings of widow rockfish must not exceed 10 percent of the weight of yellowtail rockfish landed in a two-month period." The Makah Indian Tribe is proposing to re-structure the limit so that the total landings of widow rockfish would not exceed 10 percent of the weight of yellowtail rockfish landed by a given vessel for the entire year, e.g. if a vessel landed 100,000 lbs of yellowtail rockfish for the season, that same vessel is only allowed to have landed a total of 10,000 lbs of widow rockfish at that time. The Makah Tribe will maintain a total catch of each species, for each vessel, throughout the year to ensure that the catch ratio of widow rockfish to yellowtail rockfish is not exceeded during 2010.

Therefore, the Council recommended and NMFS is implementing a re-structured cumulative limit ratio for widow rockfish in the tribal midwater trawl fishery as follows: From "\* \* \* not exceed 10 percent of the weight of yellowtail rockfish landed in any two-month period." to "\* \* \* not exceed 10 percent of the cumulative weight of yellowtail rockfish landed, for a given vessel, throughout the year." Washington Recreational Fisheries Management Measures

The Council recommended a change in Washington recreational fishery management measures in the area between the Queets River and Leadbetter Point to allow lingcod retention seaward of the boundary line approximating the 30-fm (55-m) depth contour on days that the primary halibut season is open. Under current regulations, most recreational groundfish fishing, including fishing for

lingcod, is prohibited, for part of the year, seaward of the line approximating the 30 fm depth contour to reduce incidental impacts to yelloweye rockfish. Therefore, anglers targeting halibut there are forced to discard lingcod, but once their halibut is caught, these anglers move shoreward of the boundary line approximating the 30-fm (55-m) depth contour and begin targeting lingcod. This shoreward shift of effort on lingcod results in more fishing effort than would occur if the lingcod caught incidentally offshore while targeting halibut were allowed to be retained. The additional effort targeting lingcod shoreward could negate some of the potential yelloweye rockfish catch reductions from the RCA if yelloweye are encountered. The State of Washington will prohibit further fishing seaward of the 30-fm line once a vessel reaches its limit of halibut. This regulatory change is not anticipated to increase impacts to yelloweye rockfish, and the Washington Department of Fish and Wildlife and NMFS will continue to monitor impacts to yelloweye rockfish to ensure the harvest guideline is not exceeded.

#### Classification

These actions are taken under the authority of 50 CFR 660.370(c) and are exempt from review under Executive Order 12866.

These inseason adjustments are taken under the authority of the Magnuson-Stevens Fishery Conservation and Management Act (Magnuson-Stevens Act), and are in accordance with 50 CFR part 660, the regulations implementing the FMP. These actions are based on the most recent data available. The aggregate data upon which these actions are based are available for public inspection at the Office of the Administrator, Northwest Region, NMFS, (*see ADDRESSES*) during business hours.

For the following reasons, NMFS finds good cause to waive prior public notice and comment on the revisions to groundfish management measures under 5 U.S.C. 553(b) because notice and comment would be impracticable and contrary to the public interest. Also, for the same reasons, NMFS finds good cause to waive the 30-day delay in effectiveness pursuant to 5 U.S.C. 553(d)(3), so that this final rule may become effective as quickly as possible.

The recently available data upon which these recommendations were based was provided to the Council, and the Council made its recommendations, at its October 31 through November 5, 2009, meeting in Costa Mesa, California. The Council recommended that these

changes be implemented on or as close as possible to January 1, 2010. There was not sufficient time after that meeting to draft this document and undergo proposed and final rulemaking before these actions need to be in effect. For the actions to be implemented in this final rule, affording the time necessary for prior notice and opportunity for public comment would prevent the Agency from managing fisheries using the best available science to approach, without exceeding, the OYs for federally managed species in accordance with the FMP and applicable laws. The adjustments to management measures in this document affect commercial fisheries off Washington, Oregon, and California, and recreational and tribal fisheries off Washington.

These adjustments to management measures must be implemented in a timely manner to allow fishermen an opportunity to harvest higher limits in 2010 for slope rockfish, sablefish, longspine and shortspine thornyheads, Dover sole, chilipepper rockfish, slope rockfish, splitnose rockfish and minor nearshore and black rockfish. Increases to cumulative limits for: Sablefish in the limited entry trawl fishery and the limited entry fixed gear fishery; slope rockfish, longspine and shortspine thornyheads, Dover sole, splitnose rockfish and chilipepper rockfish in the limited entry trawl fishery; and minor nearshore and black rockfish in the limited entry fixed gear fishery and the open access fishery allow fishermen increased opportunities to harvest available healthy stocks while staying within the OYs for these species. These changes must be implemented in a timely manner, as early as possible in 2010, so that fishermen are allowed increased opportunities to harvest available healthy stocks, and meet the objective of the Pacific Coast Groundfish FMP to allow fisheries to approach, but not exceed, OYs. It would be contrary to the public interest to delay implementation of these changes until after public notice and comment, because making this regulatory change in February 2010 allows additional harvest in fisheries that are important to coastal communities.

These adjustments to management measures must be implemented in a timely manner to prevent 2010 OYs from being exceeded or to prevent premature closure of the fishery. Decreases to cumulative limits for other flatfish and arrowtooth flounder in the limited entry trawl fishery and for blue rockfish in the limited entry fixed gear and open access fisheries are intended to prevent exceeding the 2010 OYs for

these species and co-occurring species, and prevent premature closure of fisheries that impact these species. These changes must be implemented in a timely manner, on March 1, 2010. Cumulative limits cover a two-month period, so if implementation is delayed much past March 1 fishermen could harvest the prior higher limit before the revised limit is effective. Decreases to cumulative limits for other flatfish and arrowtooth flounder in the limited entry trawl fishery are intended to reduce impacts to co-occurring overfished species, and to reduce impacts to petrale sole, a co-occurring species for which a severely reduced OY was implemented for 2010 (74 FR 65480). Decreases to cumulative limits for blue rockfish in the limited entry fixed gear and open access fisheries are intended to prevent the 2010 blue rockfish OY from being exceeded and prevent premature closure of nearshore fisheries that take blue rockfish.

Delaying these changes would keep management measures in place that are not based on the best available data, which could deny fishermen access to available harvest and could lead to early closures of the fishery if harvest of groundfish exceeds levels projected for 2010. Such delay would impair achievement of the Pacific Coast Groundfish FMP objective of approaching, but not exceeding, OYs.

#### List of Subjects in 50 CFR Part 660

Fisheries, Fishing, Indian fisheries.

Dated: February 17, 2010.

#### Emily H. Menashes,

*Acting Director, Office of Sustainable Fisheries, National Marine Fisheries Service.*

■ For the reasons set out in the preamble, 50 CFR part 660 is amended as follows:

#### PART 660—FISHERIES OFF WEST COAST STATES

■ 1. The authority citation for part 660 is amended to read as follows:

**Authority:** 16 U.S.C. 1801 *et seq.* and 16 U.S.C. 773 *et seq.*

■ 2. Section 660.321 is revised to read as follows:

#### § 660.321 Black rockfish harvest guideline.

From the commercial harvest of black rockfish off Washington State, a treaty Indian tribes' harvest guideline is set of 30,000 lb (13,608 kg) for the area north of Cape Alava, WA (48°09.50' N. lat) and 10,000 lb (4,536 kg) for the area between Destruction Island, WA (47°40' N. lat.) and Leadbetter Point, WA (46°38.17' N. lat.). This harvest guideline applies and is available to the

treaty Indian tribes identified in § 660.324(b).

■ 3. In § 660.384 paragraph (c)(1)(i)(D)(2), is revised to read as follows:

**§ 660.384 Recreational fishery management measures.**

\* \* \* \* \*

- (c) \* \* \*
- (1) \* \* \*
- (i) \* \* \*
- (D) \* \* \*

(2) Between the Queets River and Leadbetter Point, recreational fishing for groundfish is prohibited seaward of a boundary line approximating the 30-fm (55-m) depth contour from March 15 through June 15, except that recreational fishing for sablefish and Pacific cod is permitted within the recreational RCA from May 1 through June 15, and on days that the primary halibut fishery is open lingcod may be taken, retained and possessed seaward of the boundary line approximating the 30-fm (55-m) depth contour. Days open to Pacific halibut recreational fishing off Washington are announced on the NMFS hotline at (206) 526-6667 or (800) 662-9825.

Retention of lingcod seaward of the boundary line approximating the 30-fm (55-m) depth contour south of 46°58' N. lat. is prohibited on Fridays and Saturdays from July 1 through August 31. For additional regulations regarding the Washington recreational lingcod fishery, see paragraph (c)(1)(iii) of this section. Coordinates for the boundary line approximating the 30-fm (55-m) depth contour are listed in § 660.391.

\* \* \* \* \*

■ 4. In § 660.385 paragraphs (b)(1) and (b)(5) are revised to read as follows:

**§ 660.385 Washington coastal tribal fisheries management measures.**

\* \* \* \* \*

- (b) \* \* \*

(1) *Black Rockfish*. For the commercial harvest of black rockfish off Washington State, a harvest guideline of: 30,000 lb (13,608 kg) north of Cape Alava, WA (48°10' N. lat.) and 10,000 lb (4,536 kg) between Destruction Island, WA (47°40' N. lat.) and Leadbetter Point, WA (46°38.17' N. lat.). There are no tribal harvest restrictions for black

rockfish in the area between Cape Alava and Destruction Island.

\* \* \* \* \*

(5) The Makah Tribe will manage the midwater trawl fisheries as follows: yellowtail rockfish taken in the directed tribal mid-water trawl fisheries are subject to a cumulative limit of 180,000 lb (81,647 kg) per 2 month period for the entire fleet. Landings of widow rockfish must not exceed 10 percent of the weight of yellowtail rockfish landed, for a given vessel, throughout the year. These limits may be adjusted by the tribe inseason to minimize the incidental catch of canary rockfish and widow rockfish, provided the average 2-month cumulative yellowtail rockfish limit does not exceed 180,000 lb (81,647 kg) for the fleet.

\* \* \* \* \*

■ 5. Table 2a to Part 660, Subpart G, and footnote "/cc" following Tables 2a through 2c to Part 660, Subpart G are revised to read as follows:

\* \* \* \* \*

BILLING CODE 3510-22-P

Table 2a. To Part 660, Subpart G-2010, Specifications of ABCs, OYs, and HGs, by Management Area (weights in metric tons).

Species	ABC Specifications						OY	HG b/	
	ABC Contributions by Area							Commercial	Recreation-
	Vancouver a/	Columbia	Eureka	Monterey	Conception	ABC			
ROUNDFISH:									
Lingcod c/				771		4,829	4,829		
N of 42 N. lat.	4,058								
S of 42 N. lat.									
Pacific Cod e/	3,200		d/			3,200	1,600		
Pacific Whiting f/			f/			f/	134,773 - 404,318		
Sablefish g/							6,471		
N of 36 N. lat.			9,217			9,217			
S of 36 N. lat.							1,258		
Cabezon h/				86	25	111	79		
S of 42 N. lat.	d/								
FLATFISH:									
Dover sole			28,582			28,582	16,500		
English sole j/			9,745			9,745	9,745	-	
Petrale sole k/				1,237		2,751	1,200	-	
Arrowtooth flounder l/	1,514					10,112	10,112	-	
Starry Flounder m/			1,578			1,578	1,077		
Other flatfish n/			6,731			6,731	4,884	-	
ROCKFISH:									
Pacific Ocean Perch o/		1,173				1,173	200	198	

Species	ABC Specifications										Commercial	Recreation	
	ABC Contributions by Area												OY
	ABC Contributions by Area				Concepti on	ABC							
	Vancouve r a/	Columbia	Eureka	Monterey									
Shortbelly p/			6,950								6,950		
Widow q/			6,937								509	447.4	7.2
Canary r/			940								44 - 105		
Chilipepper s/		d/		2,576							2,447	2,447	
Bocaccio t/		d/		793							288	206.4	67.3
Splitnose u/		d/		615							461		
Yellowtail v/		4,562		d/							4,562		
Shortspine thornyhead w/ N of 34 27' N. lat.			2,411								1,591	1,591	
S of 34 27' N. lat.											410		
Longspine thornyhead													
x/ N of 34 27' N. lat.			3,671								2,175		
S of 34 27' N. lat.											385		
Cowcod y/		d/		14							4		
Darkblotched z/			440								291	288.05	
Yelloweye aa/											17	3.1	8.0
California Scorpionfish bb/				155							155		
Black cc/													
N of 46 16' N. lat.	464										464		
S of 46 16' N. lat.				1,317							1,000		

Species	ABC Specifications							Commerci al	HG b/ Recreation al	
	ABC Contributions by Area									OY
	Vancouver a/			Monterey		Concepti on	ABC			
	Columbia	Eureka	Monterey							
Minor Rockfish dd/ N of 40 10' N. lat.	3,678	--	--	3,678	2,283					
Minor Rockfish ee/ S of 40 10' N. lat.	--	3,382	3,382	1,990						
Remaining	1,640	1,318								
bank ff/	d/	350								
blackgill gg/	d/	292								
blue	28	211								
bocaccio north	318	--								
chilipepper north	32	--								
redstripe	576	d/								
sharpchin	307	45								
silvergrey	38	d/								
splitnose north	242	--								
yellowmouth	99	d/								
yellowtail	--	116								
gopher	d/	302								
Other rockfish hh/	2,038	2,066								
SHARKS/SKATES/RATFISH/MORIDS/GRENADIERS/KELP GREENLING:										
Longnose Skate ii/		3,269		3,269	1,349					
Other fish jj/		11,200		11,200	5,600					

\* \* \* \* \*

<sup>cc</sup>/New assessments were prepared for black rockfish south of 45°56.00 N. lat. (Cape Falcon, Oregon) and for black rockfish north of Cape Falcon. The ABC for the area north of 46°16' N. lat. (Washington) is 464 mt (97 percent) of the 478 mt ABC contribution from the northern assessment area. The ABC for the area south of 46°16' N. lat. (Oregon and California) is 1,317 mt which is the sum of a contribution of 14 mt (3 percent) from the northern area assessment, and 1,303 mt from

the southern area assessment. The ABCs were derived using an FMSY proxy of F50%. Because both portions of the stock are above 40 percent, the OYs could be set equal to the ABCs. For the area north of 46°16' N. lat., the OY of 490 mt is set equal to the ABC. The following tribal harvest guidelines are being set: 30,000 lb (13.6 mt) north of Cape Alava, WA (48°09.50' N. lat.) and 10,000 lb (4.5 mt) between Destruction Island, WA (47°40' N. lat.) and Leadbetter Point, WA (46°38.17' N. lat.) For the area south of 46°16' N. lat., the

OY of 1,000 mt is a constant harvest level. The black rockfish OY in the area south of 46°16' N. lat., is subdivided with separate HGs being set for the area north of 42° N. lat. (580 mt/58 percent) and for the area south of 42° N. lat. (420 mt/42 percent).

\* \* \* \* \*

■ 6. Tables 3 (North), 3 (South), 4 (North), 4 (South), and 5 (North) to part 660, subpart G are revised to read as follows:

**Table 3 (North) to Part 660, Subpart G -- 2010 Trip Limits for Limited Entry Trawl Gear North of 40°10' N. Lat.**  
Other Limits and Requirements Apply -- Read § 660.301 - § 660.399 before using this table

120909

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>6/</sup>:</b>						
1 North of 48°10' N. lat.	shore - modified <sup>7/</sup> 200 fm line <sup>6/</sup>	shore - 200 fm line <sup>6/</sup>	shore - 150 fm line <sup>6/</sup>		shore - 200 fm line <sup>6/</sup>	shore - modified <sup>7/</sup> 200 fm line <sup>6/</sup>
2 48°10' N. lat. - 45°46' N. lat.	75 fm line <sup>6/</sup> - modified <sup>7/</sup> 200 fm line <sup>6/</sup>	75 fm line <sup>6/</sup> - 200 fm line <sup>6/</sup>	75 fm line <sup>6/</sup> - 150 fm line <sup>6/</sup>	100 fm line <sup>6/</sup> - 150 fm line <sup>6/</sup>	75 fm line <sup>6/</sup> - 200 fm line <sup>6/</sup>	75 fm line <sup>6/</sup> - modified <sup>7/</sup> 200 fm line <sup>6/</sup>
3 45°46' N. lat. - 40°10' N. lat.			75 fm line <sup>6/</sup> - 200 fm line <sup>6/</sup>	100 fm line <sup>6/</sup> - 200 fm line <sup>6/</sup>		
Selective flatfish trawl gear is required shoreward of the RCA; all trawl gear (large footrope, selective flatfish trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope and small footrope trawl gears (except for selective flatfish trawl gear) are prohibited shoreward of the RCA. Midwater trawl gear is permitted only for vessels participating in the primary whiting season.						
See § 660.370 and § 660.381 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.390-660.394 and §§ 660.396-660.399 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).						
State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.						
4 <b>Minor slope rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b>	6,000 lb/ 2 months					
5 <b>Pacific ocean perch</b>	1,500 lb/ 2 months					
6 <b>DTS complex</b>						
7 <b>Sablefish</b>						
8 large & small footrope gear	20,000 lb/ 2 months	24,000 lb/ 2 months			20,000 lb/ 2 months	
9 selective flatfish trawl gear	9,000 lb/ 2 months					
10 multiple bottom trawl gear <sup>8/</sup>	9,000 lb/ 2 months					
11 <b>Longspine thornyhead</b>						
12 large & small footrope gear	24,000 lb/ 2 months					
13 selective flatfish trawl gear	5,000 lb/ 2 months					
14 multiple bottom trawl gear <sup>8/</sup>	5,000 lb/ 2 months					
15 <b>Shortspine thornyhead</b>						
16 large & small footrope gear	18,000 lb/2 months					
17 selective flatfish trawl gear	5,000 lb/ 2 months					
18 multiple bottom trawl gear <sup>8/</sup>	5,000 lb/ 2 months					
19 <b>Dover sole</b>						
20 large & small footrope gear	110,000 lb/ 2 months					
21 selective flatfish trawl gear	65,000 lb/ 2 months					
22 multiple bottom trawl gear <sup>8/</sup>	65,000 lb/ 2 months					

TABLE 3 (North)

Table 3 (North). Continued

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
23	<b>Whiting</b>	Before the primary whiting season: CLOSED. -- During the primary season: mid-water trawl permitted in the RCA. See §660.373 for season and trip limit details. -- After the primary whiting season: CLOSED.					
24	midwater trawl						
25	large & small footrope gear	Before the primary whiting season: 20,000 lb/trip. -- During the primary season: 10,000 lb/trip. -- After the primary whiting season: 10,000 lb/trip.					
26	<b>Flatfish (except Dover sole)</b>						
27	Arrowtooth flounder						
28	large & small footrope gear	150,000 lb/ 2 months					
29	selective flatfish trawl gear	90,000 lb/ 2 months					
30	multiple bottom trawl gear <sup>8/</sup>	90,000 lb/ 2 months					
31	Other flatfish <sup>3/</sup> , English sole, stary flounder, & Petrale sole						
32	large & small footrope gear for Other flatfish <sup>3/</sup> , English sole, & stary flounder	110,000 lb/ 2 months	110,000 lb/ 2 months, no more than 9,500 lb/ 2 months of which may be petrale sole.				110,000 lb/ 2 months
33	large & small footrope gear for Petrale sole	9,500 lb/ 2 months					9,500 lb/ 2 months
34	selective flatfish trawl gear for Other flatfish <sup>3/</sup> , English sole, & stary flounder	90,000 lb/ 2 months, no more than 9,500 lb/ 2 months of which may be petrale sole.	60,000 lb/ 2 months, no more than 9,500 lb/ 2 months of which may be petrale sole.				
35	selective flatfish trawl gear for Petrale sole						
36	multiple bottom trawl gear <sup>8/</sup>	90,000 lb/ 2 months, no more than 9,500 lb/ 2 months of which may be petrale sole.	60,000 lb/ 2 months, no more than 9,500 lb/ 2 months of which may be petrale sole.				
37	<b>Minor shelf rockfish <sup>1/</sup>, Shortbelly, Widow &amp; Yelloweye rockfish</b>						
38	midwater trawl for Widow rockfish	Before the primary whiting season: CLOSED. -- During primary whiting season: In trips of at least 10,000 lb of whiting, combined widow and yellowtail limit of 500 lb/ trip, cumulative widow limit of 1,500 lb/ month. Mid-water trawl permitted in the RCA. See §660.373 for primary whiting season and trip limit details. -- After the primary whiting season: CLOSED.					
39	large & small footrope gear	300 lb/ 2 months					
40	selective flatfish trawl gear	300 lb/ month	1,000 lb/ month, no more than 200 lb/ month of which may be yelloweye rockfish			300 lb/ month	
41	multiple bottom trawl gear <sup>8/</sup>	300 lb/ month	300 lb/ 2 months, no more than 200 lb/ month of which may be yelloweye rockfish			300 lb/ month	

TABLE 3 (North) cont

Table 3 (North). Continued

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
42 <b>Canary rockfish</b>						
43     large & small footrope gear	CLOSED					
44     selective flatfish trawl gear	100 lb/ month		300 lb/ month		100 lb/ month	
45     multiple bottom trawl gear <sup>8/</sup>	CLOSED					
46 <b>Yellowtail</b>						
47     midwater trawl	Before the primary whiting season: CLOSED. -- During primary whiting season: In trips of at least 10,000 lb of whiting: combined widow and yellowtail limit of 500 lb/ trip, cumulative yellowtail limit of 2,000 lb/ month. Mid-water trawl permitted in the RCA. See §660.373 for primary whiting season and trip limit details. -- After the primary whiting season: CLOSED.					
48     large & small footrope gear	300 lb/ 2 months					
49     selective flatfish trawl gear	2,000 lb/ 2 months					
50     multiple bottom trawl gear <sup>8/</sup>	300 lb/ 2 months					
51 <b>Minor nearshore rockfish &amp; Black rockfish</b>						
52     large & small footrope gear	CLOSED					
53     selective flatfish trawl gear	300 lb/ month					
54     multiple bottom trawl gear <sup>8/</sup>	CLOSED					
55 <b>Lingcod <sup>4/</sup></b>						
56     large & small footrope gear			4,000 lb/ 2 months			
57     selective flatfish trawl gear	1,200 lb/ 2 months	1,200 lb/2 months				
58     multiple bottom trawl gear <sup>8/</sup>						
59 <b>Pacific cod</b>	30,000 lb/ 2 months	70,000 lb/ 2 months			30,000 lb/ 2 months	
60 <b>Spiny dogfish</b>	200,000 lb/ 2 months	150,000 lb/ 2 months	100,000 lb/ 2 months			
61 <b>Other Fish <sup>5/</sup></b>	Not limited					

TABLE 3 (North) cont

1/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish.

2/ Splitnose rockfish is included in the trip limits for minor slope rockfish.

3/ "Other flatfish" are defined at § 660.302 and include butter sole, curffin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

4/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.

5/ "Other fish" are defined at § 660.302 and include sharks, skates (including longnose skate), ratfish, morids, grenadiers, and kelp greenling.

Cabezon is included in the trip limits for "other fish."

6/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.391-660.394. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

7/ The "modified" fathom lines are modified to exclude certain petrale sole areas from the RCA.

8/ If a vessel has both selective flatfish gear and large or small footrope gear on board during a cumulative limit period (either simultaneously or successively), the most restrictive cumulative limit for any gear on board during the cumulative limit period applies for the entire cumulative limit period.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

**Table 3 (South) to Part 660, Subpart G -- 2010 Trip Limits for Limited Entry Trawl Gear South of 40°10' N. Lat.**

Other Limits and Requirements Apply -- Read § 660.301 - § 660.399 before using this table

120909

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>6/</sup> :</b>						
1	South of 40°10' N. lat.		100 fm line <sup>6/</sup> - 150 fm line <sup>6/ 7/</sup>			
All trawl gear (large footrope, selective flatfish trawl, midwater trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope trawl gear and midwater trawl gear are prohibited shoreward of the RCA.						
See § 660.370 and § 660.381 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.390-660.394 and §§ 660.396-660.399 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).						
State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.						
<b>Minor slope rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b>						
2						
3	40°10' - 38° N. lat.		15,000 lb/ 2 months			
4	South of 38° N. lat.		55,000 lb/ 2 months			
<b>Splitnose</b>						
5						
6	40°10' - 38° N. lat.		15,000 lb/ 2 months			
7	South of 38° N. lat.		55,000 lb/ 2 months			
<b>DTS complex</b>						
8						
9	Sablefish		22,000 lb/ 2 months			
10	Longspine thornyhead		24,000 lb/ 2 months			
11	Shortspine thornyhead		18,000 lb/ 2 months			
12	Dover sole		110,000 lb/ 2 months			
<b>Flatfish (except Dover sole)</b>						
13						
14	Other flatfish <sup>3/</sup> , English sole, & starry flounder		110,000 lb/ 2 months		110,000 lb/ 2 months	
15	Petrale sole		9,500 lb/ 2 months		9,500 lb/ 2 months	
16	Arrowtooth flounder		10,000 lb/ 2 months			
<b>Whiting</b>						
17						
18	midwater trawl		Before the primary whiting season: CLOSED. -- During the primary season: mid-water trawl permitted in the RCA. See §660.373 for season and trip limit details. -- After the primary whiting season: CLOSED.			
19	large & small footrope gear		Before the primary whiting season: 20,000 lb/trip. -- During the primary season: 10,000 lb/trip. -- After the primary whiting season: 10,000 lb/trip.			

TABLE 3 (South)

Table 3 (South). Continued

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Minor shelf rockfish<sup>1/</sup>, Chilipepper, Shortbelly, Widow, &amp; Yelloweye rockfish</b>						
20						
21	large footrope or midwater trawl for Minor shelf rockfish & Shortbelly 300 lb/ month					
22	large footrope or midwater trawl for Chilipepper 12,000 lb/ 2 months					
23	large footrope or midwater trawl for Widow & Yelloweye CLOSED					
24	small footrope trawl for Minor Shelf, Shortbelly, Widow & Yelloweye 300 lb/ month					
25	small footrope trawl for Chilipepper 12,000 lb/ 2 months					
26	<b>Bocaccio</b>					
27	large footrope or midwater trawl 300 lb/ 2 months					
28	small footrope trawl CLOSED					
29	<b>Canary rockfish</b>					
30	large footrope or midwater trawl CLOSED					
31	small footrope trawl 100 lb/ month		300 lb/ month		100 lb/ month	
32	<b>Cowcod</b> CLOSED					
33	<b>Bronzespotted rockfish</b> CLOSED					
34	<b>Minor nearshore rockfish &amp; Black rockfish</b>					
35	large footrope or midwater trawl CLOSED					
36	small footrope trawl 300 lb/ month					
37	<b>Lingcod<sup>4/</sup></b>					
38	large footrope or midwater trawl 1,200 lb/ 2 months		4,000 lb/ 2 months			
39	small footrope trawl		1,200 lb/ 2 months			
40	<b>Pacific cod</b> 30,000 lb/ 2 months		70,000 lb/ 2 months			30,000 lb/ 2 months
41	<b>Spiny dogfish</b> 200,000 lb/ 2 months		150,000 lb/ 2 months	100,000 lb/ 2 months		
42	<b>Other Fish<sup>5/</sup> &amp; Cabezon</b> Not limited					

TABLE 3 (South) con't

1/ Yellowtail is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.  
 2/ POP is included in the trip limits for minor slope rockfish  
 3/ "Other flatfish" are defined at § 660.302 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.  
 4/ The minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.  
 5/ Other fish are defined at § 660.302 and include sharks, skates (including longnose skate), ratfish, morids, grenadiers, and kelp greenling.  
 6/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.391-660.394. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

Table 4 (North) to Part 660, Subpart G -- 2009-2010 Trip Limits for Limited Entry Fixed Gear North of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.301 - § 660.399 before using this table

120909

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
<b>Rockfish Conservation Area (RCA)<sup>6/</sup>:</b>								
1	North of 46°16' N. lat.	shoreline - 100 fm line <sup>6/</sup>						
2	46°16' N. lat. - 45°03.83' N. lat.	30 fm line <sup>6/</sup> - 100 fm line <sup>6/</sup>						
3	45°03.83' N. lat. - 43°00' N. lat.	30 fm line <sup>6/</sup> - 125 fm line <sup>6/7/</sup>						
4	43°00' N. lat. - 42°00' N. lat.	20 fm line <sup>6/</sup> - 100 fm line <sup>6/</sup>						
5	42°00' N. lat. - 40°10' N. lat.	20 fm depth contour - 100 fm line <sup>6/</sup>						
See § 660.370 and § 660.382 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.390-660.394 and §§ 660.396-660.399 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).								
State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.								
6	Minor slope rockfish <sup>2/</sup> & Darkblotched rockfish	4,000 lb/ 2 months						
7	Pacific ocean perch	1,800 lb/ 2 months						
8	Sablefish	1,750 lb per week, not to exceed 7,000 lb/ 2 months						
9	Longspine thornyhead	10,000 lb/ 2 months						
10	Shortspine thornyhead	2,000 lb/ 2 months						
11	Dover sole	South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs.						
12	Arrowtooth flounder							
13	Petrale sole							
14	English sole							
15	Starry flounder							
16	Other flatfish <sup>1/</sup>	5,000 lb/ month						
17	Whiting	10,000 lb/ trip						
18	Minor shelf rockfish <sup>2/</sup> , Shortbelly, Widow, & Yellowtail rockfish	200 lb/ month						
19	Canary rockfish	CLOSED						
20	Yelloweye rockfish	CLOSED						
21	Minor nearshore rockfish & Black rockfish							
22	North of 42° N. lat.	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish <sup>3/</sup>						
23	42° - 40°10' N. lat.	6,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish <sup>3/</sup>	7,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish <sup>3/</sup>					
24	Lingcod <sup>4/</sup>	CLOSED			800 lb/ 2 months		400 lb/ month	CLOSED
25	Pacific cod	1,000 lb/ 2 months						
26	Spiny dogfish	200,000 lb/ 2 months		150,000 lb/ 2 months	100,000 lb/ 2 months			
27	Other fish <sup>5/</sup>	Not limited						

TABLE 4 (North)

- 1/ "Other flatfish" are defined at § 660.302 and include butter sole, curffin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
- 2/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor slope rockfish.
- 3/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
- 4/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.
- 5/ "Other fish" are defined at § 660.302 and include sharks, skates (including longnose skates), rattfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."
- 6/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.391-660.394. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
- 7/ The 125 fm line restriction is in place all year, except on days when the directed halibut fishery is open. On those days the 100 fm line restriction is in effect.

**To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.**

**Table 4 (South) to Part 660, Subpart G -- 2009-2010 Trip Limits for Limited Entry Fixed Gear South of 40°10' N. Lat.**  
**Other Limits and Requirements Apply -- Read § 660.301 - § 660.399 before using this table**

120909

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>5/</sup>:</b>							
1	40°10' - 34°27' N. lat.	30 fm line <sup>5/</sup> - 150 fm line <sup>5/</sup>					
2	South of 34°27' N. lat.	60 fm line <sup>5/</sup> - 150 fm line <sup>5/</sup> (also applies around islands)					
<p>See § 660.370 and § 660.382 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions.                      See §§ 660.390-660.394 and §§ 660.396-660.399 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</p>							
<p>State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.</p>							
3	<b>Minor slope rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b>	40,000 lb/ 2 months					
4	<b>Splitnose</b>	40,000 lb/ 2 months					
5	<b>Sablefish</b>						
6	40°10' - 36° N. lat.	1,750 lb per week, not to exceed 7,000 lb/ 2 months					
7	South of 36° N. lat.	400 lb/ day, or 1 landing per week of up to 1,500 lb				3,000 lb per week	
8	<b>Longspine thornyhead</b>	10,000 lb / 2 months					
9	<b>Shortspine thornyhead</b>						
10	40°10' - 34°27' N. lat.	2,000 lb/ 2 months					
11	South of 34°27' N. lat.	3,000 lb/ 2 months					
12	<b>Dover sole</b>	5,000 lb/ month South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs.					
13	<b>Arrowtooth flounder</b>						
14	<b>Petrале sole</b>						
15	<b>English sole</b>						
16	<b>Starry flounder</b>						
17	<b>Other flatfish<sup>1/</sup></b>						
18	<b>Whiting</b>	10,000 lb/ trip					
19	<b>Minor shelf rockfish<sup>2/</sup>, Shortbelly, Widow rockfish, and Bocaccio (including Chilipepper between 40°10' - 34°27' N. lat.)</b>						
20	40°10' - 34°27' N. lat.	Minor shelf rockfish, shortbelly, widow rockfish, bocaccio & chilipepper: 2,500 lb/ 2 months, of which no more than 500 lb/ 2 months may be any species other than chilipepper.					
21	South of 34°27' N. lat.	3,000 lb/ 2 months	CLOSED	3,000 lb/ 2 months			
22	<b>Chilipepper rockfish</b>						
23	40°10' - 34°27' N. lat.	Chilipepper included under minor shelf rockfish, shortbelly, widow and bocaccio limits - - See above					
24	South of 34°27' N. lat.	2,000 lb/ 2 months, this opportunity only available seaward of the nontrawl RCA					
25	<b>Canary rockfish</b>	CLOSED					
26	<b>Yelloweye rockfish</b>	CLOSED					
27	<b>Cowcod</b>	CLOSED					
28	<b>Bronzespotted rockfish</b>	CLOSED					
29	<b>Bocaccio</b>						
30	40°10' - 34°27' N. lat.	Bocaccio included under Minor shelf rockfish, shortbelly, widow & chilipepper limits -- See above					
31	South of 34°27' N. lat.	300 lb/ 2 months	CLOSED	300 lb/ 2 months			

**TABLE 4 (South)**

Table 4 (South). Continued

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC		
<b>32 Minor nearshore rockfish &amp; Black rockfish</b>									
33	Shallow nearshore	600 lb/ 2 months	CLOSED	800 lb/ 2 months	900 lb/ 2 months	800 lb/ 2 months	600 lb/ 2 months		
34	Deeper nearshore								
35	40°10' - 34°27' N. lat.	700 lb/ 2 months	CLOSED	700 lb/ 2 months		800 lb/ 2 months			
36	South of 34°27' N. lat.	500 lb/ 2 months		600 lb/ 2 months					
37	California scorpionfish	600 lb/ 2 months	CLOSED	600 lb/ 2 months	1,200 lb/ 2 months				
38	Lingcod <sup>3/</sup>	CLOSED		800 lb/ 2 months			400 lb/ month	CLOSED	
39	Pacific cod	1,000 lb/ 2 months							
40	Spiny dogfish	200,000 lb/ 2 months		150,000 lb/ 2 months	100,000 lb/ 2 months				
41	Other fish <sup>4/</sup> & Cabezon	Not limited							

TABLE 4 (South)

1/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

2/ POP is included in the trip limits for minor slope rockfish. Yellowtail is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.

3/ The minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.

4/ "Other fish" are defined at § 660.302 and include sharks, skates (including longnose skates), ratfish, morids, grenadiers, and kelp greenling.

5/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.391-660.394. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

**Table 5 (North) to Part 660, Subpart G -- 2009-2010 Trip Limits for Open Access Gears North of 40°10' N. Lat.**

**Other Limits and Requirements Apply -- Read § 660.301 - § 660.399 before using this table**

120909

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>6/</sup>:</b>							
1	North of 46°16' N. lat.	shoreline - 100 fm line <sup>6/</sup>					
2	46°16' N. lat. - 45°03.83' N. lat.	30 fm line <sup>6/</sup> - 100 fm line <sup>6/</sup>					
3	45°03.83' N. lat. - 43°00' N. lat.	30 fm line <sup>6/</sup> - 125 fm line <sup>6/7/</sup>					
4	43°00' N. lat. - 42°00' N. lat.	20 fm line <sup>6/</sup> - 100 fm line <sup>6/</sup>					
5	42°00' N. lat. - 40°10' N. lat.	20 fm depth contour - 100 fm line <sup>6/</sup>					
<p>See § 660.370 and § 660.383 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions.                      See §§ 660.390-660.394 and §§ 660.396-660.399 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</p>							
State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.							
6	Minor slope rockfish <sup>1/</sup> & Darkblotched rockfish	Per trip, no more than 25% of weight of the sablefish landed					
7	Pacific ocean perch	100 lb/ month					
8	Sablefish	300 lb/ day, or 1 landing per week of up to 800 lb, not to exceed 2,400 lb/ 2 months			300 lb/ day, or 1 landing per week of up to 950 lb, not to exceed 2,750 lb/ 2 months		
9	Thornyheads	CLOSED					
10	Dover sole	3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs.					
11	Arrowtooth flounder						
12	Petrale sole						
13	English sole						
14	Starry flounder						
15	Other flatfish <sup>2/</sup>						
16	Whiting	300 lb/ month					
17	Minor shelf rockfish <sup>1/</sup> , Shortbelly, Widow, & Yellowtail rockfish	200 lb/ month					
18	Canary rockfish	CLOSED					
19	Yelloweye rockfish	CLOSED					
20	Minor nearshore rockfish & Black rockfish						
21	North of 42° N. lat.	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish <sup>3/</sup>					
22	42° - 40°10' N. lat.	6,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish <sup>3/</sup>	7,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish <sup>3/</sup>				
23	Lingcod <sup>4/</sup>	CLOSED			400 lb/ month		CLOSE D
24	Pacific cod	1,000 lb/ 2 months					
25	Spiny dogfish	200,000 lb/ 2 months		150,000 lb/ 2 months	100,000 lb/ 2 months		
26	Other Fish <sup>5/</sup>	Not limited					

TABLES (North)

Table 5 (North). Continued

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	TABLE 5 (North) cont
27	<b>PINK SHRIMP NON-GROUNDFISH TRAWL</b> (not subject to RCAs)							
28	North	<p><b>Effective April 1 - October 31:</b> Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.</p>						
29	<b>SALMON TROLL</b>							
30	North	<p>Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lbs of salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 200 lb per month combined limit for minor shelf rockfish, widow rockfish and yellowtail rockfish, and not in addition to that limit. Salmon trollers may retain and land up to 1 lingcod per 15 Chinook, plus 1 lingcod up to a trip limit of 10 lingcod, both within and outside of the RCA. This limit is within the 400 lb per month limit for lingcod, and not in addition to that limit. All groundfish species are subject to the open access limits, seasons, size limits and RCA restrictions listed in the table above.</p>						

- 1/ Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for minor shelf rockfish. Splitnose rockfish is included in the trip limits for minor slope rockfish.
- 2/ "Other flatfish" are defined at § 660.302 and include butter sole, curffin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
- 3/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
- 4/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.
- 5/ "Other fish" are defined at § 660.302 and include sharks, skates (including longnose skates), rattfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."
- 6/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.391-660.394. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
- 7/ The 125 fm line restriction is in place all year, except on days when the directed halibut fishery is open. On those days the 100 fm line restriction is in effect.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

[FR Doc. 2010-3892 Filed 2-25-10; 8:45 am]

BILLING CODE 3510-22-C

**DEPARTMENT OF COMMERCE**

**National Oceanic and Atmospheric Administration**

**50 CFR Part 679**

[Docket No. 09100091344-9056-02]

RIN 0648-XU63

**Fisheries of the Exclusive Economic Zone Off Alaska; Pacific Cod by Vessels Catching Pacific Cod for Processing by the Offshore Component in the Central Regulatory Area of the Gulf of Alaska**

**AGENCY:** National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

**ACTION:** Temporary rule; closure.

**SUMMARY:** NMFS is prohibiting directed fishing for Pacific cod by vessels

catching Pacific cod for processing by the offshore component in the Central Regulatory Area of the Gulf of Alaska (GOA). This action is necessary to prevent exceeding the A season allocation of the 2010 total allowable catch (TAC) of Pacific cod apportioned to vessels catching Pacific cod for processing by the offshore component of the Central Regulatory Area of the GOA.

**DATES:** Effective 1200 hrs, Alaska local time (A.l.t.), February 24, 2010, through 1200 hrs, A.l.t., September 1, 2010.

**FOR FURTHER INFORMATION CONTACT:** Josh Keaton, 907-586-7228.

**SUPPLEMENTARY INFORMATION:** NMFS manages the groundfish fishery in the GOA exclusive economic zone according to the Fishery Management Plan for Groundfish of the Gulf of Alaska (FMP) prepared by the North Pacific Fishery Management Council under authority of the Magnuson-Stevens Fishery Conservation and Management Act. Regulations governing fishing by U.S. vessels in accordance with the FMP appear at subpart H of 50 CFR part 600 and 50 CFR part 679.

The A season allocation of the 2010 TAC of Pacific cod apportioned to vessels catching Pacific cod for processing by the offshore component of the Central Regulatory Area of the GOA is 2,207 metric tons (mt) as established by the final 2009 and 2010 harvest specifications for groundfish of the GOA (74 FR 7333, February 17, 2010) and inseason adjustment (74 FR 68713, December 29, 2009).

In accordance with § 679.20(d)(1)(i), the Regional Administrator has determined that the A season allocation of the 2010 TAC of Pacific cod apportioned to vessels catching Pacific cod for processing by the offshore component of the Central Regulatory Area of the GOA will soon be reached. Therefore, the Regional Administrator is establishing a directed fishing allowance of 2,007 mt and is setting aside the remaining 200 mt as bycatch to support other anticipated groundfish fisheries. In accordance with § 679.20(d)(1)(iii), the Regional Administrator finds that this directed fishing allowance has been reached.