

62301 (incorporated by reference; see § 430.3).

* * * *

2.5 *Ambient room air temperature.*

During the test, maintain an ambient room air temperature, T_R , of $77^{\circ}\pm 9^{\circ}$ F ($25^{\circ}\pm 5^{\circ}$ C) for conventional ovens and cooking tops, or as indicated in Section 4, Paragraph 4.2 of IEC 62301 (incorporated by reference; see § 430.3) for microwave ovens, as measured at least 5 feet (1.5 m) and not more than 8 feet (2.4 m) from the nearest surface of the unit under test and approximately 3 feet (0.9 m) above the floor. The temperature shall be measured with a thermometer or temperature indicating system with an accuracy as specified in Section 2.9.3.1.

2.6 *Normal nonoperating temperature.*

All areas of the appliance to be tested shall attain the normal nonoperating temperature, as defined in Section 1.7, before any testing begins. The equipment for measuring the applicable normal nonoperating temperature shall be as described in Sections 2.9.3.1, 2.9.3.2, 2.9.3.3, and 2.9.3.4, as applicable.

* * * *

2.9.1.3 *Standby mode and off mode watt meter.* The watt meter used to measure standby mode and off mode shall have a resolution as specified in Section 4, Paragraph 4.5 of IEC 62301 (incorporated by reference; see § 430.3). The watt meter shall also be able to record a "true" average power as specified in Section 5, Paragraph 5.3.2(a) of IEC 62301.

* * * *

3. *Test Methods and Measurements*

3.1 *Test methods.*

3.1.1 *Conventional oven.* Perform a test by establishing the testing conditions set forth in Section 2, "TEST CONDITIONS," of this Appendix, and adjust any pilot lights of a conventional gas oven in accordance with the manufacturer's instructions and turn off the gas flow to the conventional cooking top, if so equipped. Before beginning the test, the conventional oven shall be at its normal nonoperating temperature as defined in Section 1.7 and described in Section 2.6. Set the conventional oven test block W_1 approximately in the center of the usable baking space. If there is a selector switch for selecting the mode of operation of the oven, set it for normal baking. If an oven permits baking by either forced convection by using a fan, or without forced convection, the oven is to be tested in each of those two modes. The oven shall remain on for at least one complete thermostat "cut-off/cut-on" of the electrical resistance heaters or gas burners after the test block temperature has increased 234° F (130° C) above its initial temperature.

3.1.1.1 *Self-cleaning operation of a conventional oven.* Establish the test conditions set forth in Section 2, "TEST CONDITIONS," of this Appendix. Adjust any pilot lights of a conventional gas oven in accordance with the manufacturer's instructions and turn off the gas flow to the conventional cooking top. The temperature of the conventional oven shall be its normal nonoperating temperature as defined in Section 1.7 and described in Section 2.6. Then set the conventional oven's self-cleaning process in accordance with the

manufacturer's instructions. If the self-cleaning process is adjustable, use the average time recommended by the manufacturer for a moderately soiled oven.

* * * *

3.1.2 *Conventional cooking top.* Establish the test conditions set forth in Section 2, "TEST CONDITIONS," of this Appendix. Adjust any pilot lights of a conventional gas cooking top in accordance with the manufacturer's instructions and turn off the gas flow to the conventional oven(s), if so equipped. The temperature of the conventional cooking top shall be its normal nonoperating temperature as defined in Section 1.7 and described in Section 2.6. Set the test block in the center of the surface unit under test. The small test block, W_2 , shall be used on electric surface units of 7 inches (178 mm) or less in diameter. The large test block, W_3 , shall be used on electric surface units over 7 inches (177.8 mm) in diameter and on all gas surface units. Turn on the surface unit under test and set its energy input rate to the maximum setting. When the test block reaches 144° F (80° C) above its initial test block temperature, immediately reduce the energy input rate to 25 ± 5 percent of the maximum energy input rate. After 15 ± 0.1 minutes at the reduced energy setting, turn off the surface unit under test.

* * * *

3.1.3 *Microwave oven.*

3.1.3.1 *Microwave oven test standby mode and off mode power.* Establish the testing conditions set forth in Section 2, "TEST CONDITIONS," of this Appendix. For microwave ovens that drop from a higher power state to a lower power state as discussed in Section 5, Paragraph 5.1, Note 1 of IEC 62301 (incorporated by reference; see § 430.3), allow sufficient time for the microwave oven to reach the lower power state before proceeding with the test measurement. Follow the test procedure as specified in Section 5, Paragraph 5.3 of IEC 62301. For units in which power varies as a function of displayed time in standby mode, set the clock time to 3:33 at the end of the stabilization period specified in Section 5, Paragraph 5.3, and use the average power approach described in Section 5, Paragraph 5.3.2(a), but with a single test period of 10 minutes ± 0.2 sec. If a microwave oven is capable of operation in either standby mode or off mode, as defined in Sections 1.12 and 1.8, respectively, or both, test the microwave oven in each mode in which it can operate.

* * * *

3.2.3 *Microwave oven test standby mode and off mode power.* Make measurements as specified in Section 5, Paragraph 5.3 of IEC 62301 (incorporated by reference; see § 430.3). If the microwave oven is capable of operating in standby mode, measure the average standby mode power of the microwave oven, P_{SB} , in watts as specified in Section 3.1.3.1. If the microwave oven is capable of operating in off mode, measure the average off mode power of the microwave oven, P_{OFF} , as specified in Section 3.1.3.1.

* * * *

3.3.13 Record the average standby mode power, P_{SB} , for the microwave oven standby mode, as determined in Section 3.2.3 for a

microwave oven capable of operating in standby mode. Record the average off mode power, P_{OFF} , for the microwave oven off mode power test, as determined in Section 3.2.3 for a microwave oven capable of operating in off mode.

[FR Doc. 2010-17775 Filed 7-21-10; 8:45 am]

BILLING CODE 6450-01-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 71

[Docket No. FAA-2010-0323; Airspace Docket No. 10-ANE-106]

Proposed Establishment of Class E Airspace; Lancaster, NH

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: This action proposes to establish Class E Airspace at Lancaster, NH, to accommodate a new Area Navigation (RNAV) Global Positioning System (GPS) Special Standard Instrument Approach Procedure (SIAP) serving the Weeks Medical Center. This action would enhance the safety and airspace management of Instrument Flight Rules (IFR) operations within the National Airspace System.

DATES: Comments must be received on or before September 7, 2010.

ADDRESSES: Send comments on this rule to: U. S. Department of Transportation, Docket Operations, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590-0001; Telephone: 1-800-647-5527; Fax: 202-493-2251. You must identify the Docket Number FAA-2010-0323; Airspace Docket No. 10-ANE-106, at the beginning of your comments. You may also submit and review received comments through the Internet at <http://www.regulations.gov>.

FOR FURTHER INFORMATION CONTACT: Richard Horrocks, Operations Support Group, Eastern Service Center, Federal Aviation Administration, P.O. Box 20636, Atlanta, Georgia 30320; telephone (404) 305-5588.

SUPPLEMENTARY INFORMATION:

Comments Invited

Interested persons are invited to comment on this rule by submitting such written data, views, or arguments, as they may desire. Comments that provide the factual basis supporting the views and suggestions presented are particularly helpful in developing

reasoned regulatory decisions on the proposal. Comments are specifically invited on the overall regulatory, aeronautical, economic, environmental, and energy-related aspects of the proposal.

Communications should identify both docket numbers (FAA Docket No. FAA-2010-0323; Airspace Docket No. 10-ANE-106) and be submitted in triplicate to the Docket Management System (*see ADDRESSES* section for address and phone number). You may also submit comments through the Internet at <http://www.regulations.gov>.

Commenters wishing the FAA to acknowledge receipt of their comments on this action must submit with those comments a self-addressed stamped postcard on which the following statement is made: "Comments to Docket No. FAA-2010-0323; Airspace Docket No. 10-ANE-106." The postcard will be date/time stamped and returned to the commenter.

All communications received before the specified closing date for comments will be considered before taking action on the proposed rule. The proposal contained in this notice may be changed in light of the comments received. A report summarizing each substantive public contact with FAA personnel concerned with this rulemaking will be filed in the docket.

Availability of NPRMs

An electronic copy of this document may be downloaded from and comments submitted through <http://www.regulations.gov>. Recently published rulemaking documents can also be accessed through the FAA's web page at http://www.faa.gov/airports/airtraffic/air_traffic/publications/airspace_amendments/.

You may review the public docket containing the proposal, any comments received, and any final disposition in person in the Dockets Office (*see the ADDRESSES* section for address and phone number) between 9 a.m. and 5 p.m., Monday through Friday, except Federal Holidays. An informal docket may also be examined during normal business hours at the office of the Eastern Service Center, Federal Aviation Administration, Room 210, 1701 Columbia Avenue, College Park, Georgia 30337.

Persons interested in being placed on a mailing list for future NPRM's should contact the FAA's Office of Rulemaking, (202) 267-9677, to request a copy of Advisory Circular No. 11-2A, Notice of Proposed Rulemaking Distribution System, which describes the application procedure.

The Proposal

The FAA is considering an amendment to Title 14, Code of Federal Regulations (14 CFR) part 71 to establish Class E airspace at Lancaster, NH to provide controlled airspace required to support the special SIAPs for Weeks Medical Center. The existing Class E airspace extending upward from 1,200 feet above the surface would be modified for the safety and management of IFR operations by lowering the base of controlled airspace to 700 feet above the surface.

Class E airspace designations are published in Paragraph 6005 of FAA order 7400.9T, signed August 27, 2009, and effective September 15, 2009, which is incorporated by reference in 14 CFR 71.1. The Class E airspace designation listed in this document will be published subsequently in the Order.

The FAA has determined that this proposed regulation only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. It, therefore, (1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a Regulatory Evaluation as the anticipated impact is so minimal. Since this is a routine matter that will only affect air traffic procedures and air navigation, it is certified that this proposed rule, when promulgated, would not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

The FAA's authority to issue rules regarding aviation safety is found in Title 49 of the United States Code. Subtitle I, Section 106 describes the authority of the FAA Administrator. Subtitle VII, Aviation Programs, describes in more detail the scope of the agency's authority. This proposed rulemaking is promulgated under the authority described in Subtitle VII, Part A, Subpart I, Section 40103. Under that section, the FAA is charged with prescribing regulations to assign the use of airspace necessary to ensure the safety of aircraft and the efficient use of airspace. This proposed regulation is within the scope of that authority as it would establish Class E airspace at Weeks Medical Center, Lancaster, NH.

List of Subjects in 14 CFR Part 71

Airspace, Incorporation by reference, Navigation (Air).

The Proposed Amendment

In consideration of the foregoing, the Federal Aviation Administration proposes to amend 14 CFR Part 71 as follows:

PART 71—DESIGNATION OF CLASS A, B, C, D, AND CLASS E AIRSPACE AREAS; AIR TRAFFIC SERVICE ROUTES; AND REPORTING POINTS

1. The authority citation for Part 71 continues to read as follows:

Authority: 49 U.S.C. 106(g); 40103, 40113, 40120; E.O. 10854, 24 FR 9565, 3 CFR, 1959–1963 Comp., p. 389.

§ 71.1 [Amended]

2. The incorporation by reference in 14 CFR 71.1 of Federal Aviation Administration Order 7400.9T, Airspace Designations and Reporting Points, signed August 27, 2009, effective September 15, 2009, is amended as follows:

Paragraph 6005 Class E Airspace Areas Extending Upward from 700 Feet or More Above the Surface of the Earth.

* * * * *

ANE NH E5 Lancaster, NH [New]

Weeks Medical Center, NH
(Lat. 44°29'07" N., long. 71°33'17" W.)

Point in Space Coordinates
(Lat. 44°29'33" N., long. 71°34'41" W.)

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Point in Space Coordinates (lat. 44°29'33" N., long. 71°34'41" W.) serving the Weeks Medical Center.

Issued in College Park, Georgia, on July 13, 2010.

Mark D. Ward,

Manager, Operations Support Group, Eastern Service Center, Air Traffic Organization.

[FR Doc. 2010-17952 Filed 7-21-10; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 71

[Docket No. FAA-2010-0321; Airspace Docket No. 10-ANE-104]

Proposed Establishment of Class E Airspace; Wolfeboro, NH

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: This action proposes to establish Class E Airspace at Wolfeboro, NH, to accommodate a new Area Navigation (RNAV) Global Positioning System (GPS) Special Standard