

Budget (OMB) and solicitation of public comment.

**SUMMARY:** The NRC invites public comment about our intention to request the OMB's approval for renewal of an existing information collection that is summarized below. We are required to publish this notice in the **Federal Register** under the provisions of the Paperwork Reduction Act of 1995 (44 U.S.C. Chapter 35).

Information pertaining to the requirement to be submitted:

1. *The title of the information collection:* 10 CFR part 35 Medical Use of Byproduct Material.

2. *Current OMB approval number:* 3150-0010.

3. *How often the collection is required:* Reports of medical events, doses to an embryo/fetus or nursing child, or leaking sources are reportable on occurrence. A certifying entity desiring to be recognized by the NRC must submit a one-time request for recognition and revise the information on occurrence.

4. *Who is required or asked to report:* Physicians and medical institutions holding an NRC license authorizing the administration of byproduct material or radiation therefrom to humans for medical use.

5. *The number of annual respondents:* 8,610 (1,148 for NRC Licenses and 7,462 for Agreement States).

6. *The number of hours needed annually to complete the requirement or request:* 1,173,785 hours (156,538 for NRC Licenses and 1,017, 247 for Agreement States).

7. *Abstract:* 10 CFR Part 35, "Medical Use of Byproduct Material," contains NRC's requirements and provisions for the medical use of byproduct material and for issuance of specific licenses authorizing the medical use of this material. These requirements and provisions provide for the radiation safety of workers, the general public, patients, and human research subjects. The 10 CFR part 35 contains mandatory requirements that apply to NRC licensees authorized to administer byproduct material or radiation therefrom to humans for medical use.

The information in the required reports and records is used by the NRC to ensure that public health and safety is protected, and that the possession and use of byproduct material is in compliance with the license and regulatory requirements.

Submit, by October 12, 2010, comments that address the following questions:

1. Is the proposed collection of information necessary for the NRC to

properly perform its functions? Does the information have practical utility?

2. Is the burden estimate accurate?

3. Is there a way to enhance the quality, utility, and clarity of the information to be collected?

4. How can the burden of the information collection be minimized, including the use of automated collection techniques or other forms of information technology?

A copy of the draft supporting statement may be viewed free of charge at the NRC Public Document Room, One White Flint North, 11555 Rockville Pike, Room O-1 F21, Rockville, Maryland 20852. OMB clearance requests are available at the NRC worldwide Web site: <http://www.nrc.gov/public-involve/doc-comment/omb/index.html>. The document will be available on the NRC home page site for 60 days after the signature date of this notice. Comments submitted in writing or in electronic form will be made available for public inspection. Because your comments will not be edited to remove any identifying or contact information, the NRC cautions you against including any information in your submission that you do not want to be publicly disclosed. Comments submitted should reference Docket No. NRC-2010-0276. You may submit your comments by any of the following methods. Electronic comments: Go to <http://www.regulations.gov> and search for Docket No. NRC-2010-0276. Mail comments to NRC Clearance Officer, Tremaine Donnell (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001. Questions about the information collection requirements may be directed to the NRC Clearance Officer, Tremaine Donnell (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, by telephone at 301-415-6258, or by e-mail to [INFOCOLLECTS.Resource@NRC.GOV](mailto:INFOCOLLECTS.Resource@NRC.GOV).

Dated at Rockville, Maryland on August 5, 2010.

For the Nuclear Regulatory Commission.

**Tremaine Donnell,**

*NRC Clearance Officer, Office of Information Services.*

[FR Doc. 2010-19923 Filed 8-11-10; 8:45 am]

**BILLING CODE 7590-01-P**

## NUCLEAR REGULATORY COMMISSION

[NRC-2010-0278]

### NUREG-1946, "Inservice Testing of Pumps and Valves, and Inservice Examination and Testing of Dynamic Restraints (Snubbers) at Nuclear Power Plants, Draft Report for Comment"

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Announcement of issuance for public comment, availability.

**SUMMARY:** The Nuclear Regulatory Commission has issued for public comment a document entitled: NUREG-1946, "Inservice Testing of Pumps and Valves, and Inservice Examination and Testing of Dynamic Restraints (Snubbers) at Nuclear Power Plants, Draft Report for Comment."

**DATES:** Please submit comments by January 20, 2011. Comments received after this date will be considered if it is practical to do so, but the NRC staff is able to ensure consideration only for comments received on or before this date.

**ADDRESSES:** You may submit comments by any one of the following methods. Please include Docket ID NRC-2010-0278 in the subject line of your comments. Comments submitted in writing or in electronic form will be posted on the NRC Web site and on the Federal rulemaking Web site, [www.Regulations.gov](http://www.Regulations.gov). Because your comments will not be edited to remove any identifying or contact information, the NRC cautions you against including any information in your submission that you do not want to be publicly disclosed.

The NRC requests that any party soliciting or aggregating comments received from other persons for submission to the NRC inform those persons that the NRC will not edit their comments to remove any identifying or contact information, and therefore, they should not include any information in their comments that they do not want publicly disclosed.

*Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for documents filed under Docket ID NRC-2010-0278. Address questions about NRC dockets to Carol Gallagher 301-492-3668; e-mail [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov).

*Mail comments to:* Cindy Bladley, Chief, Rules, Announcements, and Directives Branch (RADB), Division of Administrative Services, Office of Administration, Mail Stop: TWB-05-

B01M, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by fax to RADB at (301) 492-3446.

You can access publicly available documents related to this notice using the following methods:

NRC's Public Document Room (PDR): The public may examine and have copied for a fee publicly available documents at the NRC's PDR, Public File Area O1 F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland.

NRC's Agencywide Documents Access and Management System (ADAMS): Publicly available documents created or received at the NRC are available electronically at the NRC's Electronic Reading Room at <http://www.nrc.gov/reading-rm/adams.html>. From this page, the public can gain entry into ADAMS, which provides text and image files of NRC's public documents. If you do not have access to ADAMS or if there are problems in accessing the documents located in ADAMS, contact the NRC's PDR reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The NUREG-1946, "Inservice Testing of Pumps and Valves, and Inservice Examination and Testing of Dynamic Restraints (Snubbers) at Nuclear Power Plants, Draft Report for Comment" is available electronically under ADAMS Accession Number ML102100236.

*Federal Rulemaking Web site:* Public comments and supporting materials related to this notice can be found at <http://www.regulations.gov> by searching on Docket ID: NRC-2010-0278.

**FOR FURTHER INFORMATION CONTACT:**

Gurjendra S. Bedi, Division of Component Integrity, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001. Telephone: 301-415-1393, e-mail: [Gurjendra.Bedi@nrc.gov](mailto:Gurjendra.Bedi@nrc.gov).

**SUPPLEMENTARY INFORMATION:** NUREG-1946, "Inservice Testing of Pumps and Valves, and Inservice Examination and Testing of Dynamic Restraints (Snubbers) at Nuclear Power Plants, Draft Report for Comment" provides updated information on applicable regulations for testing of pumps and valves. The information in NUREG-1482, "Guidelines for Inservice Testing at Nuclear Plants," Revision 0, issued April 1995, and Revision 1, issued January 2005, has described these topics in the past. This NUREG report replaces Revision 0 and Revision 1 of NUREG-1482, and is applicable, unless stated otherwise, to all editions and addenda of the American Society of Mechanical

Engineers Code of Operation and Maintenance of Nuclear Power Plants (OM Code), which Title 10 of the Code of Federal Regulations (10 CFR) 50.55a(b) incorporates by reference. NUREG-1946 also includes information related to inservice examination and testing of dynamic restraints (snubbers). In addition, the NUREG discusses other inservice test program topics such as the NRC process for review of the OM Code, conditions on the use of the OM Code, and interpretations of the OM Code.

Dated at Rockville, Maryland, August 2, 2010.

For the Nuclear Regulatory Commission.  
**Anthony C. McMurtray,**  
*Chief, Component Performance and Testing Branch, Division of Component Integrity, Office of Nuclear Reactor Regulation.*

[FR Doc. 2010-19945 Filed 8-11-10; 8:45 am]

**BILLING CODE 7590-01-P**

**NUCLEAR REGULATORY COMMISSION**

**[Docket Nos. 52-034 and 52-035; NRC-2010-0277]**

**Notice of Availability of the Draft Environmental Impact Statement for the Combined Licenses for Comanche Peak Nuclear Power Plant; Units 3 and 4**

Notice is hereby given that the U.S. Nuclear Regulatory Commission (NRC) and the U.S. Army Corps of Engineers (Corps), Fort Worth District, have published NUREG-1943, "Environmental Impact Statement for the Combined Licenses (COLs) for Comanche Peak Nuclear Power Plant Units 3 and 4: Draft Report for Comment." The site is comprised of approximately 7,950 acres in Hood and Somervell Counties, Texas on the Squaw Creek Reservoir approximately 5.2 miles (mi) north of Glen Rose, Texas. Luminant Generation Company LLC (Luminant) submitted its application, including the Environmental Report (ER), to the NRC by letter dated September 19, 2008, pursuant to Title 10 of the Code of Federal Regulations (10 CFR) part 52. A notice of acceptance for docketing of the application for the COLs was published in the **Federal Register** on December 10, 2008 (73 FR 75141). A notice of intent to prepare a draft environmental impact statement (DEIS) and to conduct the scoping process was published in the **Federal Register** on December 18, 2008 (73 FR 77076). A COL is an authorization to construct and (with specified conditions) operate a nuclear power

plant at a specific site, in accordance with established laws and regulations.

The purpose of this notice is to inform the public that NUREG-1943, "Environmental Impact Statement for the Combined Licenses (COLs) for Comanche Peak Nuclear Power Plant Units 3 and 4: Draft Report for Comment," is available for public inspection. The DEIS can be accessed online at <http://www.nrc.gov/reactors/new-reactors/col/comanche-peak.html> in the U.S. NRC Public Document Room (PDR) located at One White Flint North, 11555 Rockville Pike (first floor), Public File Area O1-F21, Rockville, Maryland 20852, or from the NRC Agencywide Documents Access and Management System (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. The accession numbers for the DEIS are ML102170030 and ML102170036. Persons who do not have access to ADAMS or who encounter problems in accessing the documents located in ADAMS should contact the PDR reference staff at 1-800-397-4209, or 301-415-4737 or by e-mail to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). In addition, the Somervell County Library, located at 108 Allen Drive, Glen Rose, Texas 76043 and the Hood County Library, located at 222 North Travis Street, Granbury, Texas 76048 have agreed to maintain a copy of the DEIS and make it available for public inspection. Interested parties may submit comments on the DEIS for consideration by the NRC staff. Comments may be accompanied by additional relevant information or supporting data. This draft report is being issued with a 75-day comment period. The comment period begins on the date that the U.S. Environmental Protection Agency publishes a Notice of Filing in the **Federal Register** which is expected to be August 13, 2010. Such notices are published every Friday. The notice will identify the end date of the comment period. Members of the public may submit comments on the DEIS by e-mail, mail, or during the public meeting on the DEIS. Comments submitted via e-mail should be sent to [Comanche.COLEIS@nrc.gov](mailto:Comanche.COLEIS@nrc.gov). Electronic submissions should be sent no later than the end date of the comment period. Written comments on the DEIS should be mailed to the Chief, Rules, Announcements, and Directives Branch, Division of Administrative Services, Office of Administration, Mailstop TWB-05-B01M, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001 or by fax at 301-492-3446 and should cite the publication