

to EPA without going through <http://www.regulations.gov>, your e-mail address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you include your name and other contact information in the body of your comment and with any disk or CD-ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses.

Docket: All documents in the electronic docket are listed in the <http://www.regulations.gov> index. Although listed in the index, some information is not publicly available, *i.e.*, CBI or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, is not placed on the Internet and will be publicly available only in hard copy form. Publicly available docket materials are available either electronically in <http://www.regulations.gov> or in hard copy during normal business hours at the Air Protection Division, U.S. Environmental Protection Agency, Region III, 1650 Arch Street, Philadelphia, Pennsylvania 19103. Copies of the State submittal are available at the Maryland Department of the Environment, 1800 Washington Boulevard, Suite 705, Baltimore, Maryland 21230.

FOR FURTHER INFORMATION CONTACT: Ellen Wentworth, (215) 814-2034, or by e-mail at wentworth.ellen@epa.gov.

SUPPLEMENTARY INFORMATION: For further information, please see the information provided in the direct final action, with the same title, "Approval and Promulgation of Air Quality Implementation Plans; Maryland; Control Technique Guidelines for Paper, Film, and Foil Coatings," that is located in the "Rules and Regulations" section of this **Federal Register** publication.

Dated: September 7, 2010.

W.C. Early,

Acting Regional Administrator, Region III.

[FR Doc. 2010-23981 Filed 9-24-10; 8:45 am]

BILLING CODE 6560-50-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2010-000; Internal Agency Docket No. FEMA-B-1137]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule.

SUMMARY: Comments are requested on the proposed Base (1% annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed in the table below. The purpose of this notice is to seek general information and comment regarding the proposed regulatory flood elevations for the reach described by the downstream and upstream locations in the table below. The BFEs and modified BFEs are a part of the floodplain management measures that the community is required either to adopt or to show evidence of having in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP). In addition, these elevations, once finalized, will be used by insurance agents and others to calculate appropriate flood insurance premium rates for new buildings and the contents in those buildings.

DATES: Comments are to be submitted on or before December 27, 2010.

ADDRESSES: The corresponding preliminary Flood Insurance Rate Map (FIRM) for the proposed BFEs for each community is available for inspection at the community's map repository. The respective addresses are listed in the table below.

You may submit comments, identified by Docket No. FEMA-B-1137, to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-3461, or (e-mail) roy.e.wright@dhs.gov.

FOR FURTHER INFORMATION CONTACT: Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-3461, or (e-mail) roy.e.wright@dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency

(FEMA) proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and also are used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in those buildings.

Comments on any aspect of the Flood Insurance Study and FIRM, other than the proposed BFEs, will be considered. A letter acknowledging receipt of any comments will not be sent.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. An environmental impact assessment has not been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within the scope of the Regulatory Flexibility Act, 5 U.S.C. 601-612, a regulatory flexibility analysis is not required.

Executive Order 12866, Regulatory Planning and Review. This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866, as amended.

Executive Order 13132, Federalism. This proposed rule involves no policies that have federalism implications under Executive Order 13132.

Executive Order 12988, Civil Justice Reform. This proposed rule meets the applicable standards of Executive Order 12988.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*;
 Reorganization Plan No. 3 of 1978, 3 CFR,
 1978 Comp., p. 329; E.O. 12127, 44 FR 19367,
 3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the
 authority of § 67.4 are proposed to be
 amended as follows:

State	City/town/county	Source of flooding	Location**	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL)	
				Existing	Modified
City of Poquoson, Virginia					
Virginia	City of Poquoson ...	Chesapeake Bay	At the intersection of Hunt Wood Drive and Oscars Court.	None	+7
	City of Poquoson ...	Chesapeake Bay/Cedar Creek.	At the intersection of Villa Drive and Huntlandia Way.	None	+7
			Approximately 400 feet north of the intersection of State Route 171 and City Hall Avenue.	None	+7

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

City of Poquoson

Maps are available for inspection at the Building Official's Office, 500 City Hall Avenue, Poquoson, VA 23662.

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL)		Communities affected
		Effective	Modified	

Stearns County, Minnesota, and Incorporated Areas

Sauk Lake	Entire shoreline within Stearns County	None	+1232	Unincorporated Areas of Stearns County.
Sauk River	Approximately 7,260 feet downstream of County Road 17.	None	+1226	City of Sauk Centre, Unincorporated Areas of Stearns County.
	Approximately 1,450 feet downstream of Main Street	None	+1227	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

City of Sauk Centre

Maps are available for inspection at 320 Oak Street South, Sauk Centre, MN 56378.

Unincorporated Areas of Stearns County

Maps are available for inspection at the Stearns County Administration Center, 705 Courthouse Square, St. Cloud, MN 56303.

Barrett Pond	At the confluence with Clove Creek	+356	+361	Town of Philipstown.
	Approximately 2,741 feet upstream of Fishkill Road ...	None	+378	

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL)		Communities affected
		Effective	Modified	
Clove Creek	Approximately 50 feet downstream of U.S. Route 9 ...	+258	+259	Town of Philipstown.
	Approximately 1.6 mile upstream of Briars Road	None	+517	
Croton Falls Diverting Reservoir.	Entire shoreline within the Town of Southeast	None	+310	Town of Southeast.
Croton Falls Reservoir	Entire shoreline	None	+311	Town of Carmel, Town of Southeast.
East Branch Croton River	At the confluence with the Croton Falls Diverting Reservoir.	+311	+310	Town of Southeast, Village of Brewster.
Reach 1	Approximately 777 feet upstream of State Route 22 ...	+418	+359	Town of Philipstown, Village of Cold Spring, Village of Nelsonville.
Foundry Brook	Approximately 1,320 feet downstream of State Route 9D.	+7	+8	
Holly Stream	Approximately 852 feet upstream of Fishkill Road	None	+369	Town of Southeast.
	Approximately 1,099 feet downstream of State Route 22.	+272	+273	
Lake Mahopac	Approximately 854 feet upstream of I-684	None	+312	Town of Carmel.
Lost Lake	Entire shoreline within the Town of Carmel	None	+660	Town of Patterson.
Michael Brook	Entire shoreline	None	+466	Town of Carmel, Town of Kent.
Middle Branch Croton River	At the confluence with the Croton Falls Reservoir	+305	+311	Town of Carmel, Town of Kent.
	Approximately 0.9 mile upstream of Fair Street	None	+593	
	At confluence with the Middle Branch Reservoir	+374	+371	Town of Carmel, Town of Kent, Town of Southeast.
Middle Branch Reservoir	Approximately 101 feet upstream of Lakeshore Drive	+622	+620	Town of Southeast.
	Entire shoreline within the Town of Southeast	None	+371	
Muscoot River	At the county boundary	+512	+509	Town of Carmel.
Oscawana Brook	Approximately 1,009 feet upstream of Stillwater Road	+513	+511	Town of Putnam Valley.
	At the county boundary	+116	+115	
	Approximately 1,550 feet upstream of Oscawana Lake Road.	None	+516	
Putnam Lake	Entire shoreline	None	+494	Town of Patterson.
Secor Brook	At the confluence with the Muscoot River	+513	+511	Town of Carmel.
Shrub Oak Brook	Approximately 1,396 feet upstream of Secor Road	None	+566	Town of Putnam Valley.
	Approximately 500 feet upstream of the confluence with Peekskill Hollow Creek.	+218	+219	
Stephens Brook	At the county boundary	+391	+393	Town of Patterson.
	Approximately 250 feet upstream of the confluence with East Branch Croton River Reach 2.	+432	+433	
Tonetta Brook	Approximately 31 feet upstream of Thunder Ridge Road.	+475	+473	Town of Southeast, Village of Brewster.
	At the confluence with East Branch Croton River Reach 1.	+314	+313	
	Approximately 351 feet upstream of Pumphouse Road.	+446	+444	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Town of Carmel

Maps are available for inspection at the Carmel Town Hall, 60 McAlpin Avenue, Mahopac, NY 10541.

Town of Kent

Maps are available for inspection at the Town of Kent Administration Office, 25 Sybils Crossing, Kent Lakes, NY 10512.

Town of Patterson

Maps are available for inspection at the Town Hall, 1142 Route 311, Patterson, NY 12563.

Town of Philipstown

Maps are available for inspection at the Philipstown Town Hall, 238 Main Street, Cold Spring, NY 10516.

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL)		Communities affected
		Effective	Modified	

Town of Putnam Valley

Maps are available for inspection at the Town Hall, 265 Oscawana Lake Road, Putnam Valley, NY 10579.

Town of Southeast

Maps are available for inspection at the Southeast Town Building Department, 1 Main Street, Brewster, NY 10509.

Village of Brewster

Maps are available for inspection at the Village Hall, Larry T. Jewell Municipal Building, 50 Main Street, Brewster, NY 10509.

Village of Cold Spring

Maps are available for inspection at the Village Hall, 85 Main Street, Cold Spring, NY 10516.

Village of Nelsonville

Maps are available for inspection at the Village Hall, 258 Main Street, Nelsonville, NY 10516.

East Branch Tunungwant Creek.	Approximately 0.59 mile upstream of Browntown Road.	None	+1532	Borough of Lewis Run.
	Approximately 0.70 mile upstream of Browntown Road.	None	+1535	
Marvin Creek	Approximately 0.46 mile upstream of U.S. Route 6 (Marvin Street).	None	+1484	Township of Keating.
	Approximately 0.59 mile upstream of U.S. Route 6 (Marvin Street).	None	+1485	
Potato Creek	Approximately 0.62 mile downstream of Champlin Hill Road.	None	+1448	Township of Keating.
	Approximately 1,050 feet downstream of Champlin Hill Road.	None	+1448	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Borough of Lewis Run

Maps are available for inspection at the Borough Hall, 60 Main Street, Lewis Run, PA 16738.

Township of Keating

Maps are available for inspection at the Keating Township Building, 7160 State Route 46, Smethport, PA 16749.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: September 13, 2010.

Sandra K. Knight,

Deputy Federal Insurance and Mitigation Administrator, Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2010-24144 Filed 9-24-10; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2010-0003; Internal Agency Docket No. FEMA-B-1131]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule.

SUMMARY: Comments are requested on the proposed Base (1% annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities

listed in the table below. The purpose of this notice is to seek general information and comment regarding the proposed regulatory flood elevations for the reach described by the downstream and upstream locations in the table below. The BFEs and modified BFEs are a part of the floodplain management measures that the community is required either to adopt or to show evidence of having in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP). In addition, these elevations, once finalized, will be used by insurance agents and others to calculate appropriate flood insurance premium rates for new buildings and the contents in those buildings.