

| Flooding source(s) | Location of referenced elevation | * Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground – Elevation in meters (MSL) | | Communities affected |
|--------------------|----------------------------------|---|----------|----------------------|
| | | Effective | Modified | |

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Town of Jasper

Maps are available for inspection at 4460 Main Street, Jasper, TN 37347.

Unincorporated Areas of Marion County

Maps are available for inspection at 4460 Main Street, Jasper, TN 37347.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: September 21, 2010.

Edward L. Connor,

Acting Federal Insurance and Mitigation Administrator, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2010-24868 Filed 10-4-10; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2010-0003; Internal Agency Docket No. FEMA-B-1147]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule.

SUMMARY: Comments are requested on the proposed Base (1% annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed in the table below. The purpose of this notice is to seek general information and comment regarding the proposed regulatory flood elevations for the reach described by the downstream and upstream locations in the table below. The BFEs and modified BFEs are a part of the floodplain management measures that the community is required either to adopt or to show evidence of having in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP). In addition, these elevations, once finalized, will be used by insurance agents and others to calculate appropriate flood insurance premium rates for new buildings and the contents in those buildings.

DATES: Comments are to be submitted on or before January 3, 2011.

ADDRESSES: The corresponding preliminary Flood Insurance Rate Map (FIRM) for the proposed BFEs for each community is available for inspection at the community's map repository. The respective addresses are listed in the table below.

You may submit comments, identified by Docket No. FEMA-B-1147, to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-3461, or (e-mail) roy.e.wright@dhs.gov.

FOR FURTHER INFORMATION CONTACT: Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-3461, or (e-mail) roy.e.wright@dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and also are

used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in those buildings.

Comments on any aspect of the Flood Insurance Study and FIRM, other than the proposed BFEs, will be considered. A letter acknowledging receipt of any comments will not be sent.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. An environmental impact assessment has not been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within the scope of the Regulatory Flexibility Act, 5 U.S.C. 601-612, a regulatory flexibility analysis is not required.

Executive Order 12866, Regulatory Planning and Review. This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866, as amended.

Executive Order 13132, Federalism. This proposed rule involves no policies that have federalism implications under Executive Order 13132.

Executive Order 12988, Civil Justice Reform. This proposed rule meets the applicable standards of Executive Order 12988.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

| State | City/town/county | Source of flooding | Location** | * Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL) | |
|------------------------------------|------------------------|--------------------|---|---|----------------|
| | | | | Existing | Modified |
| City of Indianola, Nebraska | | | | | |
| Nebraska | City of Indianola | Coon Creek | Approximately 260 feet downstream of Burlington Northern Railroad. Approximately 1.13 mile upstream of D Street. | +2379 +2399 | +2378 +2397 |

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

City of Indianola

Maps are available for inspection at 210 North 4th Street, Indianola, NE 69034.

| Flooding source(s) | Location of referenced elevation | * Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL) | | Communities affected |
|--|--|---|--------------|--|
| | | Effective | Modified | |
| Marshall County, Iowa, and Incorporated Areas | | | | |
| Iowa River | Approximately 0.47 mile downstream of Main Street Road. Approximately 1.25 mile upstream of Prairie Avenue .. | None None | +861 +881 | Unincorporated Areas of Marshall County. |

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Unincorporated Areas of Marshall County

Maps are available for inspection at the Marshall County Courthouse, 1 East Main Street, Marshalltown, IA 50158.

| Concordia Parish, Louisiana, and Incorporated Areas | | | | |
|--|--|---|----------|---|
| Flooding source(s) | Location of referenced elevation | * Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL) | | Communities affected |
| | | Effective | Modified | |
| Bayou Cocodrie | Approximately 751 feet upstream of Louisiana Highway 15. | None | +53 | Town of Ferriday, Unincorporated Areas of Concordia Parish. |
| Canal No. 1 | Just downstream of Fisherman Drive | None | +56 | Town of Ridgecrest, Unincorporated Areas of Concordia Parish. |
| | Approximately 3,394 feet upstream of Deacon Wailes Road. | None | +55 | |

| Flooding source(s) | Location of referenced elevation | * Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL) | | Communities affected |
|---------------------|---|---|----------|--|
| | | Effective | Modified | |
| Vidalia Canal | Just downstream of U.S. Route 84 | None | +57 | Town of Vidalia, Unincorporated Areas of Concordia Parish. |
| | Approximately 2,560 feet upstream of Missouri Pacific Railroad. | None | +57 | |
| | Just upstream of Laurel Street | None | +63 | |

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Town of Ferriday

Maps are available for inspection at 1116 2nd Street, Ferriday, LA 71334.

Town of Ridgecrest

Maps are available for inspection at 116 Foster Drive, Ridgecrest, LA 71334.

Town of Vidalia

Maps are available for inspection at 101 North Spruce Street, Vidalia, LA 71373.

Unincorporated Areas of Concordia Parish

Maps are available for inspection at 4001 Carter Street, Room 1, Vidalia, LA 71373.

Iosco County, Michigan (All Jurisdictions)

| | | | | |
|------------------|---|------|------|------------------------|
| Cedar Lake | Entire shoreline in Iosco County | None | +609 | Township of Oscoda. |
| Lake Huron | Entire shoreline in the Township of Alabaster | +583 | +584 | Township of Alabaster. |

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Township of Alabaster

Maps are available for inspection at 1716 South U.S. Route 23, Tawas City, MI 48763.

Township of Oscoda

Maps are available for inspection at 110 South State Street, Oscoda, MI 48750.

Washington County, Nebraska, and Incorporated Areas

| | | | | |
|-----------------------------|---|-------|-------|--|
| Cameron Ditch | At the confluence with the Missouri River | +1007 | +1009 | City of Blair. |
| | Just downstream of Washington Street | +1008 | +1009 | |
| Cauble Creek | Just upstream of U.S. Route 75 (Herman Boulevard) | +1055 | +1064 | City of Blair. |
| | Approximately 1,500 feet west of Nebraska Highway 31. | None | +1243 | |
| Cauble Creek East Tributary | At the confluence with Cauble Creek | +1033 | +1036 | City of Blair. |
| | Approximately 100 feet downstream of Pinewood Drive. | +1037 | +1036 | |
| Missouri River | At the Douglas County boundary | +994 | +995 | City of Blair, City of Fort Calhoun, Unincorporated Areas of Washington County, Village of Herman. |
| Unnamed Creek | At the Burt County boundary | +1017 | +1018 | City of Blair. |
| | Approximately 400 feet downstream of South 10th Street. | +1059 | +1066 | |
| | Approximately 1,500 feet upstream of Pi Hack Street | None | +1233 | |

* National Geodetic Vertical Datum.

| Flooding source(s) | Location of referenced elevation | * Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL) | | Communities affected |
|--------------------|----------------------------------|---|----------|----------------------|
| | | Effective | Modified | |

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

City of Blair

Maps are available for inspection at 218 South 16th Street, Blair, NE 68008.

City of Fort Calhoun

Maps are available for inspection at 110 South 14th Street, Fort Calhoun, NE 68023.

Unincorporated Areas of Washington County

Maps are available for inspection at 111 West 4th Street, Kennard, NE 68034.

Village of Herman

Maps are available for inspection at 504 U.S. Route 75, Herman, NE 68029.

Garvin County, Oklahoma, and Incorporated Areas

| | | | | |
|---------------------|--|------|------|--|
| Rush Creek | Approximately 0.6 mile downstream of the railroad | None | +856 | Unincorporated Areas of Garvin County. |
| Washita Creek | Approximately 1.46 mile upstream of I-35 | None | +890 | Unincorporated Areas of Garvin County. |
| | Approximately 1,000 feet upstream of the confluence with Keel Sandy Creek. | None | +852 | |
| | Approximately 0.84 mile upstream of the confluence with Rounds Creek. | None | +981 | |

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Unincorporated Areas of Garvin County

Maps are available for inspection at the Garvin County Courthouse, 201 West Grant Avenue, Pauls Valley, OK 73075.

Beaver County, Pennsylvania (All Jurisdictions)

| | | | | |
|-----------------------------|--|------|------|---|
| Beaver River | Approximately 50 feet upstream of New Brighton Dam | None | +714 | Borough of Koppel, Township of Patterson. |
| | Approximately 790 feet upstream of 5th Avenue (State Route 351). | None | +759 | |
| Blockhouse Run | Approximately 410 feet downstream of Willow Tree Estate. | None | +808 | Township of Pulaski. |
| | Approximately 144 feet upstream of Willow Tree Estate. | None | +814 | |
| Brady Run | Approximately 0.23 mile upstream of Colonial Street .. | None | +720 | Township of Brighton. |
| | Approximately 0.56 mile upstream of Colonial Street .. | None | +732 | |
| Connoquenessing Creek | Approximately 670 feet downstream of Zelenople Road (State Route 288). | None | +852 | Township of North Sewickley. |
| | Approximately 0.67 mile downstream of Mercer Road (State Route 65). | None | +857 | |
| Dutchman Run | Approximately 0.89 mile upstream of 3rd Avenue | None | +806 | Township of New Sewickley. |
| | Approximately 0.91 mile upstream of 3rd Avenue | None | +809 | |
| Elkhorn Run | Just upstream of Elkrun Road | None | +707 | Borough of Monaca. |
| | Approximately 1,680 feet upstream of Elkrun Road | None | +727 | |
| Lacock Run | Approximately 25 feet downstream of East Washington Street. | None | +797 | Borough of East Rochester. |

| Flooding source(s) | Location of referenced elevation | * Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL) | | Communities affected |
|---------------------------------|--|---|----------|---|
| | | Effective | Modified | |
| Logtown Run | Approximately 1,020 feet upstream of Angela Drive ... | None | +914 | Township of Hopewell. |
| North Fork Little Beaver Creek. | Approximately 1,046 feet upstream of Angela Drive ... | None | +914 | Township of Darlington. |
| | At the confluence with West Clarks Run | None | +911 | |
| Ohio River | At the northern county boundary | None | +941 | Borough of Georgetown, Borough of Monaca, Borough of Ohioville, Township of Greene, Township of Hopewell, Township of Raccoon. |
| | Approximately 60 feet upstream of the confluence with Little Beaver Creek. | None | +690 | |
| Raccoon Creek | Approximately 80 feet upstream of the confluence with Big Sewickley Creek. | None | +711 | Township of Independence, Township of Raccoon. |
| | Approximately 0.39 mile downstream of the Beaver Valley Expressway (State Route 60). | None | +757 | |
| Tributary to Walnut Bottom Run. | Approximately 1.72 mile upstream of the confluence with Service Creek. | None | +789 | Township of White. |
| | Approximately 720 feet upstream of Patterson Avenue. | None | +901 | |
| Two Mile Run | Approximately 790 feet upstream of Patterson Avenue. | None | +903 | Borough of Beaver. |
| | Approximately 300 feet upstream of Tuscarawas Road. | None | +771 | |
| Wallace Run | Approximately 990 feet upstream of Tuscarawas Road. | None | +777 | Township of Chippewa. |
| | Approximately 135 feet downstream of the culvert for the Babcock and Wilcox Plant. | None | +900 | |
| | Approximately 0.53 mile upstream of Shenango Road | None | +1107 | |

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Borough of Beaver

Maps are available for inspection at the Borough Hall, 469 3rd Street, Beaver, PA 15009.

Borough of East Rochester

Maps are available for inspection at the Borough Hall, 760 Spruce Street, East Rochester, PA 15074.

Borough of Georgetown

Maps are available for inspection at the Borough Hall, Main Street, Georgetown, PA 15043.

Borough of Koppel

Maps are available for inspection at the Borough Hall, 3437 3rd Street, Koppel, PA 16136.

Borough of Monaca

Maps are available for inspection at the Borough Hall, 928 Pennsylvania Avenue, Monaca, PA 15061.

Borough of Ohioville

Maps are available for inspection at the Ohioville Borough Hall, 6268 Tuscarawas Road, Industry, PA 15052.

Township of Brighton

Maps are available for inspection at the Brighton Township Hall, 1300 Brighton Road, Beaver, PA 15009.

Township of Chippewa

Maps are available for inspection at the Chippewa Township Hall, 2811 Darlington Road, Beaver Falls, PA 15010.

Township of Darlington

Maps are available for inspection at the Township Hall, 3590 Darlington Road, Darlington, PA 16115.

Township of Greene

Maps are available for inspection at the Greene Township Hall, 1128 State Route 168, Hookstown, PA 15050.

Township of Hopewell

Maps are available for inspection at the Hopewell Township Hall, 1700 Clark Boulevard, Aliquippa, PA 15001.

Township of Independence

| Flooding source(s) | Location of referenced elevation | * Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL) | | Communities affected |
|--------------------|----------------------------------|---|----------|----------------------|
| | | Effective | Modified | |

Maps are available for inspection at the Independence Township Hall, 104 School Road, Aliquippa, PA 15001.

Township of New Sewickley

Maps are available for inspection at the New Sewickley Township Hall, 233 Miller Road, Rochester, PA 15074.

Township of North Sewickley

Maps are available for inspection at the North Sewickley Township Hall, 893 Mercer Road, Beaver Falls, PA 15010.

Township of Patterson

Maps are available for inspection at the Patterson Township Hall, 1600 19th Avenue, Beaver Falls, PA 15010.

Township of Pulaski

Maps are available for inspection at the Pulaski Township Municipal Building, 3401 Sunflower Road, New Brighton, PA 15009.

Township of Raccoon

Maps are available for inspection at the Raccoon Township Hall, 1234 State Route 18, Aliquippa, PA 15001.

Township of White

Maps are available for inspection at the White Township Hall, 2511 13th Avenue, Beaver Falls, PA 15010.

Butler County, Pennsylvania (All Jurisdictions)

| | | | | |
|--|---|------|-------|---|
| Bonnie Brook | Approximately 0.30 mile upstream of the confluence with Connoquenessing Creek. | None | +1007 | Township of Summit. |
| | Approximately 0.32 mile upstream of the confluence with Bonnie Brook Tributary 2. | None | +1027 | |
| Connoquenessing Creek | Approximately 0.33 mile downstream of West New Castle Street. | +900 | +902 | Borough of Zelienople, Township of Butler, Township of Oakland, Township of Summit. |
| | Approximately 0.43 mile upstream of Hendricks Road | None | +1015 | |
| Little Connoquenessing Creek (backwater effects from Connoquenessing Creek). | At the confluence with Connoquenessing Creek | +911 | +913 | Township of Jackson. |
| | Approximately 1.08 mile upstream of the confluence with Connoquenessing Creek. | +912 | +913 | |
| Sullivan Run | Approximately 0.34 mile upstream of North 6th Avenue. | None | +1016 | Township of Butler. |
| | Approximately 0.37 mile upstream of North 6th Avenue. | None | +1017 | |
| Thorn Creek No. 2 (backwater effects from Connoquenessing Creek). | At the confluence with Connoquenessing Creek | None | +1011 | Township of Oakland, Township of Summit. |
| | Approximately 0.31 mile upstream of the confluence with Connoquenessing Creek. | None | +1012 | |

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Borough of Zelienople

Maps are available for inspection at the Zelienople Borough Municipal Building, 111 West New Castle Street, Zelienople, PA 16063.

Township of Butler

Maps are available for inspection at the Township Hall, 290 South Duffy Street, Butler, PA 16001.

Township of Jackson

Maps are available for inspection at the Jackson Township Hall, 140 Magill Road, Zelienople, PA 16063.

Township of Oakland

Maps are available for inspection at the Oakland Township Hall, 565 Chicora Road, Butler, PA 16001.

Township of Summit

Maps are available for inspection at the Summit Township Hall, 502 Bonniebrook Road, Butler, PA 16002.

| Flooding source(s) | Location of referenced elevation | * Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL) | | Communities affected |
|---|---|---|----------|---|
| | | Effective | Modified | |
| Fayette County, Pennsylvania (All Jurisdictions) | | | | |
| Bennington Spring Run | Approximately 10 feet downstream of the National Road (U.S. Route 40). | None | +1101 | Township of North Union. |
| | Just downstream of the National Road (U.S. Route 40). | None | +1101 | |
| Connell Run | Approximately 510 feet upstream of Locust Street | None | +1035 | Township of Connellsville. |
| | Approximately 580 feet upstream of Locust Street | None | +1036 | |
| Dunbar Creek | Approximately 438 feet upstream of Connellsville Street. | None | +986 | Borough of Dunbar. |
| | Approximately 444 feet upstream of Connellsville Street. | None | +986 | |
| Georges Creek | Approximately 250 feet downstream of Water Street (Rubles Mill Road). | None | +962 | Borough of Smithfield, Township of Georges. |
| | Just upstream of North Main Street | None | +1112 | |
| Indian Creek | Approximately 0.85 mile downstream of Indian Head Road. | None | +1373 | Township of Springfield. |
| | Approximately 0.83 mile downstream of Indian Head Road. | None | +1373 | |
| Little Redstone Creek | Approximately 0.24 mile upstream of Brownsville Road (State Route 208). | None | +780 | Township of Jefferson. |
| | Approximately 0.26 mile upstream of Brownsville Road (State Route 208). | None | +781 | |
| Mill Run to Litz Creek | Approximately 0.80 mile upstream of Redstone Church Road (Township Route 434). | None | +1019 | Township of Perry. |
| | Approximately 0.83 mile upstream of Redstone Church Road (Township Route 434). | None | +1019 | |
| Redstone Creek | Approximately 0.27 mile downstream of Taylor Flats Road (Township Route 422). | None | +773 | Township of Jefferson, Township of Redstone. |
| | Approximately 325 feet downstream of Pleasant View Smock Road (State Route 4016). | None | +871 | |
| Tributary A to Little Redstone Creek. | Approximately 1,371 feet upstream of State Route 201. | None | +789 | Township of Jefferson. |
| | Approximately 1,379 feet upstream of State Route 201. | None | +789 | |
| Youghiogheny River | Approximately 0.57 mile upstream of the confluence with Trump Run. | None | +892 | Borough of South Connellsville, Township of Stewart. |
| | Approximately 4.67 miles upstream of the confluence with Indian Creek. | None | +1025 | |

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Borough of Dunbar

Maps are available for inspection at the Borough Hall, 47 Connellsville Street, Dunbar, PA 15431.

Borough of Smithfield

Maps are available for inspection at the Borough Hall, 14 Water Street, Smithfield, PA 15478.

Borough of South Connellsville

Maps are available for inspection at the Borough Hall, 1503 South Pittsburgh Street, South Connellsville, PA 15425.

Township of Connellsville

Maps are available for inspection at the Township Municipal Building, 166 McCoy Hollow Road, Connellsville, PA 15425.

Township of Georges

Maps are available for inspection at the Georges Township Hall, 1151 Township Drive, Uniontown, PA 15401.

Township of Jefferson

Maps are available for inspection at the Jefferson Township Hall, 262 Stuckslager Road, Perryopolis, PA 15473.

Township of North Union

| Flooding source(s) | Location of referenced elevation | * Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL) | | Communities affected |
|--------------------|----------------------------------|---|----------|----------------------|
| | | Effective | Modified | |

Maps are available for inspection at the North Union Township Hall, 7 South Evans Station Road, Lemont Furnace, PA 15456.

Township of Perry

Maps are available for inspection at the Perry Township Hall, 1 Township Drive, Star Junction, PA 15482.

Township of Redstone

Maps are available for inspection at the Redstone Township Hall, 225 Twin Hills Road, Grindstone, PA 15442.

Township of Springfield

Maps are available for inspection at the Springfield Township Municipal Building, 755 Mill Run Road, Mill Run, PA 15464.

Township of Stewart

Maps are available for inspection at the Stewart Township Hall, 373 Groover Road, Ohiopyle, PA 15464.

Tioga County, Pennsylvania (All Jurisdictions)

| | | | | |
|---------------------------|---|------|-------|--|
| Camp Brook Creek | Approximately 1,900 feet downstream of East Main Street. | None | +1124 | Township of Nelson. |
| | Approximately 460 feet downstream of East Main Street. | None | +1127 | |
| Charleston Creek | Approximately 2,670 feet upstream of Jackson Street | None | +1325 | Township of Charleston. |
| | Approximately 2,720 feet upstream of Jackson Street | None | +1326 | |
| Cowanesque River Reach 2 | Approximately 3,600 feet downstream of State Route 49. | None | +1124 | Borough of Elkland, Township of Deerfield, Township of Nelson. |
| Crooked Creek | Approximately 2.4 miles upstream of Holden Street ... | None | +1184 | Borough of Tioga. |
| | Approximately 0.2 mile upstream of Bear Creek Road (Legislative Route 58122). | None | +1024 | |
| Tioga River Reach 1 | Approximately 690 feet upstream of Mann Hill Road (Cowanesque Street). | None | +1034 | Borough of Tioga. |
| | Approximately 0.3 mile upstream of State Route 287 | None | +1024 | |
| Tioga River Reach 2 | Approximately 0.8 mile upstream of Park Street | None | +1034 | Borough of Mansfield, Township of Hamilton. |
| | Approximately 1.2 mile downstream of Spencer Road | None | +1139 | |
| | Approximately 0.4 mile upstream of Gulick Street | None | +1401 | |

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Borough of Elkland

Maps are available for inspection at the Borough Hall, 105 Parkhurst Street, Elkland, PA 16920.

Borough of Mansfield

Maps are available for inspection at the Borough Hall, 14 South Main Street, Mansfield, PA 16933.

Borough of Tioga

Maps are available for inspection at the Borough Office, 18 North Main Street, Tioga, PA 16946.

Township of Charleston

Maps are available for inspection at the Charleston Township Building, 156 Catlin Hollow Road, Wellsboro, PA 16901.

Township of Deerfield

Maps are available for inspection at the Deerfield Township Building, 5322 State Route 49, Knoxville, PA 16928.

Township of Hamilton

Maps are available for inspection at the Hamilton Township Municipal Building, 16 Tioga Street, Morris Run, PA 16939.

Township of Nelson

Maps are available for inspection at the Nelson Township Community Building, 111 Village Drive, Nelson, PA 16940.

Warren County, Pennsylvania (All Jurisdictions)

| | | | | |
|-------------------------|--|------|-------|-------------------------|
| Allegheny River | Approximately 4.65 miles downstream of U.S. Route 62. | None | +1141 | Township of Deerfield. |
| | Approximately 4.21 miles downstream of U.S. Route 62. | None | +1143 | |
| Brokenstraw Creek | Approximately 0.16 mile upstream of Airport Road | None | +1236 | Township of Pittsfield. |

| Flooding source(s) | Location of referenced elevation | * Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL) | | Communities affected |
|--------------------------------------|--|---|----------|--------------------------|
| | | Effective | Modified | |
| Conewango Creek | Approximately 0.27 mile upstream of Airport Road | None | +1237 | Township of Pine Grove. |
| | Approximately 0.96 mile upstream of Hatch Run Road | None | +1212 | |
| Tributary No. 1 to Stillwater Creek. | Approximately 1.24 mile upstream of Hatch Run Road | None | +1214 | Township of Sugar Grove. |
| | Approximately 0.53 mile downstream of Jamestown Road. | None | +1360 | |
| | Approximately 0.49 mile downstream of Jamestown Road. | None | +1361 | |

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Township of Deerfield

Maps are available for inspection at the Deerfield Township Building, 4638 Morrison Run Road, Tidioute, PA 16350.

Township of Pine Grove

Maps are available for inspection at the Pine Grove Township Municipal Building, 113 Liberty Street, Russell, PA 16345.

Township of Pittsfield

Maps are available for inspection at the Pittsfield Township Municipal Building, 488 Dalrymple Street, Pittsfield, PA 16340.

Township of Sugar Grove

Maps are available for inspection at the Township Building, 195 Creek Road, Sugar Grove, PA 16350.

Palo Pinto County, Texas, and Incorporated Areas

| | | | | |
|-------------------------------|--|------|-------|--|
| Brazos River | Approximately 7.89 miles downstream of the confluence with Palo Pinto Creek. | None | +768 | Unincorporated Areas of Palo Pinto County. |
| | Approximately 5.43 miles downstream of the confluence with Palo Pinto Creek. | None | +773 | |
| Crystal Creek | Just upstream of 16th Street | None | +915 | City of Mineral Wells. |
| | Just upstream of 2nd Street | None | +960 | |
| Pollard Creek | Approximately 387 feet upstream of Ferguson Road .. | None | +836 | Unincorporated Areas of Palo Pinto County. |
| | Approximately 118 feet downstream of Pollard Park Road. | None | +921 | |
| Pollard Creek Tributary No. 1 | Just upstream of Southwest 22nd Street | None | +844 | Unincorporated Areas of Palo Pinto County. |
| Pollard Creek Tributary No. 5 | Just downstream of Southwest 10th Street | None | +861 | Unincorporated Areas of Palo Pinto County. |
| | Approximately 850 feet upstream of Northeast 23rd Street. | None | +1032 | |
| Rock Creek | Just upstream of Northeast 23rd Street | None | +1049 | Unincorporated Areas of Palo Pinto County. |
| | Just upstream of FM 1195 | None | +846 | |
| Rock Creek Tributary No. 1 .. | Approximately 0.82 mile upstream of FM 1195 | None | +857 | Unincorporated Areas of Palo Pinto County. |
| | Approximately 425 feet upstream of Northeast 23rd Street. | None | +972 | |
| | Approximately 600 feet upstream of Northeast 23rd Street. | None | +972 | |

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Roy E. Wright, Deputy Director, Risk Analysis Division, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

City of Mineral Wells

Maps are available for inspection at City Hall, 115 Southwest 1st Street, Mineral Wells, TX 76068.

| Flooding source(s) | Location of referenced elevation | * Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL) | | Communities affected |
|--------------------|----------------------------------|---|----------|----------------------|
| | | Effective | Modified | |

Unincorporated Areas of Palo Pinto County

Maps are available for inspection at the Palo Pinto County Courthouse, 520 Oak Street, Palo Pinto, TX 76484.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: September 13, 2010.

Sandra K. Knight,

Deputy Federal Insurance and Mitigation Administrator, Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2010-24869 Filed 10-4-10; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF TRANSPORTATION

Federal Railroad Administration

49 CFR Part 227

[Docket No. FRA-2009-0044, Notice No. 1]

RIN 2130-AC14

Emergency Escape Breathing Apparatus Standards

AGENCY: Federal Railroad Administration (FRA), Department of Transportation (DOT).

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: FRA is proposing to amend its regulations related to occupational safety and health in locomotive cabs in three ways. First and foremost, pursuant to a 2008 Congressional mandate, FRA is proposing to include requirements that railroads provide an appropriate atmosphere-supplying emergency escape breathing apparatus (EEBA) to the members of the train crew and certain other employees while they are occupying the locomotive cab of a freight train transporting a hazardous material that would pose an inhalation hazard in the event of release during an accident. Second, FRA is proposing to reflect the additional subject matter by changing the name of the part from "Occupational Noise Exposure" to "Occupational Safety and Health in the Locomotive Cab" and by making other conforming amendments. Third, FRA is proposing to remove the provision on the preemptive effect of the requirements as unnecessary.

DATES: Written comments must be received by December 6, 2010. Comments received after that date will be considered to the extent possible without incurring additional delay or expense.

FRA anticipates being able to resolve this rulemaking without a public, oral hearing. However, if FRA receives a specific request for a public, oral hearing prior to December 6, 2010, one will be scheduled, and FRA will publish a supplemental notice in the **Federal Register** to inform interested parties of the date, time, and location of any such hearing.

ADDRESSES: You may submit comments related to Docket No. FRA-2009-0044, Notice No. 1, by any one of the following methods:

- *Fax:* 1-202-493-2251;
- *Mail:* U.S. Department of

Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590;

- *Hand Delivery:* U.S. Department of Transportation, Docket Operations, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays; or
- Electronically through the Federal eRulemaking Portal, <http://www.regulations.gov>. Follow the online instructions for submitting comments.

Instructions: All submissions must include the agency name, docket name, and docket number or Regulatory Identification Number (RIN) for this rulemaking. Note that all comments received will be posted without change to <http://www.regulations.gov>, including any personal information provided. Please see the Privacy Act section of this document.

Docket: For access to the docket to read background documents or comments received, go to <http://www.regulations.gov> at any time or to the U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE.,

Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: Alan Misiaszek, Certified Industrial Hygienist, Staff Director, Industrial Hygiene Division, Office of Safety Assurance and Compliance, Office of Railroad Safety, FRA, 1200 New Jersey Avenue, SE., Mail Stop 25, Washington, DC 20590 (*telephone:* (202) 493-6002), alan.misiaszek@dot.gov or Stephen N. Gordon, Trial Attorney, Office of Chief Counsel, FRA, 1200 New Jersey Avenue, SE., Mail Stop 10, Washington, DC 20590 (*telephone:* (202) 493-6001), stephen.n.gordon@dot.gov.

SUPPLEMENTARY INFORMATION:

Abbreviations and Terms Used in This Document

- AAR—Association of American Railroads
- BNSF—BNSF Railway Company
- BLET—Brotherhood of Locomotive Engineers and Trainmen
- CFR—Code of Federal Regulations
- DOT—U.S. Department of Transportation
- EEBA—emergency escape breathing apparatus
- FRA—Federal Railroad Administration
- FRSA—the former Federal Railroad Safety Act of 1970, repealed and reenacted as positive law at 49 U.S.C 20106
- IDLH—immediate danger to life or health or immediately dangerous to life or health
- ISO—International Organization for Standardization
- LBIA—the former Locomotive (Boiler) Inspection Act, repealed and reenacted as positive law in 49 U.S.C. 20701-20703
- NIOSH—National Institute for Occupational Safety and Health
- NPRM—notice of proposed rulemaking
- NS—Norfolk Southern Railway Company
- NTSB—National Transportation Safety Board
- OSHA—Occupational Safety and Health Administration
- PHMSA—Pipeline and Hazardous Materials Safety Administration
- PIH material—poison inhalation hazard material
- ppm—parts per million
- RCO—remote control operator
- RSIA—Rail Safety Improvement Act of 2008, Public Law 110-432, Division A
- SCBA—self-contained breathing apparatus
- SBA—Small Business Administration
- T&E employees—train and engine service employees