

FOR FURTHER INFORMATION CONTACT:

Contact Mr. William Hostyn, Defense Threat Reduction Agency/SP-ACP, 8725 John J. Kingman Road, MS 6201, Fort Belvoir, VA 22060-6201; E-mail: william.hostyn@dtra.mil; Phone: (703) 767-4453; Fax: (703) 767-5701.

SUPPLEMENTARY INFORMATION:

Purpose of Meeting: To obtain, review and evaluate classified information related to the Committee's mission to advise on technology security, combating weapons of mass destruction (WMD), counter terrorism and counter proliferation.

Agenda: Beginning at 8 a.m. through the end of the meeting, the Committee will present Working Group findings at the secret level in the morning and will receive secret level briefings on counterterrorism, counterproliferation and WMD world events in the morning and afternoon.

Meeting Accessibility: Pursuant to 5 U.S.C. 552b, as amended, and 41 CFR 102-3.155, the Department of Defense has determined that the meeting shall be closed to the public. The Undersecretary of Defense (Acquisition, Technology and Logistics), in consultation with the DoD FACA Attorney, has determined in writing that this meeting be closed to the public because the discussions fall under the purview of Title 5, United States Code, Section 552b(c)(1) and are inextricably intertwined with the unclassified material that they cannot reasonably be segregated into separate discussions without disclosing secret or classified material.

Committee's Designated Federal Officer or Point of Contact: Mr. William Hostyn, Defense Threat Reduction Agency/SP/SP, 8725 John J. Kingman Road, MS 6201, Fort Belvoir, VA 22060-6201; E-mail: william.hostyn@dtra.mil; Phone: (703) 767-4453; Fax: (703) 767-5701.

Written Statements: Pursuant to 41 CFR 102-3.105(j) and 102-3.140, the public or interested organizations may submit written statements to the membership of the Committee at any time or in response to the stated agenda of a planned meeting. Written statements should be submitted to the Committee's Designated Federal Officer; the Designated Federal Officer's contact information can be obtained from the GSA's FACA Database—<https://www.fido.gov/facadatabase/public.asp>.

Written statements that do not pertain to a scheduled meeting of the Committee may be submitted at any time. However, if individual comments pertain to a specific topic being discussed at a planned meeting then these statements must be submitted no

later than five business days prior to the meeting in question. The Designated Federal Officer will review all submitted written statements and provide copies to all committee members.

Dated: April 20, 2011.

Morgan F. Park,

Alternate OSD Federal Register Liaison Officer, Department of Defense.

[FR Doc. 2011-9950 Filed 4-22-11; 8:45 am]

BILLING CODE 5001-06-P

DEPARTMENT OF DEFENSE**Department of the Army, Corps of Engineers****Intent To Prepare an Environmental Impact Statement for Update of the Shoreline Management Plan and Supplement to the Master Plan, Eufaula Lake, OK**

AGENCY: Department of the Army, U.S. Army Corps of Engineers, DoD.

ACTION: Notice of intent.

SUMMARY: The purpose of the Environmental Impact Statement (EIS) is to address alternatives and environmental impacts associated with an update of the Shoreline Management Plan (SMP) and supplement to the Master Plan (MP), Eufaula Lake, Oklahoma. The EIS would likewise evaluate alternatives and environmental impacts associated with specific proposals for recreational development facilities on Federal lands at Eufaula Lake as identified through the SMP update and MP supplement process.

ADDRESSES: Questions or comments concerning the proposed action should be addressed to Mr. Stephen L. Nolen, Chief, Environmental Analysis and Compliance Branch, Tulsa District, U.S. Army Corps of Engineers, CESWT-PE-E, 1645 S. 101st E. Ave., Tulsa, OK 74128-4629.

FOR FURTHER INFORMATION CONTACT: Mr. Stephen L. Nolen, (918) 669-7660, fax: (918) 669-7546, e-mail: Stephen.L.Nolen@usace.army.mil.

SUPPLEMENTARY INFORMATION: The Tulsa District, U.S. Army Corps of Engineers seeks to provide an update to the existing SMP and to supplement portions of the existing MP for Eufaula Lake, OK. Eufaula Lake is a multi-purpose reservoir impounded by Eufaula Dam on the Canadian River at river mile 27.0, about 12 miles east of Eufaula in McIntosh County, OK. Land and water resources at the lake are managed by the Tulsa District in accordance with regulations governing

U.S. Army Corps of Engineers civil works projects. At Eufaula Lake, private shoreline uses to include private boat docks and vegetation modification are managed under a permit system dependent upon shoreline allocation classifications specified in the SMP in accordance with Engineer Regulation 1130-2-406. Reviews and updates to SMPs are periodically provided and the last update to the Eufaula Lake SMP occurred in 1998. Similarly, land resources at Eufaula Lake are managed in accordance with MP requirements as described in Engineer Pamphlet 1130-2-550. In the land allocation portion of the MP, all project lands are assigned categories which are used for determination of appropriate uses for these lands. The last update to the Eufaula Lake MP occurred in 1977. Owing to the elapsed time since last updates, changed conditions, and the need to assess lake-wide cumulative effects, the Tulsa District seeks to update the Eufaula Lake SMP and supplement the MP by updating the land allocation portion. Actions appropriate for updating these plans and preparing the EIS for the same will occur concurrently.

As the SMP and MP update processes involve public participation and input, it is possible that specific proposals for recreational or other development features involving project shorelines and/or lands may be received by the Tulsa District. For proposals that have advanced to a planning stage of sufficient detail to allow for proposal-specific alternative and impact analysis, the EIS would include these analyses. For reasonably-foreseeable development proposals that have not advanced to the point where proposal-specific analyses are possible, these will be assessed under cumulative impacts but will require additional analysis under the National Environmental Policy Act (NEPA) prior to their implementation at Eufaula Lake.

Reasonable alternatives to be considered include varying combinations of allocation classifications for both project shorelines and Federal lands at Eufaula Lake to include the no action alternative of retaining allocations in both the SMP and MP as they currently exist. For proposal-specific actions, alternatives would include varying development plans and features as well as the no action alternative.

Issues to be addressed in the EIS include but are not limited to: (1) Socioeconomic impacts associated with allocation classifications and specific development proposals, (2) matters pertaining to shoreline impacts, (3)

potential impacts to cultural and ecological resources, (4) public access and safety, (5) impacts to lake use, public parks and recreation, (6) aesthetics, (7) infrastructure, (8) lake water quality, (9) traffic patterns, (10) terrestrial and aquatic fish and wildlife habitat, (11) Federally-listed threatened and endangered species, and (12) cumulative impacts associated with past, current, and reasonably foreseeable future actions at Eufaula Lake.

A public scoping meeting for the action will be conducted in early summer 2011 in Eufaula, OK or the vicinity. In addition, public workshops addressing updates to the SMP and MP may be held at locations near Eufaula Lake. News releases and notices informing the public and local, state, and Federal agencies of the proposed action and date of the public scoping meeting will be published in local newspapers. Comments received as a result of this notice, news releases, and the public scoping meeting will be used to assist the Tulsa District Corps of Engineers in identifying potential impacts to the quality of the human or natural environment. Affected Federal, state, or local agencies, affected Indian tribes, and other interested private organizations and parties are encouraged to participate in the scoping process by forwarding written comments to (see **ADDRESSES**) or attending the scoping meeting.

The draft EIS will be available for public review and comment. While the specific date for release of the draft EIS has yet to be determined, all interested agencies, tribes, organizations and parties expressing an interest in this action will be placed on a mailing list for receipt of the draft EIS. In order to be considered, any comments and suggestions should be forwarded to (see **ADDRESSES**) in accordance with dates specified upon release of the draft EIS.

Brenda S. Bowen,

Army Federal Register Liaison Officer.

[FR Doc. 2011-9902 Filed 4-22-11; 8:45 am]

BILLING CODE 3720-58-P

DELAWARE RIVER BASIN COMMISSION

Notice of Commission Meeting and Public Hearing

Notice is hereby given that the Delaware River Basin Commission will hold an informal conference followed by a public hearing on Wednesday, May 11, 2011. The hearing will be part of the Commission's regular business meeting. The conference session and business

meeting both are open to the public and will be held at the West Trenton Volunteer Fire Company, located at 40 West Upper Ferry Road, West Trenton, New Jersey.

The conference among the commissioners and staff will begin at 11 a.m. and will consist of two presentations: a report by Deputy Delaware River Master Gary N. Paulachok, P.G. of the U.S. Geological Survey on a one-year extension of the Flexible Flow Management Plan (FFMP); and a report by Dr. Jonathan H. Sharp of the University of Delaware on the Delaware Estuary Boat Run Monitoring Program.

The subjects of the public hearing to be held during the 1:30 p.m. business meeting include the dockets listed below:

1. *U.S. Steel, D-1978-068-3.* An application to renew DRBC approval for the discharge of up to 0.163 million gallons per day (mgd) of treated sanitary wastewater from the applicant's wastewater treatment plant (WWTP) via Outfall No. 203 and 3.75 mgd of treated industrial wastewater and non-contact cooling water (NCCW) from the applicant's industrial wastewater treatment plant (IWTP) via Outfall No. 103 as well as to continue a TDS Determination that allows TDS effluent concentrations of up to 1,100 mg/l as a monthly average; 2,200 mg/l as a daily maximum; and 2,750 mg/l as an instantaneous maximum, via combined Outfall No. 003. Internal Outfalls Nos. 103, 203, and 303 (stormwater only) will continue to discharge to the Delaware River via combined Outfall No. 003. The combined discharge from the applicant's WWTP and IWTP is made via Outfall No. 003 to the tidal region of Water Quality Zone 2 of the Delaware River at River Mile 127.0. The WWTP and IWTP are located in Falls Township, Bucks County, Pennsylvania.

2. *French Creek State Park, D-1980-007 CP-4.* An application to renew DRBC approval to continue to withdraw up to 3.1 million gallons per month (mgm) of groundwater to supply the French Creek State Park from existing Wells in the Hammer Creek Formation. The project is located in the French Creek Watershed in Union Township, Berks County, Pennsylvania, within the Southeastern Pennsylvania Ground Water Protected Area.

3. *GenOn Energy, Inc., D-1987-26-3.* An application to renew DRBC approval of discharges of treated industrial wastewater effluent from the Titus Generating Station (TGS) to the Schuylkill River as follows: the TGS IWTP via Outfall 002; coal-ash leachate from the Beagle Club Ash Disposal

(BCAD) site via Outfall 004; and combined NCCW, intake screen backwash, and stormwater via Outfall 001. The applicant has requested that the intermittent discharge from Outfall 004 continue to have an effluent limit of 3,500 mg/l of TDS as a monthly average. Effluent limits for the existing NCCW discharge (Outfall 001), IWTP (Outfall 002) and BCAD site (Outfall 004) will continue to be based on average annual flows of 1.469 mgd, 2.149 mgd and 1.007 mgd, respectively. The IWTP is hydraulically designed for 3.2 mgd. The TGS facilities will continue to discharge to the Schuylkill River. The project is located in Cumru Township, Berks County, Pennsylvania.

4. *Middletown Township, Middletown Country Club, D-1996-032 CP-2.* An application for approval of an existing groundwater withdrawal project to continue to supply up to 4.13 mgm of water to the applicant's golf course from existing Well No. 1-G. The project is located in the Precambrian Felsic Gneiss in the Neshaminy Creek Watershed in Middletown Township, Bucks County, Pennsylvania within the Southeastern Pennsylvania Ground Water Protected Area.

5. *Concord Township Sewer Authority, D-1997-019 CP-3.* An application for approval to continue discharging 1.8 mgd of treated effluent from the Concord Township WWTP. The WWTP will continue to discharge to the West Branch Chester Creek at River Mile 82.93-8.9-5.4 (Delaware River-Chester Creek-West Branch Chester Creek) in Concord Township, Delaware County, Pennsylvania.

6. *Bedminster Municipal Authority-Pennland Farms, D-2006-010 CP-2.* An application to renew DRBC approval of the existing 0.06 mgd Pennland Farms WWTP. The WWTP discharges to an unnamed tributary of Deep Run Creek at River Mile 157.0-4.7-7.1-0.1 (Delaware River-Tohickon Creek-Deep Run Creek-UNT). It is located in Bedminster Township, Bucks County, Pennsylvania within the drainage area of the section of the non-tidal Delaware River known as the Lower Delaware, which is classified as Special Protection Waters.

7. *Exelon Generation Company, LLC-Schuylkill Generating Station, D-1964-074 CP-2.* An application for a decrease in the approved surface water withdrawal (SWWD) allocation associated with Intake No. 1 to 5,180 mgm, of which 2,483 mgm would be for use at the Schuylkill Generating Station (SGS). Intake No. 1 supplies water to the Grays Ferry Cogen Facility (GFCF) and the Tri-Gen Corporation Facility (Tri-Gen) as well as to the SGS. The three