

mortgage insurance for, or otherwise govern or regulate, real property acquisition, disposition, leasing, rehabilitation, alteration, demolition, or new construction, or establish, revise, or provide for standards for construction or construction materials, manufactured housing, or occupancy. Accordingly, under 24 CFR 50.19(c)(1), this rule is categorically excluded from environmental review under the National Environmental Policy Act of 1969 (42 U.S.C. 4321).

Catalogue of Federal Domestic Assistance

The Catalogue of Federal Domestic Assistance Number for the principal FHA single-family mortgage insurance program is 14.117.

List of Subjects in 24 CFR Part 200

Administrative practice and procedure, Claims, Equal employment opportunity, Fair housing, Housing standards, Lead poisoning, Loan programs—housing and community development, Mortgage insurance, Organization and functions (Government agencies), Penalties, Reporting and recordkeeping requirements, Social Security, Unemployment compensation, Wages.

Accordingly, for the reasons stated in the preamble, 24 CFR part 200 is amended to read as follows:

PART 200—INTRODUCTION TO FHA PROGRAMS

■ 1. The authority citation for part 200 continues to read as follows:

Authority: 12 U.S.C. 1702–1715–z–21; 42 U.S.C. 3535(d).

■ 2. In § 200.202, revise paragraphs (b)(1) and (b)(2)(iii) as follows:

§ 200.202 How do I apply for placement on the Appraiser Roster?

* * * * *

(b) * * *

(1) You must be a state-certified appraiser with credentials that complied with the applicable certification criteria established by the Appraiser Qualification Board (AQB) of the Appraisal Foundation and in effect at the time the certification was awarded by the issuing jurisdiction; and

(2) * * *

(iii) HUD’s Credit Alert Verification Reporting System.

■ 3. In § 200.204, revise paragraphs (a)(1)(ii), (c)(1) and (2) as follows:

§ 200.204 What actions may HUD take against unsatisfactory appraisers on the Appraiser Roster?

* * * * *

(a) * * *
 (1) * * *
 (ii) Losing standing as a state-certified appraiser due to disciplinary action in any state in which the appraiser is certified;

* * * * *

(c) * * *

(1) *Appraisers subject to state disciplinary action.* An appraiser whose state certification in any state has been revoked, suspended, or surrendered as a result of a state disciplinary action is automatically suspended from the Appraiser Roster and prohibited from conducting FHA appraisals in any state until HUD receives evidence demonstrating that the state-imposed sanction has been lifted.

(2) *Expirations not due to state disciplinary action.* An appraiser whose certification in a state has expired is automatically suspended from the Appraiser Roster in that state and may not conduct FHA appraisals in that state until HUD receives evidence that demonstrates renewal, but may continue to perform FHA appraisals in other states in which the appraiser is certified.

* * * * *

Dated: November 16, 2011.

Carol J. Galante,

*Acting Assistant Secretary for Housing—
 Federal Housing Commissioner.*

[FR Doc. 2011–30266 Filed 11–22–11; 8:45 am]

BILLING CODE 4210–67–P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG–2011–1039]

Drawbridge Operation Regulation; Upper Mississippi River, Dubuque, IA

AGENCY: Coast Guard, DHS.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander, Eighth Coast Guard District, has issued a temporary deviation from the regulation governing the operation of the Illinois Central Railroad Drawbridge across the Upper Mississippi River, mile 579.9, at Dubuque, Iowa. The deviation is necessary to allow the bridge owner time to perform preventive maintenance that is essential to the continued safe operation of the drawbridge. Maintenance is scheduled in the winter when there is less impact on navigation; instead of scheduling work in the summer, when river traffic increases.

This deviation allows the bridge to open on signal if at least 24-hours advance notice is given.

DATES: This deviation is effective from 12:01 a.m., December 19, 2011 to 7 a.m., February 27, 2012.

ADDRESSES: Documents mentioned in this preamble as being available in the docket are part of docket USCG–2011–1039 and are available online by going to <http://www.regulations.gov>, inserting USCG–2011–1039 in the “Keyword” box and then clicking “Search”. They are also available for inspection or copying at the Docket Management Facility (M–30), U.S. Department of Transportation, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this rule, call or email Eric A. Washburn, Bridge Administrator, Western Rivers, Coast Guard; telephone (314) 269–2378, email Eric.Washburn@uscg.mil. If you have questions on viewing the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone (202) 366–9826.

SUPPLEMENTARY INFORMATION: The Chicago, Central & Pacific Railroad requested a temporary deviation for the Illinois Central Railroad Drawbridge, across the Upper Mississippi River, mile 579.9, at Dubuque, Iowa to open on signal if at least 24-hours advance notice is given for 70 days from 12:01 a.m., December 19, 2011 to 7 a.m., February 27, 2012 to allow the bridge owner time for preventive maintenance. The Rock Illinois Central Railroad Drawbridge currently operates in accordance with 33 CFR 117.5, which states the general requirement that the drawbridge shall open promptly and fully for the passage of vessels when a request to open is given in accordance with the subpart.

There are no alternate routes for vessels transiting this section of the Upper Mississippi River.

Winter conditions on the Upper Mississippi River coupled with the closure of Army Corps of Engineer’s Lock No 16 (Mile 457.2 UMR), Lock No. 17 (Mile 437.1 UMR) and Lock No. 18 (Mile 410.5 UMR) until 7:30 p.m., February 28, 2012 will preclude any significant navigation demands for a drawspan opening.

The Illinois Central Railroad Drawbridge, in the closed-to-navigation position, provides a vertical clearance of 19.9 feet above normal pool. Navigation on the waterway consists primarily of commercial tows and recreational watercraft. The drawbridge will open if

at least 24-hours advance notice is given. This temporary deviation has been coordinated with waterway users. No objections were received.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the designated time period. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: November 4, 2011.

Eric A. Washburn,

Bridge Administrator, Western Rivers.

[FR Doc. 2011-30288 Filed 11-22-11; 8:45 am]

BILLING CODE 9110-04-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2011-1050]

Drawbridge Operation Regulations; Chelsea River, Chelsea and East Boston, MA

AGENCY: Coast Guard, DHS.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander, First Coast Guard District, has issued a temporary deviation from the regulation governing the operation of the new Chelsea Street Bridge across the Chelsea River, mile 1.2, between Chelsea and East Boston, Massachusetts. The recently installed new vertical lift bridge span will undergo testing for three weeks. This deviation requires a four hour advance notice for bridge openings during the lift span test period.

DATES: This deviation is effective from 7 a.m. on November 12, 2011 through 11 a.m. on December 3, 2011.

ADDRESSES: Documents mentioned in this preamble as being available in the docket are part of docket USCG-2011-1050 and are available online at <http://www.regulations.gov>, inserting USCG-2011-1050 in the "Keyword" and then clicking "Search". They are also available for inspection or copying at the Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this rule, call or email Mr. John McDonald, Project Officer, First Coast Guard District, telephone (617) 223-8364,

john.w.mcdonald@uscg.mil. If you have questions on viewing the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone (202) 366-9826.

SUPPLEMENTARY INFORMATION: The Chelsea Street Bridge, across the Chelsea River, mile 1.2, between Chelsea and East Boston, Massachusetts, has a vertical clearance in the closed position of 7 feet above mean high water and 17 feet above mean low water, and 175 feet above mean high water in the full open position. The bridge opens on signal at all times as required by 33 CFR 117.593.

The waterway is transited predominantly by commercial operators delivering petroleum products to facilities located upstream from the new bridge.

The lift span at the new bridge will be operated by the contractor, J.F. White Company, for testing from 7 a.m. on November 12, 2011 through 11 a.m. on December 3, 2011. At least a four hour advance notice shall be required for bridge openings during the above test period. Requests to open the bridge may be made by calling J.F. White Company at (617) 590-1286 or (617) 799-2913 or by VHF FM marine radio channel 13 and 16.

The waterway users and upstream oil facilities, were all advised regarding the four hour advance notice requirement. No objections were received.

In accordance with 33 CFR 117.35(e), the bridge must return to its regular operating schedule immediately at the end of the designated time period. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: November 10, 2011.

Gary Kassof,

Bridge Program Manager, First Coast Guard District.

[FR Doc. 2011-30187 Filed 11-22-11; 8:45 am]

BILLING CODE 9110-04-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2011-0974]

RIN 1625-AA09

Drawbridge Operation Regulation; Neuse River, New Bern, NC

AGENCY: Coast Guard, DHS.

ACTION: Final rule.

SUMMARY: The Coast Guard is removing the existing drawbridge operation

regulation for the U.S. 17 bridge across Neuse River, mile 33.7 at New Bern, NC. The drawbridge was replaced with a fixed bridge in 1999. Therefore, the operating regulation pertaining to the U.S. 17 drawbridge is no longer applicable or necessary.

DATES: This rule is effective November 23, 2011.

ADDRESSES: Documents indicated in this preamble as being available in the docket, are part of docket USCG-2011-0974 and are available by going to <http://www.regulations.gov>, inserting USCG-2011-0974 in the "Keyword" box, and then clicking "Search." This material is also available for inspection or copying at the Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this rule, call or email Lindsey Middleton, Bridge Management Specialist, Coast Guard; telephone (757) 398-6629, email Lindsey.R.Middleton@uscg.mil. If you have questions on viewing the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone (202) 366-9826.

SUPPLEMENTARY INFORMATION:

Regulatory Information

The Coast Guard is issuing this final rule without prior notice and opportunity to comment pursuant to authority under section 4(a) of the Administrative Procedure Act (APA) (5 U.S.C. 553(b)). This provision authorizes an agency to issue a rule without prior notice and opportunity to comment when the agency for good cause finds that those procedures are "impracticable, unnecessary, or contrary to the public interest." Under 5 U.S.C. 553(b), the Coast Guard finds that good cause exists for not publishing a notice of proposed rulemaking (NPRM) with respect to this rule because the U.S. 17 bridge requiring the draw operating regulation at 33 CFR 117.824(a), was removed and replaced with a fixed bridge in 1999. The bridge operator and those transiting in the vicinity of this bridge have not been subject to the enforcement of this regulation since the bridge was removed and replaced with a fixed bridge. Therefore, the regulation is no longer applicable and shall be removed from publication. A Notice of Proposed Rulemaking (NPRM) is unnecessary because the Coast Guard is removing an unneeded regulation that has no further practical value and