

(1) Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;

(2) Evaluate the accuracy of the agencies estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;

(3) Enhance the quality, utility, and clarity of the information to be collected; and

(4) Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

Overview of This Information Collection

(1) *Type of Information Collection:* Extension of an existing information collection.

(2) *Title of the Form/Collection:* Sworn Statement of Refugee Applying for Admission to the United States.

(3) *Agency form number, if any, and the applicable component of the Department of Homeland Security sponsoring the collection:* Form G-646; U.S. Citizenship and Immigration Services (USCIS).

(4) *Affected public who will be asked or required to respond, as well as a brief abstract:* *Primary:* Individuals or households. The data collected by Form G-646 is used by USCIS to determine eligibility for the admission of the applicants to the United States as refugees.

(5) *An estimate of the total number of respondents and the amount of time estimated for an average respondent to respond:* 75,000 responses at 20 minutes (.333) per response.

(6) *An estimate of the total public burden (in hours) associated with the collection:* 24,975 annual burden hours.

If you need a copy of the information collection instrument, please visit the Web site at: <http://www.regulations.gov/>.

We may also be contacted at: USCIS, Regulatory Products Division, 20 Massachusetts Avenue NW., Washington, DC 20529-2020, Telephone number 202-272-8377.

Dated: March 5, 2012.

Sunday Aigbe,

Chief, Regulatory Products Division, Office of the Executive Secretariat, U.S. Citizenship and Immigration Services, Department of Homeland Security.

[FR Doc. 2012-5717 Filed 3-8-12; 8:45 am]

BILLING CODE 9111-97-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Accreditation and Approval of Intertek USA, Inc., as a Commercial Gauger and Laboratory

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of accreditation and approval of Intertek USA, Inc., as a commercial gauger and laboratory.

SUMMARY: Notice is hereby given that, pursuant to 19 CFR 151.12 and 19 CFR 151.13, Intertek USA, Inc., 109-B Freedom Boulevard, Yorktown, VA 23692, has been approved to gauge and accredited to test petroleum and petroleum products, organic chemicals and vegetable oils for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquires regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories.

http://cbp.gov/linkhandler/cgov/trade/automated/labs_scientific_svcs/commercial_gaugers/gaulist.ctt/gaulist.pdf.

DATES: The accreditation and approval of Intertek USA, Inc., as commercial gauger and laboratory became effective on September 07, 2011. The next triennial inspection date will be scheduled for September 2014.

FOR FURTHER INFORMATION CONTACT: Dr. Mike McCormick, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania

Avenue NW., Suite 1500N, Washington, DC 20229, 202-344-1060.

Dated: February 29, 2012.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. 2012-5742 Filed 3-8-12; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Accreditation and Approval of Intertek USA, Inc., as a Commercial Gauger and Laboratory

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of accreditation and approval of Intertek USA, Inc., as a commercial gauger and laboratory.

SUMMARY: Notice is hereby given that, pursuant to 19 CFR 151.12 and 19 CFR 151.13, Intertek USA, Inc., 5401 Evergreen Ave., Jacksonville, FL 32208, has been approved to gauge and accredited to test petroleum and petroleum products, organic chemicals and vegetable oils for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquires regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. http://cbp.gov/linkhandler/cgov/trade/automated/labs_scientific_svcs/commercial_gaugers/gaulist.ctt/gaulist.pdf.

DATES: The accreditation and approval of Intertek USA, Inc., as commercial gauger and laboratory became effective on September 22, 2011. The next triennial inspection date will be scheduled for September 2014.

FOR FURTHER INFORMATION CONTACT: Dr. Mike McCormick, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania

Avenue NW., Suite 1500N, Washington, DC 20229, 202-344-1060.

Dated: February 29, 2012.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. 2012-5747 Filed 3-8-12; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Accreditation and Approval of Intertek USA, Inc., as a Commercial Gauger and Laboratory

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of accreditation and approval of Intertek USA, Inc., as a commercial gauger and laboratory.

SUMMARY: Notice is hereby given that, pursuant to 19 CFR 151.12 and 19 CFR 151.13, Intertek USA, Inc., 1145 Fourth Street, Gretna, LA 70053, has been approved to gauge and accredited to test petroleum and petroleum products, organic chemicals and vegetable oils for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories: http://cbp.gov/linkhandler/cgov/trade/automated/labs_scientific_svcs/commercial_gaugers/gaulist.ctt/gaulist.pdf.

DATES: The accreditation and approval of Intertek USA, Inc., as commercial gauger and laboratory became effective on August 17, 2011. The next triennial inspection date will be scheduled for August 2014.

FOR FURTHER INFORMATION CONTACT: Dr. Mike McCormick, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, 202-344-1060.

Dated: February 29, 2012.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. 2012-5738 Filed 3-8-12; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Accreditation of Intertek USA, Inc., as a Commercial Laboratory

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of accreditation of Intertek USA, Inc., as a commercial laboratory.

SUMMARY: Notice is hereby given that, pursuant to 19 CFR 151.12, Intertek USA, Inc., 15602 Jacintoport Blvd. Stolthaven Terminal, Houston, TX 77015, has been accredited to test petroleum, petroleum products, organic chemicals and vegetable oils for customs purposes, in accordance with the provisions of 19 CFR 151.12. Anyone wishing to employ this entity to conduct laboratory analyses should request and receive written assurances from the entity that it is accredited by the U.S. Customs and Border Protection to conduct the specific test requested. Alternatively, inquiries regarding the specific test this entity is accredited to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories.

http://cbp.gov/linkhandler/cgov/trade/automated/labs_scientific_svcs/commercial_gaugers/gaulist.ctt/gaulist.pdf

DATES: The accreditation of Intertek USA, Inc., as commercial laboratory became effective on July 08, 2011. The next triennial inspection date will be scheduled for July 2014.

FOR FURTHER INFORMATION CONTACT: Dr. Mike McCormick, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, 202-344-1060.

Dated: February 29, 2012.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. 2012-5748 Filed 3-8-12; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Approval of Intertek USA, Inc., as a Commercial Gauger

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of approval of Intertek USA, Inc., as a commercial gauger.

SUMMARY: Notice is hereby given that, pursuant to 19 CFR 151.13, Intertek USA, Inc., 3741 Red Bluff Road, Suite 105, Pasadena, TX 77503, has been approved to gauge petroleum, petroleum products, organic chemicals and vegetable oils for customs purposes, in accordance with the provisions of 19 CFR 151.13. Anyone wishing to employ this entity to conduct gauger services should request and receive written assurances from the entity that it is approved by the U.S. Customs and Border Protection to conduct the specific gauger service requested. Alternatively, inquiries regarding the specific gauger service this entity is approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories.

http://cbp.gov/linkhandler/cgov/trade/automated/labs_scientific_svcs/commercial_gaugers/gaulist.ctt/gaulist.pdf.

DATES: The approval of Intertek USA, Inc., as commercial gauger became effective on July 08, 2011. The next triennial inspection date will be scheduled for July 2014.

FOR FURTHER INFORMATION CONTACT: Dr. Mike McCormick, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, 202-344-1060.

Dated: February 29, 2012.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. 2012-5746 Filed 3-8-12; 8:45 am]

BILLING CODE 9111-14-P