

standards for dehumidifiers manufactured on or after October 1, 2012. DOE codified the EISA 2007 standards at 10 CFR 430.32(v)(2). 74 FR 12058 (Mar. 23, 2009).

EPCA also requires that, not later than 6 years after the issuance of a final rule establishing or amending a standard, DOE publish a notice of proposed rulemaking (NPR) proposing new standards or a notice of determination that the existing standards do not need to be amended. (42 U.S.C. 6295(m)(1))

II. Test Procedures

EPCA specifies that the test procedure for dehumidifiers must be based on the U.S. Environmental Protection Agency (EPA)'s test criteria used under the ENERGY STAR Program in effect on August 8, 2005, unless DOE revises the test procedures. (42 U.S.C. 6293(b)(13)) Those ENERGY STAR test criteria require that American National Standards Institute (ANSI)/Association of Home Appliance Manufacturers (AHAM) Standard DH-1 be used to measure capacity in pints of moisture removed per day, while Canada's CAN/Canadian Standards Association (CSA)-C749-94 is used to calculate the energy factor (EF) in terms of liters of moisture removed per kilowatt-hour (kWh). DOE codified the test procedure requirements from EPCA for dehumidifiers at 10 CFR part 430 subpart B, appendix X. 71 FR 71340 (Dec. 8, 2006).

EPCA requires that DOE amend the test procedures for certain residential products, including dehumidifiers, to incorporate measures of standby mode and off mode energy use, if technically feasible. DOE published a NPR in which it proposed to incorporate by reference in the test procedures for dehumidifiers and other products an international test method for measuring standby mode and off mode power consumption, International Electrotechnical Commission (IEC) Standard 62301. 75 FR 75290 (Dec. 2, 2010). DOE subsequently published a Supplemental Notice of Proposed Rulemaking (SNOPR) to propose referencing the updated version of IEC Standard 62301. 76 FR 58346 (Sept. 20, 2011). In a second SNOPR, DOE proposed in relevant part to measure both capacity and EF for dehumidifiers according to the current version of AHAM Standard DH-1. 77 FR 31444 (May 25, 2012).

III. Energy Conservation Standards

During this rulemaking, DOE will determine whether to further amend the energy conservation standards for residential dehumidifiers. (42 U.S.C. 6295(cc)). EPCA requires that any new

or amended energy conservation standard be designed to achieve the maximum improvement in energy or water efficiency that is technologically feasible and economically justified. To determine whether a standard is economically justified, EPCA requires that DOE determine whether the benefits of the standard exceed its burdens by considering, to the greatest extent practicable, the following:

(1) The economic impact of the standard on the manufacturers and consumers of the affected products;

(2) The savings in operating costs throughout the estimated average life of the product compared to any increases in the initial cost, or maintenance expense;

(3) The total projected amount of energy and water (if applicable) savings likely to result directly from the imposition of the standard;

(4) Any lessening of the utility or the performance of the products likely to result from the imposition of the standard;

(5) The impact of any lessening of competition, as determined in writing by the Attorney General, that is likely to result from the imposition of the standard;

(6) The need for national energy and water conservation; and

(7) Other factors the Secretary considers relevant.

(42 U.S.C. 6295 (o)(2)(B)(i))

To begin the required rulemaking process, DOE has prepared a framework document to explain the issues, analyses, and processes that it is considering for the development of amended energy conservation standards for residential dehumidifiers. The framework document is available at http://www1.eere.energy.gov/buildings/appliance_standards/residential/dehumidifiers.html.

Additionally, DOE will hold a public meeting to focus on the analyses and issues described in the framework document. DOE encourages anyone who wishes to participate in the public meeting to view the framework document and to be prepared to discuss its contents. Public meeting participants need not limit their comments to the topics identified in the framework document; DOE is also interested in receiving views on other relevant issues that participants believe would affect energy conservation standards for these products. DOE welcomes all interested parties, regardless of whether they participate in the public meeting, to submit in writing comments and information on matters addressed in the framework document and on other matters relevant to consideration of standards for residential dehumidifiers.

DOE will conduct the public meeting in an informal conference style. A court reporter will record the minutes of the

meeting. The discussion will not include proprietary information, costs or prices, market shares, or other commercial matters regulated by U.S. antitrust laws.

After the public meeting and the expiration of the period for submitting written statements, DOE will begin collecting data, conducting the analyses as discussed at the public meeting, and reviewing public comments.

Anyone who wishes to participate in the public meeting, receive meeting materials, or be added to the DOE mailing list to receive future notices and information about the rulemaking process for residential dehumidifiers should contact Ms. Brenda Edwards at (202) 586-2945

Issued in Washington, DC, on July 31, 2012.

Kathleen B. Hogan,

Deputy Assistant Secretary of Energy, Energy Efficiency and Renewable Energy.

[FR Doc. 2012-20231 Filed 8-16-12; 8:45 am]

BILLING CODE 6450-01-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Parts 43, 91, and 145

[Docket No. FAA-2006-26408; Notice No. 12-03]

RIN 2120-AJ61

Repair Stations; Extension of Comment Period

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM); Extension of comment period.

SUMMARY: This action extends the comment period for an NPRM that was published on May 21, 2012. In that document, the FAA proposed to update and revise the regulations for repair stations. This extension is a result of formal requests from repair stations and industry associations to extend the comment period to the proposal. This extension is necessary to afford all interested parties an opportunity to present their views on the proposed rulemaking.

DATES: Comments must be received on or before November 19, 2012.

ADDRESSES: You may send comments identified by Docket No. FAA-2006-26408 using any of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov> and follow the online instructions for sending your comments electronically.

- *Mail*: Send comments to Docket Operations, M–30; U.S. Department of Transportation (DOT), 1200 New Jersey Avenue SE., Room W12–140, West Building Ground Floor, Washington, DC 20590–0001.

- *Hand Delivery or Courier*: Take comments to Docket Operations in Room W12–140 of the West Building Ground Floor at 1200 New Jersey Avenue SE., Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

- *Fax*: Fax comments to Docket Operations at 202–493–2251.

Privacy: We will post all comments we receive, without change, to <http://www.regulations.gov>, including any personal information the commenter provides. Using the search function of the docket Web site, anyone can find and read the electronic form of all comments received into any FAA docket, including the name of the individual sending the comment (or signing the comment for an association, business, labor union, etc.). DOT's complete Privacy Act Statement can be found in the **Federal Register** published on April 11, 2000 (65 FR 19477–19478), as well as at <http://DocketsInfo.dot.gov>.

Docket: Background documents or comments received may be read at <http://www.regulations.gov> at any time. Follow the online instructions for accessing the docket or Docket Operations in Room W12–140 of the West Building Ground Floor at 1200 New Jersey Avenue SE., Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: James M. Crotty, ARM–205, Office of Rulemaking, Federal Aviation Administration, 800 Independence Avenue SW., Washington, DC 20591, telephone (202) 267–9456; email James.M.Crotty@faa.gov.

SUPPLEMENTARY INFORMATION: See the “Additional Information” section in the NPRM (77 FR 30054) for further information on how to comment on the proposals in the NPRM and how the FAA will handle comments received. The “Additional Information” section also contains related information about the docket, privacy, and the handling of proprietary or confidential business information. In addition, there is information on obtaining copies of related rulemaking documents.

Background

On May 21, 2012, the FAA issued Notice No. 12–03, entitled “Repair Stations” (77 FR 30054). Comments to that document were to be received on or before August 20, 2012.

By letter dated August 3, 2012, nine associations representing a large cross-section of the aviation industry jointly requested that the FAA extend the comment period for 90 days (Aeronautical Repair Station Association, Aerospace Industries Association, Aircraft Electronics Association, Aircraft Owners and Pilots Association, Airlines for America, Helicopter Association International, National Air Carrier Association, National Air Transportation Association, and Regional Airline Association). The petitioners stated that good cause and need for an extended comment period arises from the scope and extent of the proposed changes, coupled with the effects it will have between and among individual companies represented by the petitioners. Further, the petitioners noted that many repair stations are small businesses which do not have departments or personnel dedicated to reviewing regulatory changes. As such, they may not be aware of the proposals, and the petitioners need more time to reach these small businesses and gather their input. Finally, the petitioners stated that more time is needed to consolidate its members' comments and coordinate these comments among the group.

The FAA agrees with the petitioners' request for an extension of the comment period. We recognize the NPRM's contents are significant and complex. Further, we understand that it is the intention of the petitioners to continue to canvass their members for comments, and to coordinate and consolidate the additional comments.

Absent unusual circumstances, the FAA does not anticipate any further extension of the comment period for this rulemaking.

Extension of Comment Period

In accordance with § 11.47(c) of Title 14, Code of Federal Regulations, the FAA has reviewed the joint petition made by the nine associations for extension of the comment period to Notice No. 12–03. These petitioners have shown a substantive interest in the proposed rule and good cause for the extension. The FAA has determined that extension of the comment period is consistent with the public interest, and that good cause exists for taking this action.

Accordingly, the comment period for Notice No. 12–03 is extended to November 19, 2012.

Issued in Washington, DC, on August 13, 2012.

Brenda D. Courtney,

Acting Director, Office of Rulemaking.

[FR Doc. 2012–20277 Filed 8–16–12; 8:45 am]

BILLING CODE 4910–13–P

DEPARTMENT OF LABOR

Occupational Safety and Health Administration

29 CFR Part 1926

[Docket ID–OSHA–2007–0066]

RIN 1218–AC61

Cranes and Derricks in Construction: Demolition and Underground Construction

AGENCY: Occupational Safety and Health Administration (OSHA), Labor.

ACTION: Notice of proposed rulemaking.

SUMMARY: On August 9, 2010, OSHA issued a final standard updating the requirements for cranes and derricks used in construction work. For most construction work, the final rule replaced a prior cranes and derricks standard. However, the prior standard continues to apply to demolition and underground construction work. Through this proposed rule, OSHA is proposing to apply the updated requirements to that work. With this proposed rule, OSHA also is proposing to correct inadvertent errors made to the demolition and underground construction standards when it issued the final rule for cranes and derricks in construction.

DATES: Submit comments to this proposed rule, including comments to the information-collection (paperwork) determination (described under the section titled AGENCY DETERMINATIONS), hearing requests, and other information by September 17, 2012. All submissions must bear a postmark or provide other evidence of the submission date.

ADDRESSES: Submit comments, hearing requests, and other material, identified by Docket No. OSHA–2007–0066, by any of the following methods:

Electronically: Submit comments and attachments, as well as hearing requests and other information, electronically at <http://www.regulations.gov>, which is the Federal e-Rulemaking Portal. Follow the instructions online for submitting comments. Please note that this docket may include several different **Federal Register** notices involving active rulemakings, so selecting the correct notice or its ID number when submitting