

Dated at Rockville, Maryland, this 17th day of September 2012.

For The Nuclear Regulatory Commission,  
**Linh N. Tran,**

*Acting Chief, Research and Test Reactors Licensing Branch, Division of Policy and Rulemaking, Office of Nuclear Reactor Regulation.*

[FR Doc. 2012-23326 Filed 9-19-12; 8:45 am]

BILLING CODE 7590-01-P

## NUCLEAR REGULATORY COMMISSION

### Advisory Committee On Reactor Safeguards; Notice of Meeting

In accordance with the purposes of Sections 29 and 182b of the Atomic Energy Act (42 U.S.C. 2039, 2232b), the Advisory Committee on Reactor Safeguards (ACRS) will hold a meeting on October 4-5, 2012, 11545 Rockville Pike, Rockville, Maryland.

#### Thursday, October 4, 2012, Conference Room T2-B1, 11545 Rockville Pike, Rockville, Maryland

*8:30 a.m.–8:35 a.m.: Opening Remarks by the ACRS Chairman (Open)*—The ACRS Chairman will make opening remarks regarding the conduct of the meeting.

*8:35 a.m.–10:00 a.m.: Proposed Changes to the NRC's Regulations for Protection Against Radiation to Conform with International Commission on Radiological Protection (ICRP) Recommendations (Open)*—The Committee will hear presentations by and hold discussions with representatives of the NRC staff regarding the proposed modifications to NRC's standards for protection against radiation in order to conform to current ICRP recommendations.

*10:15 a.m.–12:15 p.m.: Safety Evaluation Report (SER) Associated with WCAP-16793-NP, Revision 2, "Evaluation of Long-Term Cooling Considering Particulate, Fibrous and Chemical Debris in the Recirculating Fluid," and the Status of the Resolution of Generic Safety Issue (GSI) 191, "Assessment of Debris Accumulation on PWR Sump Performance" (Open/Closed)*—The Committee will hear presentations by and hold discussions with representatives of the NRC staff regarding the SER associated with WCAP-16793-NP, Revision 2, and the status of the resolution of GSI-191. [Note: A portion of this session may be closed in order to discuss and protect information designated as proprietary, pursuant to 5 U.S.C. 552b(c)(4)]

*1:15 p.m.–2:15 p.m.: Reactor Pressure Vessel Fabrication and Flaw Assessment (Closed)*—The Committee will hear

presentations by and hold discussions with representatives of the NRC staff regarding issues related to reactor pressure vessel fabrication and flaw assessment. [Note: This session will be closed in order to discuss and protect information provided in confidence by a foreign source, pursuant to 5 U.S.C. 552b(c)(4)]

*2:15 p.m.–3:15 p.m.: Assessment of the Quality of Selected NRC Research Projects (Open)*—The Committee will hold discussions with members of the ACRS panels performing the quality assessment of the following NRC research projects: (1) NUREG-1953, "Confirmatory Thermal-Hydraulic Analysis to Support Specific Success Criteria in the Standardized Plant Analysis Risk Models—Surry and Peach Bottom," and (2) NUREG/CR-7040, "Evaluation of JNES Equipment Fragility Tests for Use in Seismic Probabilistic Risk Assessments for U.S. Nuclear Power Plants."

*3:30 p.m.–7:00 p.m.: Preparation of ACRS Reports (Open/Closed)*—The Committee will discuss proposed ACRS reports on matters discussed during this meeting.

[Note: A portion of this session may be closed in order to discuss and protect information designated as proprietary, pursuant to 5 U.S.C. 552b(c)(4)]

#### Friday, October 5, 2012, Conference Room T2-B1, 11545 Rockville Pike, Rockville, Maryland

*8:30 a.m.–8:35 a.m.: Opening Remarks by the ACRS Chairman (Open)*—The ACRS Chairman will make opening remarks regarding the conduct of the meeting.

*8:35 a.m.–10:00 a.m.: Future ACRS Activities/Report of the Planning and Procedures Subcommittee (Open/Closed)*—The Committee will discuss the recommendations of the Planning and Procedures Subcommittee regarding items proposed for consideration by the Full Committee during future ACRS Meetings, and matters related to the conduct of ACRS business, including anticipated workload and member assignments. [Note: A portion of this meeting may be closed pursuant to 5 U.S.C. 552b (c)(2) and (6) to discuss organizational and personnel matters that relate solely to internal personnel rules and practices of ACRS, and information the release of which would constitute a clearly unwarranted invasion of personal privacy.]

*10:00 a.m.–10:15 a.m.: Reconciliation of ACRS Comments and Recommendations (Open)*—The Committee will discuss the responses from the NRC Executive Director for Operations to comments and

recommendations included in recent ACRS reports and letters.

*10:30 a.m.–7:00 p.m.: Preparation of ACRS Reports (Open/Closed)*—The Committee will discuss proposed ACRS reports on matters discussed during this meeting. [Note: A portion of this session may be closed in order to discuss and protect information designated as proprietary, pursuant to 5 U.S.C. 552b(c)(4)]

Procedures for the conduct of and participation in ACRS meetings were published in the **Federal Register** on October 17, 2011, (76 FR 64126-64127). In accordance with those procedures, oral or written views may be presented by members of the public, including representatives of the nuclear industry. Persons desiring to make oral statements should notify Antonio Dias, Cognizant ACRS Staff (Telephone: 301-415-6805, Email: [Antonio.Dias@nrc.gov](mailto:Antonio.Dias@nrc.gov)), five days before the meeting, if possible, so that appropriate arrangements can be made to allow necessary time during the meeting for such statements. In view of the possibility that the schedule for ACRS meetings may be adjusted by the Chairman as necessary to facilitate the conduct of the meeting, persons planning to attend should check with the Cognizant ACRS staff if such rescheduling would result in major inconvenience.

Thirty-five hard copies of each presentation or handout should be provided 30 minutes before the meeting. In addition, one electronic copy of each presentation should be emailed to the Cognizant ACRS Staff one day before meeting. If an electronic copy cannot be provided within this timeframe, presenters should provide the Cognizant ACRS Staff with a CD containing each presentation at least 30 minutes before the meeting.

In accordance with Subsection 10(d) Public Law 92-463, and 5 U.S.C. 552b(c), certain portions of this meeting may be closed, as specifically noted above. Use of still, motion picture, and television cameras during the meeting may be limited to selected portions of the meeting as determined by the Chairman. Electronic recordings will be permitted only during the open portions of the meeting.

ACRS meeting agenda, meeting transcripts, and letter reports are available through the NRC Public Document Room at [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov), or by calling the PDR at 1-800-397-4209, or from the Publicly Available Records System (PARS) component of NRC's document system (ADAMS) which is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> or <http://www.nrc.gov/reading-rm/adams.html>

[nrc.gov/reading-rm/doc-collections/ACRS/](http://nrc.gov/reading-rm/doc-collections/ACRS/).

Video teleconferencing service is available for observing open sessions of ACRS meetings. Those wishing to use this service should contact Mr. Theron Brown, ACRS Audio Visual Technician (301-415-8066), between 7:30 a.m. and 3:45 p.m. (ET), at least 10 days before the meeting to ensure the availability of this service. Individuals or organizations requesting this service will be responsible for telephone line charges and for providing the equipment and facilities that they use to establish the video teleconferencing link. The availability of video teleconferencing services is not guaranteed.

If attending this meeting please enter through the One White Flint North building, 11555 Rockville Pike, Rockville, MD. After registering with security please contact Mr. Theron Brown (240) 888-9835 to be escorted to the meeting room.

Dated: September 14, 2012.

**Andrew L. Bates,**

*Advisory Committee Management Officer.*

[FR Doc. 2012-23201 Filed 9-19-12; 8:45 am]

BILLING CODE 7590-01-P

## NUCLEAR REGULATORY COMMISSION

[Project No. 753; NRC-2012-0071]

### Model Safety Evaluation for Plant-Specific Adoption of Technical Specifications Task Force Traveler TSTF-522, Revision 0, "Revise Ventilation System Surveillance Requirements To Operate for 10 Hours per Month," Using the Consolidated Line Item Improvement Process

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Notice of availability.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC or the Commission) is announcing the availability of Technical Specifications (TSs) Task Force (TSTF) Traveler TSTF-522, Revision 0, "Revise Ventilation System Surveillance Requirements to Operate for 10 Hours per Month," for plant-specific adoption. Additionally, the NRC staff finds the proposed TS (Volume 1) and TS Bases (Volume 2) changes in Traveler TSTF-522 acceptable for inclusion in the following Standard Technical Specifications (STS): NUREG-1430, "[STS] Babcock and Wilcox Plants," NUREG-1431 "[STS] Westinghouse Plants," NUREG-1432 "[STS] Combustion Engineering

Plants," NUREG-1433 "[STS] General Electric BWR/4 Plants," NUREG-1434, "[STS] General Electric BWR/6 Plants."

**ADDRESSES:** Please refer to Docket ID NRC-2012-0071 when contacting the NRC about the availability of information regarding this document. You may access information related to this document, which the NRC possesses and are publicly available, using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2012-0071. Address questions about NRC dockets to Carol Gallagher; telephone: 301-492-3668; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov).

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may access publicly available documents online in the NRC Library at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). TSTF-522, Revision 0, includes a model application and is available in ADAMS under Accession No. ML100890316. The model safety evaluation (SE) of TSTF-522, Revision 0, is available under ADAMS Accession No. ML12158A464. The NRC staff disposition of comments received to the Notice of Opportunity for Public Comment announced in the **Federal Register** on March 22, 2012 (77 FR 16869), is available under ADAMS Accession No. ML12158A513.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** Ms. Michelle C. Honcharik, Senior Project Manager, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone 301-415-1774 or email at [Michelle.Honcharik@nrc.gov](mailto:Michelle.Honcharik@nrc.gov) or Mr. Matthew Hamm, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone 301-415-1472 or email [Matthew.Hamm@nrc.gov](mailto:Matthew.Hamm@nrc.gov).

**SUPPLEMENTARY INFORMATION:** TSTF-522, Revision 0, is applicable to all nuclear reactor power plants. The proposed change revises the surveillance requirements (SRs) which currently require operating the ventilation system for at least 10 continuous hours with the heaters

operating every 31 days or at a frequency controlled in accordance with the surveillance frequency control program (SFCP). The SRs would be changed to require at least 15 continuous minutes of ventilation system operation with heaters operating every 31 days or at a frequency controlled in accordance with the SFCP.

The NRC staff has reviewed the model application for TSTF-522 and has found it acceptable for use by licensees. Licensees opting to apply for this TS change are responsible for reviewing the NRC's staff SE and the applicable technical bases, providing any necessary plant-specific information, and assessing the completeness and accuracy of their license amendment request (LAR). The NRC will process each amendment application responding to the Notice of Availability according to applicable NRC rules and procedures.

The proposed change does not prevent licensees from requesting an alternate approach or proposing changes other than those proposed in TSTF-522, Revision 0. However, significant deviations from the approach recommended in this notice or the inclusion of additional changes to the license will require additional NRC staff review. This may increase the time and resources needed for the review or result in NRC staff rejection of the LAR. Licensees desiring significant deviations or additional changes should instead submit an LAR that does not claim to adopt TSTF-522, Revision 0.

Dated at Rockville, Maryland, this 12th day of September, 2012.

For the Nuclear Regulatory Commission,  
**Sheldon D. Stuchell,**

*Acting Chief, Licensing Processes Branch,  
Division of Policy and Rulemaking, Office  
of Nuclear Reactor Regulation.*

[FR Doc. 2012-23208 Filed 9-19-12; 8:45 am]

BILLING CODE 7590-01-P

## POSTAL REGULATORY COMMISSION

[Docket Nos. MC2012-47 and CP2012-57; Order No. 1469]

### New Postal Product

**AGENCY:** Postal Regulatory Commission.

**ACTION:** Notice.

**SUMMARY:** The Commission is noticing a recently-filed Postal Service request to add Priority Mail Contract 42 to the competitive product list. This notice addresses procedural steps associated with the filing.

**DATES:** *Comments are due:* September 21, 2012.