

Dated: December 21, 2012.

**David Mussatt,**

*Director—Midwestern Regional Office.*

[FR Doc. 2012–31165 Filed 12–26–12; 11:15 am]

BILLING CODE 6335–01–P

## DEPARTMENT OF COMMERCE

### International Trade Administration

[A–583–837]

#### Polyethylene Terephthalate Film, Sheet and Strip from Taiwan: Partial Rescission of the Antidumping Duty Administrative Review

**AGENCY:** Import Administration, International Trade Administration, Department of Commerce.

**DATES:** *Effective Date:* December 28, 2012.

**FOR FURTHER INFORMATION CONTACT:**

Sean Carey or Milton Koch, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue NW., Washington, DC 20230; telephone: (202) 482–3964 or (202) 482–2584, respectively.

#### Background

On July 2, 2012, the Department of Commerce (Department) published a notice of opportunity to request an administrative review of the antidumping duty (AD) order on polyethylene terephthalate film, sheet and strip from Taiwan covering the period July 1, 2011, through June 30, 2012.<sup>1</sup> The Department received a timely request for an AD administrative review from Petitioners<sup>2</sup> for two companies: Shinkong Materials Technology Corporation (Shinkong), and Nan Ya Plastics Corporation (Nan Ya). On August 30, 2012, the Department published a notice of initiation of administrative review with respect to Nan Ya and Shinkong.<sup>3</sup> On September 26, 2012, DuPont Teijin Films, one of the petitioners who requested the review, withdrew its request for an administrative review of Nan Ya and Shinkong. On November 30, 2012, Mitsubishi Polyester Film, Inc., SKC Inc., and Toray Plastics withdrew

<sup>1</sup> See *Antidumping or Countervailing Duty Order, Finding, or Suspended Investigation; Opportunity To Request Administrative Review*, 77 FR 39216, 39217 (July 2, 2012).

<sup>2</sup> Petitioners are DuPont Teijin Films, Mitsubishi Polyester Film, Inc., SKC, Inc. and Toray Plastics (America), Inc.

<sup>3</sup> See *Initiation of Antidumping and Countervailing Duty Administrative Reviews and Requests for Revocation in Part*, 77 FR 52688 (August 30, 2012).

the remaining request for an administrative review of Nan Ya.

#### Rescission, In Part

Pursuant to 19 CFR 351.213(d)(1), the Secretary will rescind an administrative review, in whole or in part, if a party that requested the review withdraws the request within 90 days of the date of publication of the notice of initiation of the requested review. Petitioners' withdrawal requests were timely submitted within the 90-day period.<sup>4</sup> As the withdrawal letters filed by Petitioners are timely and no other party requested a review of Nan Ya, we are rescinding this review with respect to Nan Ya, in accordance with 19 CFR 351.213(d)(1). Because the review request for Shinkong was not withdrawn by Mitsubishi Polyester Film, Inc., SKC, Inc., and Toray Plastics, Inc., the Department will continue to conduct the AD administrative review of Shinkong.

#### Assessment

The Department will instruct U.S. Customs and Border Protection (CBP) to assess antidumping duties on all appropriate entries. Nan Ya shall be assessed antidumping duties at rates equal to the cash deposit of estimated antidumping duties required at the time of entry, or withdrawal from warehouse, for consumption, in accordance with 19 CFR 351.212(c)(1)(i). The Department intends to issue appropriate assessment instructions directly to CBP 15 days after publication of this notice.

#### Notification Regarding Administrative Protective Orders

This notice also serves as a reminder to parties subject to administrative protective order (APO) of their responsibility concerning the return or destruction of proprietary information disclosed under APO in accordance with 19 CFR 351.305, which continues to govern business proprietary information in this segment of the proceeding. Timely written notification of the return/destruction of APO materials or conversion to judicial protective order is hereby requested.

<sup>4</sup> The 90th day fell on November 28, 2012; however, as explained in the memorandum from the Assistant Secretary for Import Administration, the Department has exercised its discretion to toll deadlines for the duration of the closure of the Federal Government from October 29, through October 30, 2012. Thus, all deadlines in this segment of the proceeding have been extended by two days. The revised deadline for withdrawing a review request was therefore, November 30, 2012. See Memorandum to the Record from Paul Piquado, Assistant Secretary for Import Administration, regarding "Tolling of Administrative Deadlines As a Result of the Government Closure During the Recent Hurricane" (October 31, 2012).

Failure to comply with the regulations and terms of an APO is a violation which is subject to sanction.

This notice is issued and published in accordance with section 777(i)(1) of the Tariff Act of 1930, as amended, and 19 CFR 351.213(d)(4).

Dated: December 20, 2012.

**Christian Marsh,**

*Deputy Assistant Secretary for Antidumping and Countervailing Duty Operations.*

[FR Doc. 2012–31320 Filed 12–27–12; 8:45 am]

BILLING CODE 3510–DS–P

## DEPARTMENT OF COMMERCE

### International Trade Administration

#### Application(s) for Duty-Free Entry of Scientific Instruments

Pursuant to Section 6(c) of the Educational, Scientific and Cultural Materials Importation Act of 1966 (Pub. L. 89–651, as amended by Pub. L. 106–36; 80 Stat. 897; 15 CFR part 301), we invite comments on the question of whether instruments of equivalent scientific value, for the purposes for which the instruments shown below are intended to be used, are being manufactured in the United States.

Comments must comply with 15 CFR 301.5(a)(3) and (4) of the regulations and be postmarked on or before January 17, 2013. Address written comments to Statutory Import Programs Staff, Room 3720, U.S. Department of Commerce, Washington, DC 20230. Applications may be examined between 8:30 a.m. and 5:00 p.m. at the U.S. Department of Commerce in Room 3720.

Docket Number: 12–058. Applicant: Regents of the University of California, Lawrence Berkeley National Laboratory, 1 Cyclotron Road, MS 46R0125, Berkeley, CA 94720. Instrument: Neodymium Iron Boron (NdFeB) Magentic Block—HXU Model (Vacodym 776). Manufacturer: Vacuumschemelze GmbH & Co KG, Germany. Intended Use: The instrument will be used to study matter on the fundamental atomic length scale and the associated ultrafast time scales of atomic motion and electronic transformation. The NdFeB magnet blocks must be of high magnetic field density to achieve the base spectral range. They must also be of high uniformity in order to achieve Free-Electron Laser (FEL) saturation. In addition to meeting these requirements, the unique capabilities of this instrument are expanded spectral reach, x-ray beams with controllable polarization, and "pump" pulses over a vastly extended range of photon energies to a sample, which are

synchronized to the Linac Coherent Light Source II project's ray probe pulses with controllable inter-pulse time delay. Justification for Duty-Free Entry: There are no instruments of the same general category manufactured in the United States. Application accepted by Commissioner of Customs: December 17, 2012.

Docket Number: 12-063. Applicant: University of Pittsburgh, 4200 Fifth Avenue, Pittsburgh, PA 15260. Instrument: Dilution Refrigerator with 9/2/2T Vector Superconducting Magnet. Manufacturer: Leiden Cryogenics, the Netherlands. Intended Use: The instrument will be used, in conjunction with the instrument imported under docket 12-065, to develop ways for preserving quantum information in a way that is immune to a wide variety of decoherence mechanisms, to program fundamental couplings at near-atomic scales, for the quantum simulation of "metasuperconductors," and to develop new mechanisms for the transfer of quantum information between long-lived localized states and delocalized states. The samples to be studied are a thin layer of LaAlO<sub>3</sub> (LAO), grown on SrTiO<sub>3</sub>, which undergoes a metal to insulator transition when the LAO thickness is greater than 3 unit cells. The unique features of this instrument are the ability to cool samples to T<50 mK using cryogen-free cooling where possible, an integral cryogen-free 3 axis vector magnet (>5/1/1 T), an integral large field magnet (>18T), the ability to rotate the orientation in a large field, and scanning probe microscopy capability at base temperature (T<50mK). These features enable the sample to be cooled below the superconducting transition temperature (Tc~200mK), to be rotated in any orientation relative to the magnetic fields, allow the investigation of the large spin-orbit field present in the samples (Bso~15T), and on nanometer size scales gate, modify and probe nanowire devices and quantum dot arrays. Justification for Duty-Free Entry: There are no instruments of the same general category manufactured in the United States. Application accepted by Commissioner of Customs: December 12, 2012.

Docket Number: 12-065. Applicant: University of Pittsburgh, 4200 Fifth Avenue, Pittsburgh, PA 15260. Instrument: Motorized Two Axis Sample Rotator for Dilution Refrigerator. Manufacturer: Attocube Systems, Germany. Intended Use: The instrument will be used, in conjunction with the instrument imported under docket 12-063, to develop ways for preserving quantum information in a way that is

immune to a wide variety of decoherence mechanisms, to program fundamental couplings at near-atomic scales, for the quantum simulation of "metasuperconductors," and to develop new mechanisms for the transfer of quantum information between long-lived localized states and delocalized states. The samples to be studied are a thin layer of LaAlO<sub>3</sub> (LAO), grown on SrTiO<sub>3</sub>, which undergoes a metal to insulator transition when the LAO thickness is greater than 3 unit cells. The unique features of this instrument are the ability to cool samples to T<50 mK using cryogen-free cooling where possible, an integral cryogen-free 3 axis vector magnet (>5/1/1 T), an integral large field magnet (>18T), the ability to rotate the orientation in a large field, and scanning probe microscopy capability at base temperature (T<50mK). These features enable the sample to be cooled below the superconducting transition temperature (Tc~200mK), to be rotated in any orientation relative to the magnetic fields, allow the investigation of the large spin-orbit field present in the samples (Bso~15T), and on nanometer size scales gate, modify and probe nanowire devices and quantum dot arrays. Justification for Duty-Free Entry: There are no instruments of the same general category manufactured in the United States. Application accepted by Commissioner of Customs: November 29, 2012.

Dated: December 20, 2012.

**Gregory W. Campbell,**  
*Director of Subsidies Enforcement, Import Administration.*

[FR Doc. 2012-31309 Filed 12-27-12; 8:45 am]

**BILLING CODE 3510-DS-P**

## DEPARTMENT OF COMMERCE

### International Trade Administration

#### **Howard Hughes Medical Institute, et al.; Notice of Consolidated Decision on Applications for Duty-Free Entry of Scientific Instruments**

This is a decision pursuant to Section 6(c) of the Educational, Scientific, and Cultural Materials Importation Act of 1966 (Pub. L. 89-651, as amended by Pub. .106-36; 80 Stat. 897; 15 CFR part 301). Related records can be viewed between 8:30 a.m. and 5:00 p.m. in Room 3720, U.S. Department of Commerce, 14th and Constitution Ave. NW., Washington, DC.

Comments: None received. Decision: Approved. We know of no instruments of equivalent scientific value to the foreign instruments described below, for

such purposes as each is intended to be used, that was being manufactured in the United States at the time of its order.

Docket Number: 12-048. Applicant: Howard Hughes Medical Institute, Chevy Chase, MD 20815. Instrument: Micro-litre and nanolite dispensing system. Manufacturer: TTP Labtech Ltd., United Kingdom. Intended Use: See notice at 77 FR 70141, November 23, 2012. Comments: None received. Decision: Approved. We know of no instruments of equivalent scientific value to the foreign instruments described below, for such purposes as this is intended to be used, that was being manufactured in the United States at the time of order. Reasons: The instrument will be used to obtain crystals of biological macromolecules and complexes such as ribonucleic acid, proteins, and ribosomes to enable the determination of their three-dimensional atomic resolution structures. The unique features of this instrument which are required for the experiments are that it has a disposable tip system, its speed of operation, and its ability to deliver the small drops required to perform the experiments.

Docket Number: 12-049. Applicant: Howard Hughes Medical Institute, Chevy Chase, MD 20815. Instrument: Micro-litre and nanolite dispensing system. Manufacturer: TTP Labtech Ltd., United Kingdom. Intended Use: See notice at 77 FR 70141, November 23, 2012. Comments: None received. Decision: Approved. We know of no instruments of equivalent scientific value to the foreign instruments described below, for such purposes as this is intended to be used, that was being manufactured in the United States at the time of order. Reasons: The instrument will be used to obtain crystals of biological macromolecules and complexes such as ribonucleic acid, proteins, and ribosomes to enable the determination of three-dimensional atomic resolution structures. The unique features of this instrument which are required for the experiments are that it has a disposable tip system, its speed of operation, and its ability to deliver the small drops required to perform the experiments.

Docket Number: 12-050. Applicant: North Carolina State University, Raleigh, NC 27695. Instrument: Twin-screw Microcompounder. Manufacturer: DSM, the Netherlands. Intended Use: See notice at 77 FR 70142, November 23, 2012.

Comments: None received. Decision: Approved. We know of no instruments of equivalent scientific value to the foreign instruments described below, for such purposes as this is intended to be