

**DEPARTMENT OF LABOR****Mine Safety and Health Administration****Petitions for Modification of Application of Existing Mandatory Safety Standards**

**AGENCY:** Mine Safety and Health Administration, Labor.

**ACTION:** Notice.

**SUMMARY:** Section 101(c) of the Federal Mine Safety and Health Act of 1977 and 30 CFR Part 44 govern the application, processing, and disposition of petitions for modification. This notice is a summary of petitions for modification submitted to the Mine Safety and Health Administration (MSHA) by the parties listed below to modify the application of existing mandatory safety standards codified in Title 30 of the Code of Federal Regulations.

**DATES:** All comments on the petitions must be received by the Office of Standards, Regulations and Variances on or before February 14, 2013.

**ADDRESSES:** You may submit your comments, identified by "docket number" on the subject line, by any of the following methods:

1. *Electronic Mail:* zzMSHA-comments@dol.gov. Include the docket number of the petition in the subject line of the message.

2. *Facsimile:* 202-693-9441.

3. *Regular Mail or Hand Delivery:* MSHA, Office of Standards, Regulations and Variances, 1100 Wilson Boulevard, Room 2350, Arlington, Virginia 22209-3939, Attention: George F. Triebisch, Director, Office of Standards, Regulations and Variances. Persons delivering documents are required to check in at the receptionist's desk on the 21st floor. Individuals may inspect copies of the petitions and comments during normal business hours at the address listed above.

MSHA will consider only comments postmarked by the U.S. Postal Service or proof of delivery from another delivery service such as UPS or Federal Express on or before the deadline for comments.

**FOR FURTHER INFORMATION CONTACT:** Barbara Barron, Office of Standards, Regulations and Variances at 202-693-9447 (Voice), barron.barbara@dol.gov (Email), or 202-693-9441 (Facsimile). [These are not toll-free numbers.]

**SUPPLEMENTARY INFORMATION:****I. Background**

Section 101(c) of the Federal Mine Safety and Health Act of 1977 (Mine Act) allows the mine operator or representative of miners to file a petition to modify the application of any

mandatory safety standard to a coal or other mine if the Secretary of Labor determines that:

(1) An alternative method of achieving the result of such standard exists which will at all times guarantee no less than the same measure of protection afforded the miners of such mine by such standard; or

(2) That the application of such standard to such mine will result in a diminution of safety to the miners in such mine.

In addition, the regulations at 30 CFR 44.10 and 44.11 establish the requirements and procedures for filing petitions for modification.

**II. Petitions for Modification**

*Docket No:* M-2012-170-C.

*Petitioner:* Prairie State Generating Company, LLC, Three Gateway Center, Suite 1340, 401 Liberty Avenue, Pittsburgh, Pennsylvania 15222-1000.

*Mine:* Lively Grove Mine, MSHA I.D. No. 11-03193, located in Washington County, Illinois.

*Regulation Affected:* 30 CFR 75.500(d) (Permissible electric equipment).

*Modification Request:* The petitioner requests a modification of the existing standard to permit an alternative method of compliance to permit the use of battery-powered nonpermissible surveying equipment in or in by the last open crosscut, including, but not limited to, portable battery-operated mine transits, total station surveying equipment, distance meters, and data loggers. The petitioner states that:

(1) To comply with requirements for mine ventilation maps and mine maps in 30 CFR 75.372 and 75.1200, use of the most practical and accurate surveying equipment is necessary.

(2) Application of the existing standard would result in a diminution of safety to the miners. Underground mining by its nature and size, and the complexity of mine plans, requires that accurate and precise measurements be completed in a prompt and efficient manner. The petitioner proposes the following as an alternative to the existing standard:

(a) Nonpermissible electronic surveying equipment will be used when equivalent permissible electronic surveying equipment is not available. Such nonpermissible surveying equipment includes portable battery-operated total station surveying equipment, mine transits, distance meters, and data loggers.

(b) All nonpermissible electronic surveying equipment to be used in or in by the last open crosscut will be examined by surveying personnel prior to use to ensure the equipment is being

maintained in a safe operating condition. These examinations will include the following steps:

(i) Checking the instrument for any physical damage and the integrity of the case.

(ii) Removing the battery and inspecting for corrosion.

(iii) Inspecting the contact points to ensure a secure connection to the battery.

(iv) Reinserting the battery and powering up and shutting down to ensure proper connections.

(v) Checking the battery compartment cover to ensure that it is securely fastened.

(c) The results of such examinations will be recorded and retained for one year and made available to MSHA on request.

(d) A qualified person as defined in 30 CFR 75.151 will continuously monitor for methane immediately before and during the use of nonpermissible surveying equipment in or in by the last open crosscut.

(e) Nonpermissible surveying equipment will not be used if methane is detected in concentrations at or above one percent for the area being surveyed. When methane is detected at such levels while the nonpermissible surveying equipment is being used, the equipment will be deenergized immediately and the nonpermissible electronic equipment withdrawn outby the last open crosscut.

(f) All hand-held methane detectors will be MSHA-approved and maintained in permissible and proper operating condition as defined in 30 CFR 75.320.

(g) Batteries in the surveying equipment will be changed out or charged in fresh air outby the last open crosscut.

(h) Qualified personnel who use surveying equipment will be properly trained to recognize the hazards associated with the use of nonpermissible surveying equipment in areas where methane could be present.

(i) The nonpermissible surveying equipment will not be put into service until MSHA has initially inspected the equipment and determined that it is in compliance with all the terms and conditions in this petition.

Within 60 days after the Proposed Decision and Order becomes final, the petitioner will submit proposed revisions for its approved 30 CFR part 48 training plan to the District Manager. The revisions will specify initial and refresher training regarding the terms and conditions in the Proposed Decision and Order.

The petitioner asserts that the proposed alternative method will at all times guarantee no less than the same measure of protection as that afforded by the existing standard.

*Docket Number:* M-2012-171-C.

*Petitioner:* Prairie State Generating Company, LLC, Three Gateway Center, Suite 1340, 401 Liberty Avenue, Pittsburgh, Pennsylvania 15222-1000.

*Mine:* Lively Grove Mine, MSHA I.D. No. 11-03193, located in Washington County, Illinois.

*Regulation Affected:* 30 CFR 75.507-1(a) (Electric equipment other than power-connection points; outby the last open crosscut; return air; permissibility requirements).

*Modification Request:* The petitioner requests a modification of the existing standard to permit an alternative method of compliance to permit the use of battery-powered nonpermissible surveying equipment in return airways, including, but not limited to, portable battery-operated mine transits, total station surveying equipment, distance meters, and data loggers. The petitioner states that:

(1) To comply with requirements for mine ventilation maps and mine maps in 30 CFR 75.372 and 75.1200, use of the most practical and accurate surveying equipment is necessary.

(2) Application of the existing standard would result in a diminution of safety to the miners. Underground mining by its nature and size, and the complexity of mine plans, requires that accurate and precise measurements be completed in a prompt and efficient manner. The petitioner proposes the following as an alternative to the existing standard:

(a) Nonpermissible electronic surveying equipment will be used when equivalent permissible electronic surveying equipment is not available. Such nonpermissible surveying equipment includes portable battery-operated total station surveying equipment, mine transits, distance meters, and data loggers.

(b) All nonpermissible electronic surveying equipment to be used in return airways will be examined by surveying personnel prior to use to ensure the equipment is being maintained in a safe operating condition. These examinations will include the following steps:

(i) Checking the instrument for any physical damage and the integrity of the case.

(ii) Removing the battery and inspecting for corrosion.

(iii) Inspecting the contact points to ensure a secure connection to the battery.

(iv) Reinserting the battery and powering up and shutting down to ensure proper connections.

(v) Checking the battery compartment cover to ensure that it is securely fastened.

(c) The results of such examinations will be recorded and retained for one year and made available to MSHA on request.

(d) A qualified person as defined in 30 CFR 75.151 will continuously monitor for methane immediately before and during the use of nonpermissible surveying equipment in return airways.

(e) Nonpermissible surveying equipment will not be used if methane is detected in concentrations at or above one percent for the area being surveyed. When methane is detected at such levels while the nonpermissible surveying equipment is being used, the equipment will be deenergized immediately and the nonpermissible electronic equipment withdrawn out of the return airways.

(f) All hand-held methane detectors will be MSHA-approved and maintained in permissible and proper operating condition as defined in 30 CFR 75.320.

(g) Batteries in the surveying equipment will be changed out or charged in fresh air out of the return.

(h) Qualified personnel who use surveying equipment will be properly trained to recognize the hazards associated with the use of nonpermissible surveying equipment in areas where methane could be present.

(i) The nonpermissible surveying equipment will not be put into service until MSHA has initially inspected the equipment and determined that it is in compliance with all the terms and conditions in this petition.

Within 60 days after the Proposed Decision and Order becomes final, the petitioner will submit proposed revisions for its approved 30 CFR part 48 training plan to the District Manager. The revisions will specify initial and refresher training regarding the terms and conditions in the Proposed Decision and Order.

The petitioner asserts that the proposed alternative method will at all times guarantee no less than the same measure of protection as that afforded by the existing standard.

*Docket Number:* M-2012-172-C.

*Petitioner:* South Central Coal Company, Inc., P.O. Box 6, Spiro, Oklahoma 74959.

*Mine:* P8 North Mine, MSHA I.D. No. 34-02080, located in Le Flore County, Oklahoma.

*Regulation Affected:* 30 CFR 75.1700 (Oil and gas wells).

*Modification Request:* The petitioner requests a modification of the existing standard to mine through certain active or abandoned plugged wells which may lie in the engineered path of the proposed mining activity. The petitioner further requests that two previously granted petitions for modification, M-2008-053-C and M-95-151-C, be included in the evaluation of this petition regarding the P8 North Mine. The petitioner states that:

(1) The petitions granted for modification (M-2008-053-C and M-95-151-C) relate to the same reserve block referenced in this petition for the P8 North Mine.

(2) The primary reasons for not deviating from the P8 North Mine plan and adhering to the proposed mine plans include:

(a) Due to mining through a rock zone to reach coal-bearing strata, the petitioner cannot deviate from the mine plan without exceeding the permit boundary, thus requiring mining through plugged well 29-1H or the required barrier zone.

(b) Maintaining proper ventilation systems without complications.

(c) Maintaining easy to explain and easy to maintain emergency escape routes for mine personnel.

(d) Maintaining a straight-forward, uncomplicated system of ingress, egress and coal removal (belt layout).

(e) Maintaining an uncomplicated system of removing any water that may be encountered during mining.

(3) The petitioner further states that the procedures to be used when plugging or replugging and mining through hydrocarbon dry holes, gas wells, or oil wells within the mining operations include:

(a) All available data has been acquired to identify any hydrocarbon wells within the Department of Interior, Bureau of Land Management coal lease that is proposed for mining (Lease OKNM 91190 near the town of Spiro, Le Flore County, Oklahoma).

(b) Oklahoma Corporation Commission 1002 A forms (well completion records) and 1003 forms (plugging records) have been obtained for the wells within the proposed mine area. These records indicate details of the wells' completion and plugging procedures.

(c) The research well data in conjunction with coal geology information indicates well locations and confirmation of replugging procedures.

The petitioner asserts that the proposed alternative method will guarantee no less than the same measure of protection as that afforded by the existing standard.

Dated: January 10, 2013.

**George F. Triebsch,**  
Director, Office of Standards, Regulations and  
Variances.

[FR Doc. 2013-00624 Filed 1-14-13; 8:45 am]

**BILLING CODE 4510-43-P**

## NATIONAL COUNCIL ON DISABILITY

### Sunshine Act Meetings

**TIME AND DATES:** The Members of the National Council on Disability (NCD) will hold a special meeting of the Council on Friday, January 11, 2013, 12:00 p.m.–1:00 p.m. (ET).

**PLACE:** The meeting will occur by teleconference. Interested parties may join the meeting by phone in a listening-only capacity using the following call-in number: 1-877-446-3914; passcode 4121872.

**MATTERS TO BE CONSIDERED:** The Council will meet to review, discuss, and vote on a letter of policy recommendations and concerns to the interagency taskforce created in the wake of the Newtown tragedy.

**CONTACT PERSON FOR MORE INFORMATION:** Anne Sommers, NCD, 1331 F Street NW., Suite 850, Washington, DC 20004; 202-272-2004 (V), 202-272-2074 (TTY).

**ACCOMMODATIONS:** Those who plan to participate by phone and require accommodations should notify NCD as soon as possible to allow time to make arrangements.

Dated: January 11, 2013.

**Aaron Bishop,**  
Executive Director.

[FR Doc. 2013-00805 Filed 1-11-13; 4:15 pm]

**BILLING CODE 6820-MA-P**

## NATIONAL COUNCIL ON DISABILITY

### Sunshine Act Meetings Notice

**TIME AND DATES:** The Members of the National Council on Disability (NCD) will hold a quarterly meeting on Tuesday, January 29, 2013, 9:00 a.m.–5:00 p.m. (ET).

**PLACE:** The meeting will occur at the Access Board Conference Room, 1331 F Street, NW., Suite 800, Washington, DC. Interested parties may join the meeting in person or may join by phone in a listening-only capacity (with the exception of the public comment period) using the following call-in number: 1-888-523-1228; passcode 3484831. If asked, the conference call host's name is Jonathan Young.

**MATTERS TO BE CONSIDERED:** The Council will receive updates from the Council's

standing committees, will discuss and vote on two Medicaid reports (one on self-direction and one on block-granting), will discuss the agency's 2013 progress report, will receive a briefing from Administrator Craig Fugate of the Federal Emergency Management Agency (FEMA) regarding the response to Hurricane Sandy, as it pertains to people with disabilities, and will receive public comment. The times provided below are approximations for when each agenda item is anticipated to be discussed (all times Eastern):

9:00–9:30 a.m. Chairman's Report,  
Executive Director's Report

9:30–10:30 a.m. Audit and Finance  
Committee report, Governance  
Committee report

10:30 a.m.–12:00 p.m. Policy and  
Program Evaluation Committee  
Report (including discussion and  
votes on Medicaid reports)

1:15–2:15 p.m. NCD Progress Report  
Discussion

2:15–3:15 p.m. Agency briefing with  
FEMA Administrator Craig Fugate

3:30–4:00 p.m. Public comment period

Any individuals interested in providing public comment will be asked to provide their names and their organizational affiliations, if applicable, and to limit their comments to three minutes. Individuals may also provide public comment by sending their comments in writing to Lawrence Carter-Long, Public Affairs Specialist, at [lcarterlong@ncd.gov](mailto:lcarterlong@ncd.gov), using the subject line of "Public Comment."

**CONTACT PERSON FOR MORE INFORMATION:** Anne Sommers, NCD, 1331 F Street NW., Suite 850, Washington, DC 20004; 202-272-2004 (V), 202-272-2074 (TTY).

**ACCOMMODATIONS:** Those who plan to attend and require accommodations should notify NCD as soon as possible to allow time to make arrangements. Please note: To help reduce exposure to fragrances for those with multiple chemical sensitivities, NCD requests that all those attending the meeting in person please refrain from wearing scented personal care products such as perfumes, hairsprays, colognes, and deodorants.

Dated: January 10, 2013.

**Aaron Bishop,**  
Executive Director.

[FR Doc. 2013-00779 Filed 1-11-13; 11:47 am]

**BILLING CODE 6820-MA-P**

## NATIONAL TRANSPORTATION SAFETY BOARD

### Sunshine Act Meeting; Agenda

**TIME AND DATE:** 9:30 a.m., Tuesday,  
January 29, 2013.

**PLACE:** NTSB Conference Center, 429  
L'Enfant Plaza SW., Washington, DC  
20594.

**STATUS:** The one item is open to the  
public.

#### MATTER TO BE CONSIDERED:

8371A Aircraft Accident Report—Loss  
of Control, Sundance Helicopters,  
Inc., Eurocopter AS350-B2, N37SH,  
Near Las Vegas, Nevada, December 7,  
2011.

**NEWS MEDIA CONTACT:** Telephone: (202)  
314-6100.

The press and public may enter the  
NTSB Conference Center one hour prior  
to the meeting for set up and seating.

Individuals requesting specific  
accommodations should contact  
Rochelle Hall at (202) 314-6305 or by  
email at [Rochelle.Hall@ntsb.gov](mailto:Rochelle.Hall@ntsb.gov) by  
Friday, January 25, 2013.

The public may view the meeting via  
a live or archived webcast by accessing  
a link under "News & Events" on the  
NTSB home page at [www.nts.gov](http://www.nts.gov).

Schedule updates including weather-  
related cancellations are also available  
at [www.nts.gov](http://www.nts.gov).

**FOR MORE INFORMATION CONTACT:** Candi  
Bing, (202) 314-6403 or by email at  
[bing@ntsb.gov](mailto:bing@ntsb.gov).

**FOR MEDIA INFORMATION CONTACT:** Peter  
Knudson (202) 314-6219 or by email at  
[peter.knudson@ntsb.gov](mailto:peter.knudson@ntsb.gov).

Dated: January 11, 2013.

**Candi R. Bing,**  
Federal Register Liaison Officer.

[FR Doc. 2013-00822 Filed 1-11-13; 4:15 pm]

**BILLING CODE 7533-01-P**

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-348 and 50-364; NRC-  
2012-0309]

**Applications and Amendments to  
Facility Operating Licenses and  
Combined Licenses Involving  
Proposed No Significant Hazards  
Considerations and Containing  
Sensitive Unclassified Non-Safeguards  
Information and Order Imposing  
Procedures for Access to Sensitive  
Unclassified Non-Safeguards  
Information**

**AGENCY:** Nuclear Regulatory  
Commission.

**ACTION:** License amendment request;  
opportunity to comment, opportunity to