

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2013-0002; Internal Agency Docket No. FEMA-B-1233]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule; correction.

SUMMARY: On November 29, 2011 and November 9, 2012, FEMA published in the **Federal Register** a proposed rule and a correction to the proposed rule that contained erroneous tables. This notice provides corrections to those tables, to be used in lieu of the information published at 76 FR 73537 and 76 FR 67325. The table provided here represents the flooding sources, location of referenced elevations, effective and modified elevations, and communities affected for Sullivan County, Pennsylvania (All Jurisdictions). Specifically, it addresses the flooding sources Big Run, Little Loyalsock Creek, Loyalsock Creek, and Muncy Creek.

DATES: Comments are to be submitted on or before May 6, 2013.

ADDRESSES: You may submit comments, identified by Docket No. FEMA-B-1233, to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-4064 or (email) Luis.Rodriguez3@fema.dhs.gov.

FOR FURTHER INFORMATION CONTACT: Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-4064, or (email) Luis.Rodriguez3@fema.dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) publishes proposed determinations of Base (1% annual-chance) Flood Elevations (BFEs) and modified BFEs for communities participating in the National Flood Insurance Program (NFIP), in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain

management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

Correction

In the proposed rule published at 76 FR 73537, in the November 29, 2011, issue of the **Federal Register**, and in the proposed correction rule published at 76 FR 67325, in the November 9, 2012, issue of the **Federal Register**, FEMA published a table under the authority of 44 CFR 67.4. The table, entitled "Sullivan County, Pennsylvania (All Jurisdictions)" addressed the flooding sources Big Run, Little Loyalsock Creek, Loyalsock Creek, and Muncy Creek. Those tables contained inaccurate information as to the location of referenced elevation, effective and modified elevation in feet, or communities affected for these flooding sources. In this notice, FEMA is publishing a table containing the accurate information, to address these prior errors. The information provided below should be used in lieu of that previously published.

Flooding Source(s)	Location of Referenced Elevation**	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL)		Communities affected
		Effective	Modified	
Sullivan County, Pennsylvania (All Jurisdictions)				
Big Run	At the Muncy Creek confluence	+968	+965	Township of Davidson.
	Approximately 1,660 feet upstream of Fairman Road	None	+1153	
Little Loyalsock Creek	Approximately 1,150 feet downstream of the Marsh Run confluence.	None	+1432	Borough of Dushore.
	Approximately 540 feet upstream of Main Street	None	+1458	Borough of Forksville, Township of Elkland, Township of Forks, Township of Hillsgrove.
Loyalsock Creek	Approximately 2.6 miles downstream of the Ogdonia Creek confluence.	+789	+780	
	At the Little Loyalsock Creek confluence	None	+1004	Township of Davidson, Township of Shrewsbury.
Muncy Creek	At the Muncy Creek Tributary 1 confluence	+787	+783	
	Approximately 0.76 mile upstream of Pecks Road	+991	+988	

* National Geodetic Vertical Datum.
 + North American Vertical Datum.
 # Depth in feet above ground.
 ^ Mean Sea Level, rounded to the nearest 0.1 meter.

Flooding Source(s)	Location of Referenced Elevation**	* Elevation in feet (NGVD)	+ Elevation in feet (NAVD)	# Depth in feet above ground	Communities affected
		^ Elevation in meters (MSL)	Effective	Modified	

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

ADDRESSES

Borough of Dushore

Maps are available for inspection at the Municipal Building, 216 Julia Street, Dushore, PA 18614.

Borough of Forksville

Maps are available for inspection at Sullivan County Planning and Community Development, 245 Muncy Street, Suite 110, Laporte, PA 18626.

Township of Davidson

Maps are available for inspection at the Davidson Township Municipal Building, 20 Michelle Road, Muncy Valley, PA 17758.

Township of Elkland

Maps are available for inspection at the Elkland Township Municipal Office Building, 909 Kobbe Road, Forksville, PA 18616.

Township of Forks

Maps are available for inspection at the Forks Township Hall, 627 Molyneux Hill Road, Dushore, PA 18614.

Township of Hillsgrove

Maps are available for inspection at the Township Hall, 2232 Route 87, Hillsgrove, PA 18619.

Township of Shrewsbury

Maps are available for inspection at the Shrewsbury Township Building, 1793 Edkin Hill Road, Muncy Valley, PA 17758.

James A. Walke,

Acting Deputy Associate Administrator for Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2013-02461 Filed 2-4-13; 8:45 am]

BILLING CODE 9110-12-P

FEDERAL COMMUNICATIONS COMMISSION

47 CFR Part 64

[CG Docket Nos. 13-24 and 03-123; FCC 13-13]

Misuse of Internet Protocol (IP) Captioned Telephone Service; Telecommunications Relay Services and Speech-to-Speech Services for Individuals With Hearing and Speech Disabilities

AGENCY: Federal Communications Commission.

ACTION: Proposed rule.

SUMMARY: In this document, the Commission seeks comment on whether to make permanent, revise or eliminate its interim rules that: prohibit all referrals for rewards programs (as described in the synopsis below) and any other form of direct or indirect inducements, financial or otherwise, to subscribe to or use, or encourage subscription to or use of, Internet Protocol Captioned Telephone Service

(IP CTS); require each IP CTS provider, in order to be eligible for compensation from the Interstate Telecommunications Relay Service (TRS) Fund (Fund or TRS Fund) for providing service to new IP CTS users, to register each new IP CTS user, and as part of the registration process, to obtain from the user a certification that the user has a hearing loss that necessitates IP CTS to communicate in a manner that is functionally equivalent to communication by conventional voice telephone users; and require IP CTS providers to ensure that equipment and software used in conjunction with their service have a default setting of captions off at the beginning of each call. The Commission also seeks comment on the following additional matters: the likely reasons that IP CTS has been experiencing unprecedented and unusually rapid growth; whether to prohibit all provider programs that give away or loan equipment to potential or existing IP CTS users at no cost or below some specified cost level; whether to require each IP CTS provider, as a condition of continuing to offer service to existing IP CTS users, to obtain registration and certification information from each such user; and whether to adopt any requirements for IP CTS equipment to have labels informing consumers that IP CTS may be used only by persons with hearing disabilities. The proposed rules are

intended to address certain practices related to the provision and marketing of IP CTS that appear to be contributing to a recent and dramatic spike in reimbursement requests to the TRS Fund of sufficient magnitude to constitute a serious threat to the Fund if not promptly and decisively addressed.

DATES: Comments are due on or before February 26, 2013, and reply comments on or before March 12, 2013.

ADDRESSES: You may submit comments, identified by CG Docket No. 13-24, by any of the following methods:

Electronic Filers: Comments may be filed electronically using the Internet by accessing the Commission's Electronic Comment Filing System (ECFS), through the Commission's Web site <http://fjallfoss.fcc.gov/ecfs2/>. Filers should follow the instructions provided on the Web site for submitting comments. For ECFS filers, in completing the transmittal screen, filers should include their full name, U.S. Postal service mailing address, and CG Docket No. 13-24.

- *Paper filers:* Parties who choose to file by paper must file an original and four copies of each filing. Filings can be sent by hand or messenger delivery, by commercial overnight courier, or by first-class or overnight U.S. Postal Service mail (although the Commission continues to experience delays in receiving U.S. Postal Service mail). All