

request authorization to enter, transit through, anchor in, or remain within the race area and/or buffer zone of the special local regulated area by contacting the Captain of the Port Miami by telephone at 305-535-4472, or a designated representative via VHF radio on channel 16. If authorization is granted by the Captain of the Port Miami or a designated representative, all persons and vessels receiving such authorization must comply with the instructions of the Captain of the Port Miami or a designated representative.

(2) The Coast Guard will provide notice of the special local regulation by Local Notice to Mariners, Broadcast Notice to Mariners, and on-scene designated representatives.

(d) *Effective Date.* This rule will be enforced daily from 8 a.m. until 5 p.m. from May 16, 2014 through May 18, 2014.

Dated: April 25, 2014.

**A.J. Gould,**

*Captain, U. S. Coast Guard, Captain of the Port Miami.*

[FR Doc. 2014-10271 Filed 5-5-14; 8:45 am]

**BILLING CODE 9110-04-P**

## DEPARTMENT OF HOMELAND SECURITY

### Coast Guard

#### 33 CFR Part 117

[Docket No. USCG-2014-0317]

#### Drawbridge Operation Regulation; Hackensack River, Jersey City, NJ

**AGENCY:** Coast Guard, DHS.

**ACTION:** Notice of deviation from drawbridge regulation.

**SUMMARY:** The Coast Guard has issued a temporary deviation from the operating schedule that governs the Witt-Penn (Rt-7) Bridge across the Hackensack River at

mile 3.1, at Jersey City, New Jersey. The deviation is necessary to facilitate replacement of the safety barrier gates at the bridge. This temporary deviation authorizes the bridge to remain in the closed position for five days.

**DATES:** This deviation is effective from June 9, 2014 through June 13, 2014.

**ADDRESSES:** The docket for this deviation, USCG-2014-0317 is available at <http://www.regulations.gov>. Type the docket number in the "SEARCH" box and click "SEARCH". Click on Open Docket Folder on the line associated with this deviation. You may also visit the Docket Management Facility in Room W12-140 on the ground floor of the Department of Transportation West Building, 1200 New Jersey Avenue SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

**FOR FURTHER INFORMATION CONTACT:** If you have questions on this temporary deviation, call or email Mr. Joe Arca, Project Officer, First Coast Guard District, telephone (212) 668-7165, email [joe.m.arca@uscg.mil](mailto:joe.m.arca@uscg.mil). If you have questions on viewing the docket, call Cheryl Collins, Program Manager, Docket Operations, telephone 202-366-9826.

**SUPPLEMENTARY INFORMATION:** The Witt-Penn (Rt-7) Bridge across the Hackensack River at mile 3.1, at Jersey City, has a vertical clearance in the closed position of 35 feet at mean high water and 40 feet at mean low water. The existing drawbridge operation regulations are listed at 33 CFR 117.723. The waterway users are seasonal recreational vessels and commercial vessels of various sizes.

The owner of the bridge, New Jersey Department of Transportation, requested a temporary deviation from the operating schedule to facilitate replacement of the safety barrier gates at the bridge.

Under this temporary deviation the Witt-Penn (Rt-7) Bridge may remain in the closed position for five days from June 9, 2014 through June 13, 2014. There are no alternate routes for vessel traffic. The bridge could be opened in an emergency situation.

The Coast Guard will also inform the users of the waterways through our Local and Broadcast Notice to Mariners of the change in operating schedule for the bridge so that vessels can arrange their transits to minimize any impact caused by the temporary deviation.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: April 24, 2014.

**C.J. Bisignano,**

*Supervisory Bridge Management Specialist, First Coast Guard District.*

[FR Doc. 2014-10265 Filed 5-5-14; 8:45 am]

**BILLING CODE 9110-04-P**

## ENVIRONMENTAL PROTECTION AGENCY

### 40 CFR Part 60

[EPA-HQ-OAR-2010-0750; FRL-9667-3]

RIN 2060-AQ10

#### New Source Performance Standards Review for Nitric Acid Plants

##### Correction

In rule document 2012-19691 appearing on pages 48433 through 48448 in the issue of Tuesday, August 14, 2012, make the following correction.

1. On page 48447, Equation 1 is corrected as set forth below.

**§ 60.75a Calculations [Corrected]**

$$E_{30} = k \frac{1}{n} \sum_{i=1}^n C_i Q_i / P_i$$

(Eq. 1)

[FR Doc. C1-2012-19691 Filed 5-5-14; 8:45 am]  
BILLING CODE 1505-01-D

**ENVIRONMENTAL PROTECTION  
AGENCY**

**40 CFR Part 98**

[EPA-HQ-OAR-2011-0028; FRL-9845-6]

RIN 2060-AR61

**Greenhouse Gas Reporting Program:  
Final Amendments and Confidentiality  
Determinations for Subpart I**

*Correction*

In rule document 2013-23804  
appearing on pages 68162 through

68238 in the issue of Wednesday,  
November 13, 2013, make the following  
corrections.

1. On page 68203, Equation I-8 is  
corrected as set forth below.

**§ 98.93 Calculating GHG emissions  
[Corrected]**

$$E_{ij} = C_{ij} * (1 - U_{ij}) * (1 - (a_{ij} * d_{ij} * UT_{ij})) * 0.001 \quad (\text{Eq. I-8})$$

2. On page 68205, Equation I-15 is  
corrected as set forth below.

$$UT_{ij} = 1 - \frac{\sum_p T d_{ijp}}{\sum_p UT_{ijp}} \quad (\text{Eq. I-15})$$

3. On page 68209, Equation I-23 is  
corrected as set forth below.

$$UT_f = 1 - \frac{\sum_p T d_{pf}}{\sum_p UT_{pf}} \quad (\text{Eq. I-23})$$

[FR Doc. C1-2013-23804 Filed 5-5-14; 8:45 am]  
BILLING CODE 1505-01-D

**FEDERAL COMMUNICATIONS  
COMMISSION**

**47 CFR Part 64**

[WC Docket No 13-39; DA 14-526]

**Rural Call Completion Order**

**AGENCY:** Federal Communications  
Commission.

**ACTION:** Comments requested.

**SUMMARY:** This document seeks  
comment on whether additional  
guidance, clarification, or modification  
regarding the “answered” and “ring no  
answer” categories of call attempts  
described in Appendix C of the Rural  
Call Completion Order is necessary.  
Appendix C provides a spreadsheet that  
covered providers must use to file the  
required call completion data with the  
Commission each quarter. This  
document seeks comment on whether  
Appendix C should be clarified to  
eliminate any basis for interpreting it  
inconsistently with the definition of

“answered call” in the Order, and revise  
the description of “ring no answer” call  
attempts in Appendix C to provide  
clearer guidance to covered providers.

**DATES:** Comments must be filed by May  
13, 2014.

**ADDRESSES:** You may submit comments,  
identified by WC Docket No. 13-39, by  
any of the following methods:

- Federal Communications  
Commission’s Web site: <http://www.fcc.gov/cgb/ecfs/>. Follow the  
instructions for submitting comments.
- Email [ecfs@fcc.gov](mailto:ecfs@fcc.gov), and include the  
following words in the body of the  
message: “get form.” A sample form and  
directions will be sent in response.  
Include the docket numbers in the  
subject line of the message.
- Mail: Secretary, Federal  
Communications Commission, 445 12th  
Street SW., Washington, DC 20554.

**FOR FURTHER INFORMATION CONTACT:**  
Gregory Kwan, Wireline Competition  
Bureau, Competition Division, at (202)  
418-1191 or by email at  
[Gregory.Kwan@fcc.gov](mailto:Gregory.Kwan@fcc.gov).

**SUPPLEMENTARY INFORMATION:** This is a  
summary of the Bureau’s document in  
Rural Call Completion, FCC 13-135,

published at 78 FR 76218, December 17,  
2013. The complete text of this  
document is available on the  
Commission’s Internet site at  
[www.fcc.gov](http://www.fcc.gov) and for public inspection  
Monday through Thursday from 8 a.m.  
to 4:30 p.m. and Friday from 8 a.m. to  
11:30 a.m. in the Commission’s  
Consumer and Governmental Affairs  
Bureau Reference Information Center,  
Room CY-A257, 445 12th Street SW.,  
Washington, DC 20554. The full text of  
this document may also be purchased  
from the Commission’s duplicating  
contractor, Best Copy and Printing, Inc.,  
Portals II, 445 12th Street SW.,  
Washington, DC 20554, telephone 202-  
488-5300, facsimile 202-488-5563,  
email at [fcc@bcpiweb.com](mailto:fcc@bcpiweb.com), or via its  
Web site at <http://www.bcpiweb.com>.

Pursuant to sections 1.415 and 1.419  
of the Commission’s rules, 47 CFR  
1.415, 1.419, interested parties may file  
comments and reply comments on or  
before the dates indicated on the first  
page of this document. Comments may  
be filed using the Commission’s  
Electronic Comment Filing System  
(ECFS). See Electronic Filing of  
Documents in Rulemaking Proceedings,  
63 FR 24121 (1998).