

11232(e), 11246 (b) and (c) of Pub. L. 105–33, 111 Stat. 251; and section 721 of Pub. L. 105–261, 112 Stat. 2061.

■ 2. Section 890.102 is amended by adding paragraphs (j) and (k) to read as follows:

**§ 890.102 Coverage.**

\* \* \* \* \*

(j)(1) Notwithstanding paragraphs (c)(1), (2), and (3) of this section, a non-Postal employee working on a temporary appointment, a non-Postal employee working on a seasonal schedule of less than 6 months in a year, or a non-Postal employee working on an intermittent schedule, for whom the employing office expects the total hours in pay status (including overtime hours) plus qualifying leave without pay hours to be at least 130 hours per calendar month, is eligible to enroll in a health benefits plan under this part as follows:

(i) If the employing office expects the employee to work at least 90 days, the employee is eligible to enroll upon notification of the employee's eligibility by the employing office, and

(ii) If the employing office expects the employee to work for fewer than 90 days and the employee actually works for fewer than 90 days, the employee will generally be ineligible to enroll in FEHB because the employee will not be employed at the end of the waiting period applicable to these employees. However, if the expectation changes and the employee is expected to work for 90 days or more, that individual is eligible to enroll upon notification by the employing office, but enrollment (including the effective date of coverage) must be no later than the end of the waiting period ending the 91st day after the first day of employment.

(2) An employee working on a temporary appointment, an employee working on a seasonal schedule of less than 6 months in a year, or an employee working on an intermittent schedule for whom the employing office expects the total hours in pay status (including overtime hours) plus qualifying leave without pay hours to be less than 130 hours per calendar month is generally ineligible to enroll in a health benefits plan under this part. If the expectation of hours of employment changes to 130 hours or more per month for a non-Postal employee, that employee is eligible to enroll in a health benefits plan under this part as described in paragraph (j)(1)(i) of this section.

(3) Once an employee is enrolled under this paragraph (j), eligibility will not be revoked, regardless of his or her actual work schedule or employer expectations in subsequent years, unless the employee separates from Federal

service, receives a new appointment (in which case eligibility will be determined by the rules applicable to the new appointment), or exceeds 365 days in nonpay status in accordance with § 890.303(e) (subject to extension, if applicable, for qualifying leave without pay as defined at paragraph (j)(4) of this section).

(4) For purposes of this paragraph (j), “qualifying leave without pay hours” means hours of leave without pay for purposes of taking leave under the Family and Medical Leave Act, for performance of duty in the uniformed services under the Uniformed Services Employment and Reemployment Rights Act of 1994, 38 U.S.C. 4301 et seq., for receiving medical treatment under Executive Order 5396 (Jul. 7 1930), and for periods during which workers compensation is received under the Federal Employees Compensation Act, 5 U.S.C. chapter 81.

(5) Each temporary employee who is initially eligible for FEHB coverage on the basis of this paragraph (j) is entitled to enroll in accordance with § 890.301(a). A temporary employee who is currently eligible under 5 U.S.C. 8906a (with no Government contribution) but who is not enrolled on November 17, 2014, and who would also meet eligibility requirements on the basis of paragraph (j), is entitled to enroll (with a Government contribution) on the basis of paragraph (j) in accordance with § 890.301(h)(4)(ii). A temporary employee who is enrolled under 5 U.S.C. 8906a (with no Government contribution) on November 17, 2014, and who would also meet eligibility requirements on the basis of paragraph (j), is entitled to change enrollment (with a Government contribution) on the basis of paragraph (j) in accordance with § 890.301(h)(4)(ii).

(k) The Director, upon written request of an employer of employees other than those covered by 5 U.S.C. 8901(1)(A), may, in his or her sole discretion, waive application of paragraph (j) of this section to its employees when the employer demonstrates to the Director that the waiver is necessary to avoid an adverse impact on the employer's need to manage its workforce. However, a Tribal employer participating under 25 U.S.C. 1647b may provide a written notification to the Director that it has chosen not to apply paragraph (j) of this section for its workforce.

■ 3. Amend § 890.301 as follows:

■ a. Revise the heading of paragraph (h).b. Redesignate paragraph (h)(4) as paragraph (h)(4)(i).

■ c. Add paragraph (h)(4)(ii).

The revision and addition read as follows:

**§ 890.301 Opportunities for employees who are not participants in premium conversion to enroll or change enrollment; effective dates.**

\* \* \* \* \*

(h) *Change in employment status or entitlement to Government contribution.*

\* \* \*

(4) \* \* \*

(ii) A change in entitlement to Government contribution as a result of becoming eligible for coverage under § 890.102(j).

\* \* \* \* \*

[FR Doc. 2014–24652 Filed 10–14–14; 11:15 am]

BILLING CODE 6325–63–P

**NUCLEAR REGULATORY COMMISSION**

**10 CFR Part 50**

[NRC–2013–0053]

RIN 3150–AJ18

**Definition of a Utilization Facility**

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Direct final rule.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is amending its regulations to add SHINE Medical Technologies, Inc.'s (SHINE) proposed accelerator-driven subcritical operating assemblies to the NRC's definition of a “utilization facility.” In 2013, SHINE submitted a two-part construction permit application for a medical radioisotope production facility that SHINE proposes to build in Janesville, Wisconsin. The proposed accelerator-driven subcritical operating assemblies, to be housed in SHINE's irradiation facility, would be used to produce molybdenum-99 (Mo-99), a radioisotope used in medical imaging and other radioisotopes used for medical purposes. This rule allows NRC staff to conduct an efficient and effective licensing review of the SHINE construction permit application and any subsequent operating license application.

**DATES:** This final rule is effective December 31, 2014, unless a significant adverse comment is received by November 17, 2014. If the rule is withdrawn as a result of such comments, timely notice of the withdrawal will be published in the **Federal Register**. Comments received after this date will be considered if it is practical to do so, but the NRC is able

to ensure consideration only for comments received on or before this date.

**ADDRESSES:** Please refer to Docket ID NRC–2013–0053 when contacting the NRC about the availability of information for this direct final rule. You may access publicly-available information related to this direct final rule by any of the following methods:

- **Federal Rulemaking Web Site:** Go to <http://www.regulations.gov> and search for Docket ID NRC–2013–0053. Address questions about NRC dockets to Carol Gallagher; telephone: 301–287–3422; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- **NRC's Agencywide Documents Access and Management System (ADAMS):** You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1–800–397–4209, at 301–415–4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in the **SUPPLEMENTARY INFORMATION** section.

- **NRC's PDR:** You may examine and purchase copies of public documents at the NRC's PDR, Room O1–F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** Steven Lynch, Office of Nuclear Reactor Regulation; telephone: 301–415–1524; email: [Steven.Lynch@nrc.gov](mailto:Steven.Lynch@nrc.gov); U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

#### **SUPPLEMENTARY INFORMATION:**

#### **Table of Contents**

##### **I. Procedural Background**

##### **II. Background**

##### **III. Discussion**

- What action is the NRC taking?
- What is the purpose of the direct final rule?
- What is the NRC's authority to make this rule change?
- Why are the SHINE irradiation units not considered production facilities?
- Why do the SHINE irradiation units not fit the current definition of a utilization facility?
- Why should the SHINE irradiation units be licensed as 10 CFR part 50 utilization facilities?

G. Who has jurisdiction over the accelerator?

H. Why is 10 CFR part 70 not appropriate to review or license the SHINE irradiation units?

I. Who will this action affect?

J. What is the reason for the change?

K. Why is a direct final rule appropriate?

L. Will the NRC issue guidance for this rule?

##### **IV. Discussion of Amendments by Section**

##### **V. Regulatory Flexibility Certification**

##### **VI. Regulatory Analysis**

##### **VII. Backfitting and Issue Finality**

##### **VIII. Plain Writing**

##### **IX. Environmental Assessment and Finding of No Significant Environmental Impact**

##### **X. Paperwork Reduction Act Statement**

##### **XI. Congressional Review Act**

##### **XII. Compatibility of Agreement State Regulations**

##### **XIII. Voluntary Consensus Standards**

#### **I. Procedural Background**

Because the NRC considers this action to be non-controversial, the NRC is using the "direct final rule process" for this rule. The amendment to the rule will become effective on December 31, 2014. However, if the NRC receives a significant adverse comment on this direct final rule by November 17, 2014, then the NRC will publish a document that withdraws this action and will subsequently address the comments received in a final rule. A companion proposed rule published in the Proposed Rule section of this issue of the **Federal Register** will serve as the basis for the final rule, if it is necessary. Absent significant modifications to the proposed amendments requiring republication, the NRC will not initiate a second comment period on this action.

A significant adverse comment is a comment where the commenter explains why the rule would be inappropriate, including challenges to the rule's underlying premise or approach, or would be ineffective or unacceptable without a change. A comment is significant and adverse if it meets the following criteria:

(1) The comment opposes the rule and provides a reason sufficient to require a substantive response in a notice-and-comment process. For example, a substantive response is required when:

(a) The comment causes the NRC staff to reevaluate (or reconsider) its position or conduct additional analysis;

(b) The comment raises an issue serious enough to warrant a substantive response to clarify or complete the record; or

(c) The comment raises a relevant issue that was not previously addressed or considered by the NRC staff.

(2) The comment proposes a change or an addition to the rule, and it is apparent that the rule would be

ineffective or unacceptable without incorporation of the change or addition.

(3) The comment causes the NRC staff to make a change (other than editorial) to the rule.

For detailed instructions on submitting comments, please see the companion proposed rule published in the Proposed Rule section of this issue of the **Federal Register**.

#### **II. Background**

By letters dated February 14, 2011, and May 3, 2011,<sup>1</sup> SHINE notified the NRC of its intent to submit applications to construct, and operate, a medical isotope production facility. SHINE's medical isotope production facility would include an irradiation facility and a radioisotope production facility housed in a single building, and is proposed to be built in Wisconsin, an Agreement State.

The SHINE preliminary safety analysis report (PSAR)<sup>2</sup> states that the irradiation facility consists of eight irradiation units. Each irradiation unit is an accelerator-driven subcritical operating assembly and, would be used for the irradiation of a uranium solution.<sup>3</sup> The irradiation would result in the production of Mo-99 and other fission products. Based on initial discussions with SHINE prior to the submission of its application, the NRC staff understood that the proposed irradiation units were not nuclear reactors as defined in § 50.2 of Title 10 of the *Code of Federal Regulations* (10 CFR). The NRC staff believed that the irradiation units, including the accelerators, were an integral part of the radioisotope production facility. Therefore, the NRC staff believed that the SHINE irradiation units and radioisotope production facility could be jointly licensed under the third part of the production facility definition found in 10 CFR 50.2. Based on these assumptions, the NRC staff relayed to

<sup>1</sup> Letter from Gregory Piefer, Ph.D., SHINE, to Mr. John Kinnemann, Office of Nuclear Material Safety and Safeguards (NMSS), "Notice of Intent to Submit License Application, Request for Regulatory Interpretations, and Request for Public Meetings," dated February 14, 2011 (ADAMS Accession No. ML110490138); and Letter from Gregory Piefer, Ph.D., SHINE, to Mr. John Kinnemann, NMSS, "Updated Request for Regulatory Interpretations," dated May 3, 2011 (ADAMS Accession No. ML11138A220), respectively.

<sup>2</sup> PSAR, Chapter 4—Irradiation Unit and Radioisotope Production Facility Description (May 31, 2013) (ADAMS Accession No. ML13172A265).

<sup>3</sup> SHINE's preliminary safety analysis report describes each irradiation unit containing uranium solution as "... an accelerator-driven subcritical operating assembly used for the irradiation of an aqueous uranyl sulfate target solution, resulting in the production of molybdenum-99 (Mo-99) and other fission products." (ADAMS Accession No. ML13172A265).

the Commission on May 11, 2012, that no rulemaking was required to license SHINE's proposed medical isotope production facility.<sup>4</sup>

In 2012, the NRC staff published interim staff guidance (ISG)<sup>5</sup> to augment NUREG-1537, "Guidelines for Preparing and Reviewing Applications for the Licensing of Non-Power Reactors." The ISG noted that a subcritical multiplier reaction vessel containing special nuclear material (SNM), similar to the irradiation units proposed by SHINE, could be licensed as a production facility pursuant to 10 CFR part 50.<sup>6</sup> Based on the guidance provided in the ISG, on March 26, 2013, and May 31, 2013, SHINE submitted a two-part construction permit application for a production facility as defined in 10 CFR 50.2.<sup>7</sup> SHINE's application describes its proposed medical isotope production facility as including two distinct operations: (1) The irradiation of SNM in eight irradiation units in the irradiation facility and (2) the extraction of radioisotopes in the radioisotope production facility. From this description, the NRC staff recognized that the irradiation units could be distinct and separate from the radioisotope production facility. Therefore, the NRC staff no longer believes that the irradiation units can be licensed pursuant to 10 CFR 50.2 as production facilities since the irradiation units are neither integral to the operation of the radioisotope

production facility nor functionally independent as production facilities.

Moreover, the irradiation units cannot be licensed as utilization facilities because they do not meet the current definition in 10 CFR 50.2. As currently defined in 10 CFR 50.2, a utilization facility is a nuclear reactor, and irradiation units are not nuclear reactors because they are not designed or used to sustain nuclear fission in a self-supporting chain reaction. Therefore, the current 10 CFR part 50 regulations governing licensing of production and utilization facilities do not apply to SHINE's irradiation facility or irradiation units.<sup>8</sup>

However, the NRC staff maintains its initial position that SHINE's radioisotope production facility is analogous to a "production facility" and therefore should be licensed under 10 CFR part 50. Specifically, the radioisotope production facility is a facility designed or used for the processing of irradiated materials containing SNM and does not meet any of the exceptions found in the definition of production facility in 10 CFR 50.2.

### III. Discussion

#### A. What action is the NRC taking?

The NRC is amending its regulations to add SHINE's accelerator-driven subcritical operating assemblies described in the application assigned docket number 50-608 to the definition of utilization facility in 10 CFR 50.2.

#### B. What is the purpose of the direct final rule?

The purpose of the direct final rule is to add SHINE's accelerator-driven subcritical operating assemblies to the definition of utilization facility in 10 CFR 50.2. This change will allow the NRC staff to review and, if approved, license the irradiation units housed in SHINE's irradiation facility under the regulations in 10 CFR part 50.

#### C. What is the NRC's authority to make this rule change?

Section 11cc. of the Atomic Energy Act of 1954, as amended (AEA), specifies that the Commission may determine by rule what constitutes a utilization facility. The licensing requirements for utilization facilities are in 10 CFR part 50. This rulemaking will resolve any licensing uncertainty concerning the applicable regulations for licensing the construction and potential operation of the SHINE

irradiation units, as well as expedite the NRC staff's technical review of the SHINE construction permit application.

#### D. Why are the SHINE irradiation units not considered production facilities?

The NRC has determined that SHINE's irradiation units are not integral to the operation of the radioisotope production facility. In addition, the irradiation units do not meet any of the existing definitions of production facility in the AEA or in 10 CFR 50.2; therefore, they cannot be licensed as production facilities.

Pursuant to Section 11v. of the AEA, the Commission has determined by rule in 10 CFR 50.2 that three types of facilities constitute production facilities. First, "production facility" is defined as any nuclear reactor designed or used primarily for the formation of plutonium or uranium-233. The proposed irradiation units do not meet this definition because they are not nuclear reactors designed or used primarily for the formation of plutonium or uranium-233. Rather, the irradiation units are designed and used primarily to fission uranium for the production of fission products. Additionally, in contrast to nuclear reactors, the proposed irradiation units are designed to operate in the subcritical regime, and are not designed or used to sustain a self-supporting chain reaction.

Second, "production facility" is defined as any facility designed or used for the separation of the isotopes of plutonium. SHINE's proposed irradiation units do not meet this definition because they are designed to irradiate a uranium solution, not separate the isotopes of plutonium.

Third, "production facility" is defined as any facility designed or used for the processing of irradiated materials containing SNM. While "processing," as used in the definition of production facility, is not defined in the regulations, the NRC staff does not consider processing to include the irradiation and fission of materials, whether the material was irradiated previously or not, containing SNM. Given the similarities between the treatment of SHINE's target solution and the fuel in existing power and non-power reactors, the NRC staff does not consider the irradiation units' function to constitute the processing of irradiated materials. For example, all fuel in existing utilization facilities, including both power and non-power reactors, undergoes irradiation and fission, beginning with its first use to start-up a reactor. Furthermore, it is common practice in existing utilization facilities to offload irradiated fuel from the

<sup>4</sup> Transcript of NRC Briefing on Potential Medical Isotope Production Licensing Actions, pages 55-56, 61-62 (May 11, 2012) (ADAMS Accession No. ML121370084).

<sup>5</sup> NUREG-1537, "Final Interim Staff Guidance Augmenting NUREG-1537, Part 1, 'Guidelines for Preparing and Reviewing Applications for the Licensing of Non-Power Reactors: Format and Content,' for Licensing Radioisotope Production Facilities and Aqueous Homogeneous Reactors," October 17, 2012 (ADAMS Accession No. ML12156A069).

<sup>6</sup> The ISG noted that a "subcritical multiplier reaction vessel containing SNM by definition is not a nuclear reactor because it cannot sustain a chain reaction. It may be included in a 10 CFR part 50 production facility license as an assembly containing SNM that is authorized for use in conjunction with the production facility." ISG page iv.

<sup>7</sup> See Letter from R. Vann Bynum, Ph.D., SHINE, to NRC dated March 26, 2013 (ADAMS Accession No. ML13088A192). This transmittal letter is in a document package (ADAMS Accession No. ML130880226), which includes part one of SHINE's application, consisting of portions of the PSAR, specifically Chapter 2, Site Characteristics and Chapter 19, Environmental Report (ER).

See also Letter from R. Vann Bynum, Ph.D., SHINE, to NRC dated May 31, 2013 (ADAMS Accession No. ML13172A361). A document package consisting of a public version of all 19 chapters of SHINE's PSAR (with proprietary information redacted) is also available in ADAMS, Accession No. ML13172A324.

<sup>8</sup> See 10 CFR 50.1, "Basis, purpose, and procedures applicable" (defining scope of 10 CFR part 50 to include only the licensing of production and utilization facilities).

reactor core for refueling outages and maintenance. When it is time to refuel the reactor following an outage or maintenance, much of the irradiated fuel is returned to the reactor core for continued irradiation and fission. This treatment of reactor fuel is analogous to SHINE's treatment of its target solution. Following irradiation, SHINE offloads the target solution from the irradiation units. The target solution is then transferred to SHINE's radioisotope production facility for a period of time before it is returned to the irradiation units for continued irradiation and fission.

Since all existing power and non-power reactors are regulated as utilization facilities, it is clear that continuing to irradiate and fission previously irradiated reactor fuel does not constitute the processing of irradiated materials containing SNM, otherwise all existing reactors would be classified as production facilities per 10 CFR 50.2. Consequently, based on the NRC staff's assessment, SHINE's proposed irradiation units cannot be considered production facilities.

*E. Why do the SHINE irradiation units not fit the current definition of a utilization facility?*

SHINE's proposed irradiation units do not meet the current definition of a utilization facility because the units do not, singly or collectively sustain nuclear fission in a self-supporting chain reaction. As a result, the NRC staff concluded that the current regulatory definition of utilization facility does not apply to the irradiation units, and they cannot currently be licensed as utilization facilities as defined in 10 CFR 50.2.

*F. Why should the SHINE irradiation units be licensed as 10 CFR part 50 utilization facilities?*

The premise of the SHINE technology is that the irradiation units will not be operated such that the effective neutron multiplication factor ( $k_{\text{eff}}$ ) is greater than or equal to 1.0, a range for which nuclear reactors are designed, analyzed, and licensed to operate safely. Instead, the irradiation units will only operate in a minimally subcritical range of  $k_{\text{eff}}$ . To operate safely within this margin of subcriticality, the irradiation units are designed with several features of a nuclear reactor except that, by design, the target solution vessels have insufficient reactivity to sustain a chain reaction.

In addition, the accelerator and neutron multiplier add sufficient external neutrons to the target solution vessel to achieve a fission rate with a

thermal power level comparable to non-power reactors typically licensed under 10 CFR part 50 as utilization facilities.<sup>9</sup> Given this fission power, the irradiation units also have many safety considerations similar to those of non-power reactors, including the following:

- Provisions for removal of fission heat during operation.
- Consideration of decay heat generation after shutdown.
- Reactivity feedback mechanisms similar to non-power reactors.
- Control of fission gas release during operation and subsequent gas management engineering safety features.
- Control of radiolytic decomposition of water and generated oxygen and hydrogen gases.
- Control of fission product inventory buildup.
- Accident scenarios similar to non-power reactors, such as loss of coolant, reactivity additions, and release of fission products.

Although SHINE's proposed irradiation units closely resemble non-power reactors, which are licensed as utilization facilities under 10 CFR part 50, the irradiation units cannot currently be licensed as utilization facilities because they are not nuclear reactors. Therefore, while 10 CFR part 50 would be appropriate to apply from a technical and licensing review process standpoint, the irradiation units cannot be licensed as utilization facilities under the current regulations.

The NRC staff believes, however, that based on the safety considerations associated with operation of the irradiation units, the NRC should define and license each of the irradiation units as a utilization facility. Section 11cc. of the AEA provides that the Commission may determine what a utilization facility is by rule.<sup>10</sup> Section 11cc. of the AEA provides that a utilization facility is any equipment or device determined by rule of the Commission to be capable of making use of special nuclear

material in a quantity that is of significance to the common defense and security or in a manner that affects the health and safety of the public. Therefore, it would be within the Commission's authority to designate the SHINE irradiation units, by rule, as utilization facilities.

*G. Who has jurisdiction over the accelerator?*

Because the accelerator is integral to the operation of the irradiation unit, and the Commission must retain authority and responsibility with respect to regulation of the entire utilization facility per Section 274c.(1) of the AEA, the Commission has jurisdiction over the accelerator.

The NRC staff has engaged with the state of Wisconsin regarding licensing of the SHINE irradiation units because an accelerator that is not part of an NRC licensed facility might be regulated under state law. Based on the NRC staff's informal discussions with Agreement State counterparts, the NRC staff does not expect the state of Wisconsin to object to the rule or licensing review process for the SHINE construction permit application.

*H. Why is 10 CFR part 70 not appropriate to review or license the SHINE irradiation units?*

The NRC staff considered whether it should review SHINE's irradiation units under 10 CFR part 70, "Domestic Licensing of Special Nuclear Material," which regulates the issuance of licenses to receive title to, own, acquire, deliver, receive, possess, use, and transfer SNM. From a regulatory perspective, 10 CFR part 70 could be applied because SHINE will acquire, receive, possess, use, and transfer SNM. The requirements of 10 CFR part 70, subpart H, "Additional Requirements for Certain Licensees Authorized To Possess a Critical Mass of Special Nuclear Material," could also be applied because SHINE will possess a critical mass of SNM, and will engage in an activity that could significantly affect public health and safety.

The facilities conducting the types of activities typically regulated under 10 CFR part 70, generally referred to as fuel cycle facilities, have a common objective of avoiding criticality by maintaining a significant margin from criticality under normal operating and accident conditions. Specifically, 10 CFR 70.61(d) calls for ". . . use of an approved margin of subcriticality for safety." SHINE's irradiation units have a proposed routine operating margin of subcriticality of less than what has been previously approved for other 10 CFR part 70 licensees. This operating state

<sup>9</sup> Non-power reactors currently licensed to operate by the NRC range in thermal power from 5 watts to 20 megawatts. In the past, the NRC has licensed 12 aqueous homogeneous reactors (AHRs) with thermal power levels ranging from 5 watts to 50 kilowatts. An AHR is similar to the SHINE target solution vessel in that both contain fissile material in an aqueous solution; the difference is that the target solution vessel has insufficient fissile material to support a sustained chain reaction.

<sup>10</sup> Likewise, the Commission may by rule define what constitutes a production facility, AEA Section 11v. The Commission has previously used the rulemaking process to amend its definition of production facility. See Licensing of Production and Utilization Facilities (21 FR 355; January 19, 1956), Definition of Production Facility (26 FR 4989, 4990; June 6, 1961), and Exemption for Facilities Processing Irradiated Materials Containing Limited Quantities of Special Nuclear Material (39 FR 4871; February 8, 1974).

more closely resembles the effective neutron multiplication factor of nuclear reactors than fuel cycle facilities.<sup>11</sup> SHINE states that its proposed margin of subcriticality is needed to carry out efficient production of Mo-99, and proposes to control reactivity through administrative and engineered controls, including careful control of the amount of SNM initially placed in the target solution vessels. Also, in order to operate safely at SHINE's proposed margin of subcriticality, the irradiation units are designed with inherent negative reactivity feedback mechanisms similar to those of nuclear reactors. Because SHINE proposes to operate each irradiation unit in a manner similar to a nuclear reactor, the NRC staff has determined that it would be most appropriate to use the regulations contained in 10 CFR part 50 to perform its technical review of the irradiation units.

#### *I. Who will this action affect?*

The direct final rule will apply only to the irradiation units proposed by SHINE under docket number 50–608. This rulemaking will affect SHINE by bringing the licensing of its proposed facility, including both its irradiation facility and radioisotope production facility, entirely within the regulations of 10 CFR part 50. As a result of this rulemaking, the NRC will have exclusive jurisdiction over the SHINE facility, including the licensing and oversight of the accelerators associated with the irradiation units. Since Agreement States typically regulate accelerators, the direct final rule will also affect the state of Wisconsin. The rulemaking will not impact the public's opportunity to comment or participate in a hearing on the pending SHINE construction permit application or, if submitted, any future operating license application.

#### *J. What is the reason for the change?*

The rulemaking will allow the NRC staff to conduct its licensing review of the proposed SHINE irradiation units following regulations designed for technologies with similar radiological, health, and safety considerations. While the proposed irradiation units do not currently fit the 10 CFR part 50 definitions of production or utilization facilities, it is within the NRC's authority under the AEA to determine by rule that the SHINE irradiation units are utilization facilities. The Commission has found that 10 CFR part

50 is the most appropriate regulation to apply to the licensing of the SHINE irradiation units.

#### *K. Why is a direct final rule appropriate?*

The NRC believes that a direct final rule is appropriate for the following reasons:

1. From a health and safety standpoint the requirements in 10 CFR part 50 are the most appropriate for the licensing and technical review of the proposed irradiation units.
2. Designating each proposed irradiation unit, by rule, as a utilization facility is within the Commission's authority under the AEA.
3. The proposed irradiation units share many characteristics of non-power reactors, which are licensed as utilization facilities under 10 CFR part 50.
4. SHINE has submitted a construction permit application that contains the majority of regulatory information required of utilization facilities.

5. The proposed rulemaking only affects the irradiation units proposed by SHINE under docket number 50–608.

The NRC staff is using a direct final rule because it considers this rulemaking to be non-controversial, it does not expect to receive significant adverse comments, and using the direct final rule process would allow the rulemaking to proceed in the most efficient manner. The direct final rule is expected to be non-controversial because the NRC has the authority under the AEA to define what constitutes a utilization facility; interested parties, including SHINE, have not objected to discussions and published guidance proposing licensing under 10 CFR part 50. Additionally, the rule does not affect the ability of the public to comment and request a hearing on the application; and the inclusion of SHINE's docket number as well as a description of the SHINE irradiation unit technology limits the applicability of the rule to SHINE's proposed irradiation units, ensuring no impact to other existing or future facilities. If, in the future, any applicant proposes a technology similar to SHINE's irradiation units,<sup>12</sup> the Commission would consider that application on a case-by-case basis, and assign a distinct docket number to each application. Should SHINE propose a technology other than the irradiation

units currently described in its PSAR, the rule would no longer apply to SHINE, and the NRC staff would pursue an alternative licensing approach.

As previously explained, because the irradiation units are similar to non-power reactors, the NRC staff finds the 10 CFR part 50 regulations most appropriate to apply in the review of this proposed technology. To limit the scope of this rulemaking, the NRC staff is recommending that this rule be made applicable to only the SHINE facility. A generic rulemaking has potential for unintended consequences on the regulation of other licensees. Expansion of the definition of utilization facility generically could result in inclusion of technologies appropriately regulated by Agreement States or under 10 CFR part 70 within the regulatory scope of 10 CFR part 50, which would reduce the NRC's regulatory efficiency.

By identifying 10 CFR part 50 as the licensing framework to review and evaluate the irradiation units in the SHINE construction permit application, this rulemaking would clarify the appropriate regulatory requirements governing SHINE's requested licensing action for the applicant; interested members of the public; federal, state, Tribal, and local government representatives; and other interested stakeholders. Additionally, in alignment with the objectives of the American Medical Isotopes Production Act of 2012, this rulemaking will provide the most efficient and effective pathway to reviewing and, if approved, licensing SHINE's proposed irradiation units and will support the national effort to establish a reliable domestic supply of Mo-99 utilizing low enriched uranium technologies.

#### *L. Will the NRC issue guidance for this rule?*

No, the NRC does not plan to issue guidance specific to this rule. The guidance provided in NUREG–1537 (ADAMS Accession No. ML12251A353), NUREG–1520 (ADAMS Accession No. ML101390110), and the Final Interim Staff Guidance Augmenting NUREG–1537 (ADAMS Accession No. ML12156A069) is sufficient to support the review of SHINE's construction permit application under the regulations in 10 CFR part 50. However, the NRC staff is preparing a revision to NUREG–1537, which will incorporate the content of the ISG, including any necessary corrections.

<sup>11</sup> PSAR, Chapter 4—Irradiation Unit and Radioisotope Production Facility Description (May 31, 2013) (ADAMS Accession No. ML13172A265).

<sup>12</sup> At this time, the NRC staff does not anticipate receiving any other applications for medical radioisotope production facilities that would propose a technology similar to SHINE's irradiation units.

#### IV. Discussion of Amendments by Section

##### Section 50.2 Definitions

The definition for *utilization facility* will be changed to add: An accelerator-driven subcritical operating assembly used for the irradiation of materials containing special nuclear material and described in the application assigned docket number 50–608.

##### Authority Citation

The authority citation for 10 CFR part 50 is being revised to include Section 11 of the AEA because Subsection 11cc. provides the Commission's authority to add to, or otherwise alter, the definition of utilization facility. In addition, minor editorial changes were made to the authority citation.

#### V. Regulatory Flexibility Certification

Under the Regulatory Flexibility Act (5 U.S.C. 605(b)), the Commission certifies that this rule does not have a significant economic impact on a substantial number of small entities. The direct final rule will impact one applicant for a construction permit, who may subsequently apply for an operating license. Although this company falls within the scope of the definition of "small entities" set forth in the Regulatory Flexibility Act or the size standards established by the NRC (10 CFR 2.810), the rule is intended to facilitate NRC staff review of the company's construction permit application and subsequent operating license application.

#### VI. Regulatory Analysis

The NRC has prepared a final regulatory analysis (ADAMS Accession No. ML14052A115) on this regulation. The analysis examines the costs and benefits of the alternatives considered by the NRC.

#### VII. Backfitting and Issue Finality

The NRC has determined that the backfit rule, 10 CFR 50.109, and the issue finality provisions in 10 CFR part 52, and the backfitting provisions in 10 CFR 70.76, 72.62, or 76.76 do not apply to this direct final rule because the only affected entity, SHINE, is currently an applicant for a construction permit. These backfitting and issue finality provisions, with exceptions not applicable here, do not apply to applicants. For these reasons, the NRC did not prepare either a backfit analysis or documentation addressing issue finality provisions in 10 CFR part 52 for this direct final rule.

#### VIII. Plain Writing

The Plain Writing Act of 2010 (Pub. L. 111–274) requires Federal agencies to write documents in a clear, concise, and well-organized manner. The NRC has written this document to be consistent with the Plain Writing Act as well as the Presidential Memorandum, "Plain Language in Government Writing," published June 10, 1998 (63 FR 31883).

#### IX. Environmental Assessment and Finding of No Significant Environmental Impact

The Commission has determined under the National Environmental Policy Act of 1969, as amended, and the Commission's regulations in subpart A of 10 CFR part 51, that this rule would not be a major Federal action significantly affecting the quality of the human environment, and therefore, an environmental impact statement is not required. The rule changes the definition of utilization facility to include the SHINE irradiation units for the purposes of facilitating the licensing review of one proposed facility. The rule will not affect radiological or non-radiological releases, nor will it affect occupational or public exposure. The determination of this environmental assessment is that there will be no significant offsite impact to the public from this action.

The NRC has prepared a final Environmental Assessment and Finding of No Significant Impact (ADAMS Accession No. ML14052A097).

#### X. Paperwork Reduction Act Statement

This direct final rule affects only one entity and therefore is not subject to the requirements of the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 et seq.).

##### Public Protection Notification

The NRC may not conduct or sponsor, and a person is not required to respond to a request for information or an information collection requirement unless the requesting document displays a currently valid Office of Management and Budget control number.

#### XI. Congressional Review Act

This is a rule of particular applicability and, as such, this action is not a rule as defined in the Congressional Review Act (5 U.S.C. 801–808). Therefore, the NRC is not required to submit a rule report regarding this action under Section 801 of the Congressional Review Act.

#### XII. Compatibility of Agreement State Regulations

Under the "Policy Statement on Adequacy and Compatibility of Agreement State Programs" approved by the Commission on June 30, 1997, and published in the **Federal Register** (62 FR 46517; September 3, 1997), this rule is classified as compatibility "NRC". Compatibility is not required for Category "NRC" regulations. The NRC program elements in this category are those that relate directly to areas of regulation reserved to the NRC by the Atomic Energy Act or the provisions of 10 CFR, and though an Agreement State may not adopt program elements reserved to the NRC, it may wish to inform its licensees of certain requirements via a mechanism that is consistent with a particular State's administrative procedure laws, but does not confer regulatory authority on the State.

#### XIII. Voluntary Consensus Standards

The National Technology Transfer and Advancement Act of 1995 (Pub. L. 104–113), requires that Federal agencies use technical standards that are developed or adopted by voluntary consensus standards bodies unless the use of such a standard is inconsistent with applicable law or otherwise impractical. In this direct final rule, the NRC will revise the definition of utilization facility found in 10 CFR 50.2 to include the proposed SHINE irradiation units. This action does not constitute the establishment of a standard that establishes generally applicable requirements.

##### List of Subjects in 10 CFR Part 50

Antitrust, Classified information, Criminal penalties, Fire protection, Intergovernmental relations, Isotopes, Medical isotopes, Molybdenum-99, Nuclear materials, Nuclear power plants and reactors, Radiation protection, Reactor siting criteria, Reporting and recordkeeping requirements, Utilization facility.

For the reasons set out in the preamble and under the authority of the Atomic Energy Act of 1954, as amended; the Energy Reorganization Act of 1974, as amended; and 5 U.S.C. 552 and 553, the NRC is adopting the following amendments to 10 CFR part 50.

#### PART 50—DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

■ 1. The authority citation for 10 CFR part 50 is revised to read as follows:

**Authority:** Atomic Energy Act secs. 11, 102, 103, 104, 105, 147, 149, 161, 181, 182, 183, 186, 189, 223, 234 (42 U.S.C. 2014, 2132, 2133, 2134, 2135, 2167, 2169, 2201, 2231, 2232, 2233, 2236, 2239, 2273, 2282); Energy Reorganization Act secs. 201, 202, 206 (42 U.S.C. 5841, 5842, 5846); Nuclear Waste Policy Act sec. 306 (42 U.S.C. 10226); Government Paperwork Elimination Act sec. 1704 (44 U.S.C. 3504 note); Energy Policy Act of 2005, Pub. L. 109–58, 119 Stat. 194 (2005). Section 50.7 also issued under Pub. L. 95–601, sec. 10, as amended by Pub. L. 102–486, sec. 2902 (42 U.S.C. 5851). Section 50.10 also issued under Atomic Energy Act secs. 101, 185 (42 U.S.C. 2131, 2235); National Environmental Policy Act sec. 102 (42 U.S.C. 4332). Sections 50.13, 50.54(d), and 50.103 also issued under Atomic Energy Act sec. 108 (42 U.S.C. 2138).

Sections 50.23, 50.35, 50.55, and 50.56 also issued under Atomic Energy Act sec. 185 (42 U.S.C. 2235). Appendix Q also issued under National Environmental Policy Act sec. 102 (42 U.S.C. 4332). Sections 50.34 and 50.54 also issued under sec. 204 (42 U.S.C. 5844). Sections 50.58, 50.91, and 50.92 also issued under Pub. L. 97–415 (42 U.S.C. 2239). Section 50.78 also issued under Atomic Energy Act sec. 122 (42 U.S.C. 2152). Sections 50.80–50.81 also issued under Atomic Energy Act sec. 184 (42 U.S.C. 2234).

■ 2. In § 50.2, revise the definition of “utilization facility” to read as follows:

#### § 50.2 Definitions.

\* \* \* \* \*

*Utilization facility* means:

- (1) Any nuclear reactor other than one designed or used primarily for the formation of plutonium or U–233; or
- (2) An accelerator-driven subcritical operating assembly used for the irradiation of materials containing special nuclear material and described in the application assigned docket number 50–608.

Dated at Rockville, Maryland, this 9th day of October, 2014.

For the Nuclear Regulatory Commission.

Annette L. Vietti-Cook,

Secretary of the Commission.

[FR Doc. 2014–24732 Filed 10–16–14; 8:45 am]

BILLING CODE 7590–01–P

## FEDERAL ELECTION COMMISSION

### 11 CFR Part 110

[Notice 2014–11]

#### Aggregate Biennial Contribution Limits

**AGENCY:** Federal Election Commission.

**ACTION:** Interim final rule.

**SUMMARY:** The Commission is removing regulatory limits on the aggregate amounts that an individual may contribute to federal candidates and political committees in each two-year

election cycle. The Commission is taking this action in light of the Supreme Court’s recent decision in *McCutcheon v. FEC*, which held that the aggregate contribution limits are unconstitutional. The Commission is accepting comments on these revisions to its regulations.

**DATES:** Effective October 17, 2014.

Comments must be received on or before November 17, 2014.

**ADDRESSES:** All comments must be in writing. Comments may be submitted electronically via the Commission’s Web site at [sers.fec.gov](http://sers.fec.gov), reference REG 2014–01. Commenters are encouraged to submit comments electronically to ensure timely receipt and consideration. Alternatively, comments may be submitted in paper form. Paper comments must be sent to the Federal Election Commission, Attn.: Amy L. Rothstein, Assistant General Counsel, 999 E Street NW., Washington, DC 20463. All comments must include the full name and postal service address of a commenter, and of each commenter if filed jointly, or they will not be considered. The Commission will post comments on its Web site at the conclusion of the comment period.

**FOR FURTHER INFORMATION CONTACT:** Ms. Amy L. Rothstein, Assistant General Counsel, or Mr. Theodore M. Lutz, Attorney, 999 E Street NW., Washington, DC 20463, (202) 694–1650 or (800) 424–9530.

#### SUPPLEMENTARY INFORMATION:

##### Background

The Federal Election Campaign Act, 52 U.S.C. 30101–46 (formerly 2 U.S.C. 431–57) (“FECA”), imposes limits on the aggregate amounts that an individual may contribute to federal candidates, political parties, and other political committees during a two-year election cycle. 52 U.S.C. 30116(a)(3) (formerly 2 U.S.C. 441a(a)(3)). The Commission has implemented FECA’s aggregate limits in its regulations at 11 CFR 110.5.

On April 2, 2014, the United States Supreme Court held that the aggregate contribution limits are unconstitutional. *McCutcheon v. FEC*, 572 U.S. \_\_\_, 134 S. Ct. 1434 (2014) (plurality op.). To conform its regulations to the *McCutcheon* decision, the Commission is deleting 11 CFR 110.5 and is making technical and conforming changes to 11 CFR 110.1(c), 110.14(d) and (g), 110.17(b), and 110.19. In an Advance Notice of Proposed Rulemaking published in today’s **Federal Register**, the Commission is separately seeking comment on whether to begin a rulemaking to revise other regulations in

light of certain language from the *McCutcheon* decision.

The Commission is taking this action without advance notice and comment because it falls under the “good cause” exception of the Administrative Procedure Act (“APA”), 5 U.S.C. 553(b)(B). The revisions set forth herein are necessary to conform the Commission’s regulations to the Supreme Court’s holding that the statutory aggregate limits are unconstitutional. *See McCutcheon*, 134 S. Ct. at 1442. Because this action does not involve any Commission discretion or policy judgments, notice and comment are unnecessary. 5 U.S.C. 553(b)(B), (d)(3). A pre-publication notice and comment period would also be contrary to the public interest because the 2014 election campaigns for federal office are ongoing, and so the delay that would result from such a period might cause confusion among the public as to the enforceability of the regulations addressed below.

For the same reasons, these revisions fall within the “good cause” exception to the APA’s delayed effective date provision and the requirements of the Congressional Review Act. 5 U.S.C. 553(d)(3), 808(2). Moreover, because this interim final rule is exempt from the APA’s notice and comment procedure under 5 U.S.C. 553(b), the Commission is not required to conduct a regulatory flexibility analysis under 5 U.S.C. 603 or 604. *See* 5 U.S.C. 601(2), 604(a). Nor is the Commission required to submit these revisions for congressional review under FECA. *See* 52 U.S.C. 30111(d)(1), (4) (formerly 2 U.S.C. 438(d)(1), (4)) (providing for congressional review when Commission “prescribe[s]” a “rule of law”). Accordingly, these revisions are effective upon publication in the **Federal Register**.

#### Explanation and Justification

FECA imposes two types of limits on the amount that individuals may contribute in connection with federal elections. The “base limits” restrict how much an individual may contribute to a particular candidate or political committee per election or calendar year. *See* 52 U.S.C. 30116(a)(1) (formerly 2 U.S.C. 441a(a)(1)). The “aggregate limits” restrict the amounts that an individual may contribute to all candidate committees, political party committees, and other political committees in each two-year election cycle. *See* 52 U.S.C. 30116(a)(3) (formerly 2 U.S.C. 441a(a)(3)). Under the aggregate limits, as indexed for inflation in the 2013–14 election cycle, an individual could contribute up to