

**DEPARTMENT OF HEALTH AND HUMAN SERVICES**

**National Institutes of Health**

**Eunice Kennedy Shriver National Institute of Child Health and Human Development: Notice of Closed Meeting**

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended (5 U.S.C. App.), notice is hereby given of the following meeting.

The meeting will be closed to the public in accordance with the provisions set forth in section 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

*Name of Committee:* National Institute of Child Health and Human Development Special Emphasis Panel.

*Date:* July 22, 2015.

*Time:* 2:00 p.m. to 4:00 p.m.

*Agenda:* To review and evaluate grant applications.

*Place:* National Institutes of Health, 6100 Executive Boulevard, Rockville, MD 20852, (Telephone Conference Call).

*Contact Person:* Sherry L. Dupere, Ph.D., Scientific Review Officer, Scientific Review Branch, Eunice Kennedy Shriver National Institute of Child Health and Human Development, NIH, 6100 Executive Boulevard, Room 5B01, Bethesda, MD 20892-9304, (301) 451-3415, [duperes@mail.nih.gov](mailto:duperes@mail.nih.gov).

(Catalogue of Federal Domestic Assistance Program Nos. 93.864, Population Research; 93.865, Research for Mothers and Children; 93.929, Center for Medical Rehabilitation Research; 93.209, Contraception and Infertility Loan Repayment Program, National Institutes of Health, HHS)

Dated: June 3, 2015.

**Michelle Trout,**

*Program Analyst, Office of Federal Advisory Committee Policy.*

[FR Doc. 2015-13958 Filed 6-8-15; 8:45 am]

**BILLING CODE 4140-01-P**

**DEPARTMENT OF HOMELAND SECURITY**

**U.S. Customs and Border Protection**

**Accreditation and Approval of Bennett Testing Service, Inc., as a Commercial Gauger and Laboratory**

**AGENCY:** U.S. Customs and Border Protection, Department of Homeland Security.

**ACTION:** Notice of accreditation and approval of Bennett Testing Service, Inc., as a commercial gauger and laboratory.

**SUMMARY:** Notice is hereby given, pursuant to CBP regulations, that Bennett Testing Service, Inc., has been approved to gauge and accredited to test petroleum and petroleum products for customs purposes for the next three years as of November 3, 2014.

**DATES:** *Effective Dates:* The accreditation and approval of Bennett Testing Service, Inc., as commercial gauger and laboratory became effective

on November 3, 2014. The next triennial inspection date will be scheduled for November 2017.

**FOR FURTHER INFORMATION CONTACT:** Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services Directorate, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW, Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

**SUPPLEMENTARY INFORMATION:** Notice is hereby given pursuant to 19 CFR 151.12 and 19 CFR 151.13, that Bennett Testing Service, Inc., 1045 E. Hazelwood Ave., Rahway, NJ 07065, has been approved to gauge and accredited to test petroleum and petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Bennett Testing Service, Inc., is approved for the following gauging procedures for petroleum and certain petroleum products set forth by the American Petroleum Institute (API):

API Chapters	Title
3 .....	Tank gauging.
7 .....	Temperature Determination.
8 .....	Sampling.
12 .....	Calculations.
17 .....	Maritime Measurements.

Bennett Testing Service, Inc., is accredited for the following laboratory analysis procedures and methods for petroleum and certain petroleum products set forth by the U.S. Customs and Border Protection Laboratory Methods (CBPL) and American Society for Testing and Materials (ASTM):

CBPL No.	ASTM	Title
27-48 .....	ASTM D-4052 .....	Standard test method for density and relative density of liquids by digital density meter.

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to [cbp.labhq@dhs.gov](mailto:cbp.labhq@dhs.gov). Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. <http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>

Dated: June 1, 2015.

**Donald A. Cousins,**

*Director, Scientific Services, Laboratories and Scientific Services Directorate.*

[FR Doc. 2015-13993 Filed 6-8-15; 8:45 am]

**BILLING CODE 9111-14-P**

**DEPARTMENT OF HOMELAND SECURITY**

**Federal Emergency Management Agency**

[Docket No. FEMA-2014-0002; Internal Agency Docket No. FEMA-B-1359]

**Proposed Flood Hazard Determinations**

**AGENCY:** Federal Emergency Management Agency; DHS.

**ACTION:** Notice; correction.

**SUMMARY:** On January 30, 2014, FEMA published in the **Federal Register** a proposed flood hazard determination notice at 79 FR 4949-4950 that contained a table which included a Web