

Proposed Rules

Federal Register

Vol. 81, No. 86

Wednesday, May 4, 2016

This section of the FEDERAL REGISTER contains notices to the public of the proposed issuance of rules and regulations. The purpose of these notices is to give interested persons an opportunity to participate in the rule making prior to the adoption of the final rules.

DEPARTMENT OF ENERGY

10 CFR Part 431

[Docket Number EERE-2013-BT-STD-0030]

RIN 1904-AD01

Energy Conservation Program: Energy Conservation Standards for Commercial Packaged Boilers

AGENCY: Office of Energy Efficiency and Renewable Energy, Department of Energy.

ACTION: Extension of public comment period.

SUMMARY: On March 24, 2016, the U.S. Department of Energy (DOE) published in the **Federal Register** a notice of proposed rulemaking (NPR) for commercial packaged boiler energy conservation standards. This document announces an extension of the public comment period for submitting comments on the NPR or any other aspect of the rulemaking for commercial packaged boilers. The comment period is extended to June 22, 2016.

DATES: The comment period for the proposed rule published on March 24, 2016 (81 FR 15836), is extended. DOE will accept comments, data, and information regarding this rulemaking received no later than June 22, 2016.

ADDRESSES: Interested persons may submit comments, identified by docket number EERE-2013-BT-STD-0030 and/or Regulation Identifier Number (RIN) 1904-AD01, by any of the following methods:

- *Federal eRulemaking Portal:* www.regulations.gov. Follow the instructions for submitting comments.
- *Email:* PkgdBoilers2013STD0030@ee.doe.gov. Include the docket number EERE-2013-BT-STD-0030 and/or RIN 1904-AD01 in the subject line of the message.

- *Mail:* Ms. Brenda Edwards, U.S. Department of Energy, Building Technologies Program, Mailstop EE-5B, 1000 Independence Avenue SW., Washington, DC 20585-0121. If

possible, please submit all items on a compact disc (CD), in which case it is not necessary to include printed copies. [Please note that comments and CDs sent by mail are often delayed and may be damaged by mail screening processes.]

- *Hand Delivery/Courier:* Ms. Brenda Edwards, U.S. Department of Energy, Building Technologies Program, 950 L'Enfant Plaza SW., Suite 600, Washington, DC 20024. Telephone (202) 586-2945. If possible, please submit all items on CD, in which case it is not necessary to include printed copies.

Docket: The docket is available for review at www.regulations.gov, including **Federal Register** notices, framework documents, public meeting attendee lists and transcripts, comments, and other supporting documents/materials. All documents in the docket are listed in the www.regulations.gov index. However, not all documents listed in the index may be publicly available, such as information that is exempt from public disclosure.

The rulemaking Web page can be found at: https://www1.eere.energy.gov/buildings/appliance_standards/standards.aspx?productid=8 The Web page contains a link to the docket for this notice on the regulation.gov site. The www.regulations.gov Web page contains instructions on how to access all documents in the docket, including public comments.

FOR FURTHER INFORMATION CONTACT: Mr. James Raba, U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, Building Technologies Office, EE-5B, 1000 Independence Avenue SW., Washington, DC 20585-0121. Telephone: (202) 586-8654. Email: Jim.Raba@ee.doe.gov.

In the Office of the General Counsel, contact Mr. Peter Cochran, U.S. Department of Energy, Office of the General Counsel, GC-33, 1000 Independence Avenue SW., Washington, DC 20585-0121. Telephone: (202) 586-9496. Email: Peter.Cochran@hq.doe.gov.

SUPPLEMENTARY INFORMATION: On March 24, 2016, DOE published in the **Federal Register** a notice of proposed rulemaking (NPR) for Commercial Packaged Boilers. 81 FR 15836. The notice provided for submitting written comments, data, and information by

May 23, 2016. DOE has received three requests to suspend the rulemaking until DOE completes a companion rulemaking addressing test procedures for commercial package boilers. (See: AHRI, No. 51, Laclede, No. 52, and AGA/APGA, No. 53). At this time, DOE denies the request to suspend the rulemaking for an undefined period of time, as requested. However, in oral comments at the April 21 public meeting regarding proposed energy conservation standards, a representative from the Air-Conditioning, Heating, & Refrigeration Institute (AHRI) requested an extension of the comment period for the NPR, if DOE did not grant the suspension previously requested. An extension of the comment period would allow additional time for AHRI and other interested parties to examine the data, information, and analysis presented in the Commercial Packaged Boilers Technical Support Document, gather any additional data and information to address the proposed standards, and submit comments to DOE. The TSD can be found at: https://www1.eere.energy.gov/buildings/appliance_standards/standards.aspx?productid=8.

In view of the alternative request and oral comments presented by AHRI during the April 21 public meeting, DOE has determined that a 30-day extension of the public comment period is appropriate. The comment period would be extended to June 22, 2016.

Issued in Washington, DC, on April 26, 2016.

Kathleen B. Hogan,

Deputy Assistant Secretary for Energy Efficiency, Energy Efficiency and Renewable Energy.

[FR Doc. 2016-10427 Filed 5-3-16; 8:45 am]

BILLING CODE 6450-01-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2016-6141; Directorate Identifier 2015-NM-048-AD]

RIN 2120-AA64

Airworthiness Directives; The Boeing Company Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: We propose to adopt a new airworthiness directive (AD) for certain The Boeing Model 767 airplanes. This proposed AD was prompted by fuel system reviews conducted by the manufacturer. This proposed AD would require modifying the fuel quantity indicating system (FQIS) to prevent development of an ignition source inside the center fuel tank due to electrical fault conditions. This proposed AD would also provide optional actions for cargo airplanes. We are proposing this AD to prevent ignition sources inside the center fuel tank, which, in combination with flammable fuel vapors, could result in a fuel tank explosion and consequent loss of the airplane.

DATES: We must receive comments on this proposed AD by June 20, 2016.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov>. Follow the instructions for submitting comments.
- *Fax:* 202-493-2251.
- *Mail:* U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE., Washington, DC 20590.
- *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For service information identified in this NPRM, contact Boeing Commercial Airplanes, Attention: Data & Services Management, P.O. Box 3707, MC 2H-65, Seattle, WA 98124-2207; telephone 206-544-5000, extension 1; fax 206-766-5680; Internet <https://www.myboeingfleet.com>. You may view this referenced service information at the FAA, Transport Airplane Directorate, 1601 Lind Avenue SW., Renton, WA. For information on the availability of this material at the FAA, call 425-227-1221. It is also available on the internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA-2016-6141.

Examining the AD Docket

You may examine the AD docket on the Internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA-2016-6141; or in person at the Docket Management Facility between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket

contains this proposed AD, the regulatory evaluation, any comments received, and other information. The street address for the Docket Office (phone: 800-647-5527) is in the **ADDRESSES** section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT: Jon Regimbal, Aerospace Engineer, Propulsion Branch, ANM-140S, FAA, Seattle Aircraft Certification Office (ACO), 1601 Lind Avenue SW., Renton, WA 98057-3356; phone: 425-917-6506; fax: 425-917-6590; email: Jon.Regimbal@faa.gov.

SUPPLEMENTARY INFORMATION:

Comments Invited

We invite you to send any written relevant data, views, or arguments about this proposal. Send your comments to an address listed under the **ADDRESSES** section. Include "Docket No. FAA-2016-6141; Directorate Identifier 2015-NM-048-AD" at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this proposed AD. We will consider all comments received by the closing date and may amend this proposed AD because of those comments.

We will post all comments we receive, without change, to <http://www.regulations.gov>, including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this proposed AD.

Discussion

The FAA has examined the underlying safety issues involved in fuel tank explosions on several large transport airplanes, including the adequacy of existing regulations, the service history of airplanes subject to those regulations, and existing maintenance practices for fuel tank systems. As a result of those findings, we issued a regulation titled "Transport Airplane Fuel Tank System Design Review, Flammability Reduction and Maintenance and Inspection Requirements" (66 FR 23086, May 7, 2001). In addition to new airworthiness standards for transport airplanes and new maintenance requirements, this rule included Special Federal Aviation Regulation No. 88 ("SFAR 88"), Amendment 21-78. Subsequently, SFAR 88 was amended by: Amendment 21-82 (67 FR 57490, September 10, 2002; corrected at 67 FR 70809, November 26, 2002) and Amendment 21-83 (67 FR 72830, December 9, 2002;

corrected at 68 FR 37735, June 25, 2003, to change "21-82" to "21-83").

Among other actions, SFAR 88 requires certain type design (*i.e.*, type certificate (TC) and supplemental type certificate (STC)) holders to substantiate that their fuel tank systems can prevent ignition sources in the fuel tanks. This requirement applies to type design holders for large turbine-powered transport airplanes and for subsequent modifications to those airplanes. It requires them to perform design reviews and to develop design changes and maintenance procedures if their designs do not meet the new fuel tank safety standards. As explained in the preamble to the rule, we intended to adopt airworthiness directives to mandate any changes found necessary to address unsafe conditions identified as a result of these reviews.

In evaluating these design reviews, we have established four criteria intended to define the unsafe conditions associated with fuel tank systems that require corrective actions. The percentage of operating time during which fuel tanks are exposed to flammable conditions is one of these criteria. The other three criteria address the failure types under evaluation: Single failures, combination of failures, and unacceptable (failure) experience. For all three failure criteria, the evaluations included consideration of previous actions taken that may mitigate the need for further action.

We have determined that the actions identified in this proposed AD are necessary to reduce the potential of ignition sources inside fuel tanks, which, in combination with flammable fuel vapors, could result in fuel tank explosions and consequent loss of the airplane.

767 FQIS Design

The design of the in-tank FQIS components and wiring has the potential for latent faults that could cause arcs, sparks, or resistive heating in the event of a hot short of an FQIS tank circuit to power wiring. The wiring of the FQIS is in some areas cobundled or closely adjacent to power wiring. An ignition source combined with flammable conditions in a center fuel tank could result in ignition of flammable vapor in the fuel tank, causing a structural failure of the wing and inflight breakup of the airplane.

Under the policy contained in FAA Policy Memo PS-ANM100-2003-112-15 SFAR 88—Mandatory Action Decision Criteria, dated February 25, 2003 (http://rgl.faa.gov/Regulatory_and_Guidance_Library/rgPolicy.nsf/0/dc94c3a46396950386256d5e006aed11/

\$FILE/Feb2503.pdf), the FAA determined that this ignition source risk combined with the fleet average flammability for the center wing tank on most Model 767 airplanes created an unsafe condition for the center fuel tank. Applying that same policy, the FAA determined that, due to a lower fleet average flammability, that same unsafe condition does not exist in the main (wing) tanks of Model 767 airplanes. The FAA has also determined that the unsafe condition does not exist in the center wing tanks of certain Model 767–200 airplanes that do not carry fuel within the center wing structural box. For those Model 767–200 airplanes, the center tank consists of rib bays in the wing root area between the side of the fuselage and the engine nacelles. Those areas are subject to cooling from air flow over the wing in flight, and Boeing has shown that the center fuel tank on those airplanes meets the FAA’s definition of a low-flammability fuel tank contained in the policy memo mentioned previously.

Related Rulemaking

On March 21, 2016, we issued AD 2016–07–07, Amendment 39–18452 (81 FR 19472, April 5, 2016), for certain Boeing Model 757–200, –200PF, –200CB, and –300 series airplanes. AD 2016–07–07 requires similar actions to those proposed in this NPRM. AD 2016–07–07 addressed the numerous public comments that were submitted on the proposal.

Related Service Information Under 1 CFR Part 51

We reviewed Boeing Service Bulletin 767–28–0118, dated July 15, 2014. The service information describes procedures for a BITE check (check of built-in test equipment) of the FQIS. This service information is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in the ADDRESSES section.

FAA’s Determination

We are proposing this AD because we evaluated all the relevant information and determined the unsafe condition described previously is likely to exist or

develop in other products of the same type design.

Proposed AD Requirements

This proposed AD would require modifying the FQIS to prevent development of an ignition source inside the center fuel tank due to electrical fault conditions. As an alternative for cargo airplanes, this proposed AD would provide the option to modify the airplane by separating FQIS wiring routed between the FQIS processor and the center fuel tank, provided repetitive BITE checks (checks of built-in test equipment) of the FQIS are also performed. Refer to the service information identified previously for details on the procedures and compliance times.

Costs of Compliance

We estimate that this proposed AD affects 133 airplanes of U.S. registry. This estimate includes 127 cargo airplanes; 4 private, business/corporate/executive, or government airplanes; and 2 experimental airplanes. We estimate the following costs to comply with this proposed AD:

ESTIMATED COSTS—REQUIRED ACTIONS

Action	Labor cost	Parts cost	Cost per product	Cost on U.S. operators
Modification ...	1,200 work-hours × \$85 per hour = \$102,000	\$200,000	\$302,000	\$40,166,000

ESTIMATED COSTS—ALTERNATIVE ACTIONS

Action	Labor cost	Parts cost	Cost per product
BITE check	18 work-hours × \$85 per hour = \$1,530 per check	\$0	\$1,530 per check.
Wire separation	230 work-hours × \$85 per hour = \$19,550	\$10,000	\$29,550.

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA’s authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency’s authority.

We are issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: “General requirements.” Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on

products identified in this rulemaking action.

Regulatory Findings

We determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

- (1) Is not a “significant regulatory action” under Executive Order 12866,
- (2) Is not a “significant rule” under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979),

(3) Will not affect intrastate aviation in Alaska, and

(4) Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

The Boeing Company: Docket No. FAA–2016–6141; Directorate Identifier 2015–NM–048–AD.

(a) Comments Due Date

We must receive comments by June 20, 2016.

(b) Affected ADs

None.

(c) Applicability

This AD applies to The Boeing Company Model 767–200, –300, –300F, and –400ER series airplanes, certificated in any category, excluding airplanes identified in paragraphs (c)(1) and (c)(2) of this AD.

(1) Airplanes on which the center auxiliary tank consists only of the spaces between the side of body rib 0 and rib 3 of the left and right wings (*i.e.*, the wing center structural box is a dry bay and is not part of the fuel tank).

(2) Airplanes equipped with a flammability reduction means (FRM) approved by the FAA as compliant with the Fuel Tank Flammability Reduction (FTFR) rule (73 FR 42444, July 21, 2008) requirements of section 25.981(b) or section 26.33(c)(1) of the Federal Aviation Regulations (14 CFR 25.981(b) or 14 CFR 26.33(c)(1)).

(d) Subject

Air Transport Association (ATA) of America Code 28, Fuel.

(e) Unsafe Condition

This AD was prompted by fuel system reviews conducted by the manufacturer. We are issuing this AD to prevent ignition sources inside the center fuel tank, which, in combination with flammable fuel vapors, could result in a fuel tank explosion and consequent loss of the airplane.

(f) Compliance

Comply with this AD within the compliance times specified, unless already done.

(g) Modification

Within 60 months after the effective date of this AD, modify the fuel quantity indicating system (FQIS) to prevent development of an ignition source inside the center fuel tank due to electrical fault conditions, using a method approved in accordance with the procedures specified in paragraph (i) of this AD.

(h) Alternative Actions for Cargo Airplanes

For airplanes used exclusively for cargo operations: As an alternative to the requirements of paragraph (g) of this AD, do

the actions specified in paragraphs (h)(1) and (h)(2) of this AD. To exercise this option, operators must perform the first inspection required under paragraph (h)(1) of this AD within 6 months after the effective date of this AD. To exercise this option for airplanes returned to service after conversion of the airplane from a passenger configuration to an all-cargo configuration more than 6 months after the effective date of this AD, operators must perform the first inspection required under paragraph (h)(1) of this AD prior to further flight after the conversion.

(1) Within 6 months after the effective date of this AD, record the existing fault codes stored in the FQIS processor and then do a BITE check (check of built-in test equipment) of the FQIS, in accordance with the Accomplishment Instructions of Boeing Service Bulletin 767–28–0118, dated July 15, 2014. If any nondispatchable fault code is recorded prior to the BITE check or as a result of the BITE check, before further flight, do all applicable repairs and repeat the BITE check until a successful test is performed with no nondispatchable faults found, in accordance with Boeing Service Bulletin 767–28–0118, dated July 15, 2014. Repeat these actions thereafter at intervals not to exceed 650 flight hours. Modification as specified in paragraph (h)(2) of this AD does not terminate the repetitive BITE check requirement of this paragraph.

(2) Within 60 months after the effective date of this AD, modify the airplane by separating FQIS wiring that runs between the FQIS processor and the center tank wing spar penetrations, including any circuits that might pass through a main fuel tank, from other airplane wiring that is not intrinsically safe, using methods approved in accordance with the procedures specified in paragraph (i) of this AD.

(i) Alternative Methods of Compliance (AMOCs)

(1) The Manager, Seattle Aircraft Certification Office (ACO), FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the manager of the ACO, send it to the attention of the person identified in paragraph (j) of this AD. Information may be emailed to: 9-ANM-Seattle-ACO-AMOC-Requests@faa.gov.

(2) Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

(3) An AMOC that provides an acceptable level of safety may be used for any repair, modification, or alteration required by this AD if it is approved by the Boeing Commercial Airplanes Organization Designation Authorization (ODA) that has been authorized by the Manager, Seattle ACO, to make those findings. To be approved, the repair method, modification deviation, or alteration deviation must meet the certification basis of the airplane, and the approval must specifically refer to this AD.

(4) For service information that contains steps that are labeled as Required for Compliance (RC), the provisions of paragraphs (i)(4)(i) and (i)(4)(ii) apply.

(i) The steps labeled as RC, including substeps under an RC step and any figures identified in an RC step, must be done to comply with the AD. An AMOC is required for any deviations to RC steps, including substeps and identified figures.

(ii) Steps not labeled as RC may be deviated from using accepted methods in accordance with the operator's maintenance or inspection program without obtaining approval of an AMOC, provided the RC steps, including substeps and identified figures, can still be done as specified, and the airplane can be put back in an airworthy condition.

(j) Related Information

For more information about this AD, contact Jon Regimbal, Aerospace Engineer, Propulsion Branch, ANM–140S, FAA, Seattle Aircraft Certification Office (ACO), 1601 Lind Avenue SW., Renton, WA 98057–3356; phone: 425–917–6506; fax: 425–917–6590; email: Jon.Regimbal@faa.gov.

Issued in Renton, Washington, on April 15, 2016.

Victor Wicklund,

Acting Manager, Transport Airplane Directorate, Aircraft Certification Service.

[FR Doc. 2016–09795 Filed 5–3–16; 8:45 am]

BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA–2016–6140; Directorate Identifier 2015–NM–059–AD]

RIN 2120–AA64

Airworthiness Directives; The Boeing Company Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: We propose to adopt a new airworthiness directive (AD) for certain The Boeing Company Model 777 airplanes. This proposed AD was prompted by fuel system reviews conducted by the manufacturer. This proposed AD would require modifying the fuel quantity indicating system (FQIS) to prevent development of an ignition source inside the center fuel tank due to electrical fault conditions. This proposed AD would also provide alternative actions for cargo airplanes. We are proposing this AD to prevent ignition sources inside the center fuel tank, which, in combination with flammable fuel vapors, could result in a