

800-877-8339, which is accessible 24 hours a day, 7 days a week, 365 days a year (including federal holidays).

**SUPPLEMENTARY INFORMATION:**

*Title of Collection:* 2017 National Survey of College Graduates.

*OMB Approval Number:* 3145-0141.

*Expiration Date of Approval:* May 31, 2018.

*Type of Request:* Intent to seek approval to renew an information collection for three years.

*Abstract:* The National Survey of College Graduates (NSCG) has been conducted biennially since the 1970s. The 2017 NSCG sample will be selected from the 2015 American Community Survey (ACS) and the 2015 NSCG. By selecting sample from these two sources, the 2017 NSCG will provide coverage of the college graduate population residing in the United States. The purpose of this longitudinal survey is to collect data that will be used to provide national estimates on the science and engineering workforce and changes in their employment, education, and demographic characteristics.

The National Science Foundation Act of 1950, as subsequently amended, includes a statutory charge to “. . . provide a central clearinghouse for the collection, interpretation, and analysis of data on scientific and engineering resources, and to provide a source of information for policy formulation by other agencies of the Federal Government.” The NSCG is designed to comply with these mandates by providing information on the supply and utilization of the nation’s scientists and engineers.

The U.S. Census Bureau, as in the past, will conduct the NSCG for NSF. The survey data collection will begin in February 2017 using web and mail questionnaires. Nonrespondents to the web or mail questionnaire will be followed up by computer-assisted telephone interviewing. The individual’s response to the survey is voluntary. The survey will be conducted in conformance with Census Bureau statistical quality standards and, as such, the NSCG data will be afforded protection under the applicable Census Bureau confidentiality statutes.

*Use of the Information:* The NSF uses the information from the NSCG to prepare congressionally mandated reports such as *Women, Minorities and Persons with Disabilities in Science and Engineering* and *Science and Engineering Indicators*. A public release file of collected data, designed to protect respondent confidentiality, will be made available to researchers on the Internet.

*Expected Respondents:* A statistical sample of approximately 118,000 individuals will be contacted in 2017. NSF expects the response rate to be 70 to 80 percent.

*Estimate of Burden:* The amount of time to complete the questionnaire may vary depending on an individual’s circumstances; however, on average it will take approximately 30 minutes to complete the survey. NSF estimates that the total annual burden will be no more than 47,200 hours (= 118,000 respondents × 80% response × 30 minutes) during the 2017 survey cycle.

Dated: July 25, 2016.

**Suzanne H. Plimpton,**

*Reports Clearance Officer, National Science Foundation.*

[FR Doc. 2016-17874 Filed 7-27-16; 8:45 am]

**BILLING CODE 7555-01-P**

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 52-027 and 52-028; NRC-2008-0441]

### Virgil C. Summer Nuclear Station, Units 2 and 3; South Carolina Electric & Gas Company; Main Control Room Emergency Habitability System Design Changes

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Exemption and combined license amendment; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is granting an exemption to allow a departure from the certification information of Tier 1 of the generic design control document (DCD) and is issuing License Amendment No. 49 to Combined Licenses (COLs), NPF-93 and NPF-94. The COLs were issued to South Carolina Electric & Gas (SCE&G) (the licensee); for construction and operation of the Virgil C. Summer Nuclear Station (VCSNS) Units 2 and 3, located in Fairfield County, South Carolina. The granting of the exemption allows the changes to Tier 1 information asked for in the amendment. Because the acceptability of the exemption was determined in part by the acceptability of the amendment, the exemption and amendment are being issued concurrently.

**DATES:** The exemption and combined license amendment referenced in this document are available on July 28, 2016.

**ADDRESSES:** Please refer to Docket ID NRC-2008-0441 when contacting the NRC about the availability of information regarding this document.

You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2008-0441. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC’s Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select “ADAMS Public Documents” and then select “Begin Web-based ADAMS Search.” For problems with ADAMS, please contact the NRC’s Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced in this document (if that document is available in ADAMS) is provided the first time that a document is referenced. The request for the amendment and exemption was submitted by letter dated June 30, 2015 (ADAMS Accession No. ML15181A470)
- *NRC’s PDR:* You may examine and purchase copies of public documents at the NRC’s PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** Paul Kallan, Office of New Reactors, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-2809; email: [Paul.Kallan@nrc.gov](mailto:Paul.Kallan@nrc.gov).

**SUPPLEMENTARY INFORMATION:**

### I. Introduction

The NRC is granting an exemption from paragraph B of section III, “Scope and Contents,” of Appendix D, “Design Certification Rule for the AP1000,” to part 52 of title 10 of the *Code of Federal Regulations* (10 CFR) and issuing License Amendment No. 49 to COLs, NPF-93 and NPF-94, to the licensee. The exemption is required by paragraph A.4 of Section VIII, “Processes for Changes and Departures,” Appendix D, to 10 CFR part 52 to allow the licensee to depart from Tier 1 information. With the requested amendment, the licensee sought proposed changes that would revise ASME safety classification and transition location, equipment orientation and removal, and identification of the number of

emergency air storage tanks. The proposed changes to the Main Control Room Emergency Habitability System (VES) revises Tier 1 and corresponding information in COL Appendix C, Figure 2.2.5-1. It also revises Tier 2 information in the Updated Final Safety Analysis Report.

Part of the justification for granting the exemption was provided by the review of the amendment. Because the exemption is necessary in order to issue the requested license amendment, the NRC granted the exemption and issued the amendment concurrently, rather than in sequence. This included issuing a combined safety evaluation containing the NRC staff's review of both the exemption request and the license amendment. The exemption met all applicable regulatory criteria set forth in 10 CFR 50.12, 10 CFR 52.7, and Section VIII.A.4 of Appendix D to 10 CFR part 52. The license amendment was found to be acceptable as well. The combined safety evaluation is available in ADAMS under Accession No. ML16095A202.

Identical exemption documents (except for referenced unit numbers and license numbers) were issued to the licensee for VCSNS Units 2 and 3 (COLs NPF-93 and NPF-94). The exemption documents for VCSNS Units 2 and 3 can be found in ADAMS under Accession Nos. ML16095A141 and ML16095A144, respectively. The exemption is reproduced (with the exception of abbreviated titles and additional citations) in Section II of this document. The amendment documents for COLs NPF-93 and NPF-94 are available in ADAMS under Accession Nos. ML16095A132 and ML16095A137, respectively. A summary of the amendment documents is provided in Section III of this document.

## II. Exemption

Following is the exemption document issued to VCSNS Units 2 and Unit 3. It makes reference to the combined safety evaluation that provides the reasoning for the findings made by the NRC (and listed under Item 1) in order to grant the exemption:

1. In a letter dated June 30, 2015, the licensee requested from the Commission an exemption from the provisions of 10 CFR part 52, appendix D, section III.B, as part of license amendment request 15-03, "Main Control Room Emergency Habitability System (VES) Design Changes (LAR 15-03)."

For the reasons set forth in Section 3.1, "Evaluation of Exemption," of the NRC staff's Safety Evaluation, which can be found in ADAMS under Accession No. ML16095A202, the Commission finds that:

A. The exemption is authorized by law;

B. the exemption presents no undue risk to public health and safety;

C. the exemption is consistent with the common defense and security;

D. special circumstances are present in that the application of the rule in this circumstance is not necessary to serve the underlying purpose of the rule;

E. the special circumstances outweigh any decrease in safety that may result from the reduction in standardization caused by the exemption; and

F. the exemption will not result in a significant decrease in the level of safety otherwise provided by the design.

2. Accordingly, the licensee is granted an exemption from the certified DCD Tier 1, as described in the licensee's request dated June 30, 2015. This exemption is related to, and necessary for the granting of License Amendment No. 49, which is being issued concurrently with this exemption.

3. As explained in Section 5.0, "Environmental Consideration," of the NRC staff's Safety Evaluation (ADAMS Accession No. ML16095A202), this exemption meets the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(9). Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment needs to be prepared in connection with the issuance of the exemption.

4. This exemption is effective as of the date of its issuance.

## III. License Amendment Request

By letter dated June 30, 2015, the licensee requested that the NRC amend the COLs for VCSNS, Units 2 and 3, COLs NPF-93 and NPF-94. The proposed amendment is described in Section I of this **Federal Register** Notice.

The Commission has determined for these amendments that the application complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's rules and regulations in 10 CFR Chapter I, which are set forth in the license amendment.

A notice of consideration of issuance of amendment to facility operating license or combined license, as applicable, proposed no significant hazards consideration determination, and opportunity for a hearing in connection with these actions, was published in the **Federal Register** on October 15, 2015 (80 FR 61476). No comments were received during the 30-day comment period.

The Commission has determined that these amendments satisfy the criteria for categorical exclusion in accordance with 10 CFR 51.22. Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared for these amendments.

## IV. Conclusion

Using the reasons set forth in the combined safety evaluation, the staff granted the exemption and issued the amendment that the licensee requested on June 30, 2015. The exemption and amendment were issued on June 2, 2016, as part of a combined package to the licensee (ADAMS Accession No. ML16095A115).

Dated at Rockville, Maryland, this 18th day of July 2016.

For the Nuclear Regulatory Commission.

**Jennifer Dixon-Herrity,**

*Acting Chief, Licensing Branch 4, Division of New Reactor Licensing, Office of New Reactors.*

[FR Doc. 2016-17918 Filed 7-27-16; 8:45 am]

**BILLING CODE 7590-01-P**

## NUCLEAR REGULATORY COMMISSION

[IA-16-026; NRC-2016-0150]

### In the Matter of Kyle Lynn Dickerson

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Confirmatory order; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) issued a confirmatory order to Kyle Lynn Dickerson confirming agreements reached in an Alternative Dispute Resolution mediation session held on June 3, 2016. As part of the agreement, Mr. Dickerson has completed and will complete future agreed upon actions within 18 months of the issuance date of the confirmatory order.

**DATES:** The confirmatory order was issued on July 11, 2016.

**ADDRESSES:** Please refer to Docket ID NRC-2016-0150 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2016-0150. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For questions about the Order, contact the individual listed in the **FOR FURTHER**