

**NATIONAL CREDIT UNION  
ADMINISTRATION****Submission for OMB Review;  
Comment Request**

**AGENCY:** National Credit Union Administration (NCUA).

**ACTION:** Notice.

**SUMMARY:** The National Credit Union Administration (NCUA) will be submitting the following information collection request to the Office of Management and Budget (OMB) for review and clearance in accordance with the Paperwork Reduction Act of 1995, Public Law 104-13, on or after the date of publication of this notice.

**DATES:** Comments should be received on or before January 11, 2017 to be assured of consideration.

**ADDRESSES:** Send comments regarding the burden estimate, or any other aspect of the information collection, including suggestions for reducing the burden, to (1) Office of Information and Regulatory Affairs, Office of Management and Budget, Attention: Desk Officer for NCUA, New Executive Office Building, Room 10235, Washington, DC 20503, or email at [OIRA\\_Submission@OMB.EOP.gov](mailto:OIRA_Submission@OMB.EOP.gov) and (2) NCUA PRA Clearance Officer, 1775 Duke Street, Alexandria, VA 22314, Suite 5067, or email at [PRAComments@ncua.gov](mailto:PRAComments@ncua.gov).

**FOR FURTHER INFORMATION CONTACT:**

Copies of the submission may be obtained by emailing [PRAComments@ncua.gov](mailto:PRAComments@ncua.gov) or viewing the entire information collection request at [www.reginfo.gov](http://www.reginfo.gov).

**SUPPLEMENTARY INFORMATION:**

**OMB Number:** 3133-0170.  
**Title:** Fidelity Bond and Insurance Coverage for Federal Credit Unions 12 CFR part 713.

**Abstract:** The Federal Credit Union Act (at 12 U.S.C. 1761(b)(2)) requires that the boards of federal credit unions (FCU) arrange for adequate fidelity coverage for officers and employees having custody of or responsibility for handling funds.

The regulation contains a number of reporting requirements where a credit union seeks to exercise flexibility under the regulations. These requirements enable NCUA to monitor the FCU's financial condition for safety and soundness purposes and helps to assure that FCUs are properly and adequately protected against potential losses due to insider abuse such as fraud and embezzlement.

**Type of Review:** Extension of a previously approved collection.

**Affected Public:** Private Sector: Not-for-profit institutions.

*Estimated Total Annual Burden Hours:* 7.

By Gerard Poliquin, Secretary of the Board, the National Credit Union Administration, on November 29, 2016.

Dated: December 7, 2016.

**Troy S. Hillier,**

*NCUA PRA Clearance Officer.*

[FR Doc. 2016-29695 Filed 12-9-16; 8:45 am]

**BILLING CODE 7535-01-P**

**NATIONAL CREDIT UNION  
ADMINISTRATION****Sunshine Act Meeting; Notice of  
Agency Meeting**

**TIME AND DATE:** 10:00 a.m., Thursday, December 15, 2016.

**PLACE:** Board Room, 7th Floor, Room 7047, 1775 Duke Street (All visitors must use Diagonal Road Entrance), Alexandria, VA 22314-3428.

**STATUS:** Open.

**MATTERS TO BE CONSIDERED:**

1. Corporate Stabilization Fund Quarterly Report.
2. NCUA's Rules and Regulations, Federal Credit Union Occupancy, Planning, and Disposal of Acquired and Abandoned Premises.
3. NCUA's Rules and Regulations, Freedom of Information Act.
4. Revised Texas Member Business Loan Rule.
5. Board Briefing, NGN Legacy Asset Disposition Strategy.

**RECESS:** 11:30 a.m.

**TIME AND DATE:** 11:45 a.m., Thursday, December 15, 2016.

**PLACE:** Board Room, 7th Floor, Room 7047, 1775 Duke Street, Alexandria, VA 22314-3428.

**STATUS:** Closed.

**MATTERS TO BE CONSIDERED:**

1. Creditor Claim Appeal. Closed pursuant to Exemption (6).
2. Request for Approval under Section 205(d). Closed pursuant to Exemption (6).

**FOR FURTHER INFORMATION CONTACT:**

Gerard Poliquin, Secretary of the Board, Telephone: 703-518-6304.

**Gerard Poliquin,**

*Secretary of the Board.*

[FR Doc. 2016-29884 Filed 12-8-16; 4:15 pm]

**BILLING CODE 7535-01-P**

**NUCLEAR REGULATORY  
COMMISSION**

[NRC-2016-0252]

**Assumptions Used for Evaluating the  
Potential Radiological Consequences  
of a Fuel Handling Accident in the Fuel  
Handling and Storage Facility for  
Boiling and Pressurized Water  
Reactors**

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Regulatory guide; withdrawal.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is withdrawing regulatory guide (RG) 1.25, "Assumptions used for Evaluating the Potential Radiological Consequences of a Fuel Handling Accident in the Fuel Handling and Storage Facility for Boiling and Pressurized Water Reactors." This document is being withdrawn because the guidance contained in RG 1.25 has been superseded and is now incorporated into RG 1.183, "Alternative Radiological Source Terms for Evaluating Design Basis Accidents at Nuclear Power Reactors," and RG 1.195, "Methods and Assumptions for Evaluating Radiological Consequences of Design Basis Accidents at Light-Water Nuclear Power Reactors."

**DATES:** The effective date of the withdrawal of RG 1.25, "Assumptions used for Evaluating the Potential Radiological Consequences of a Fuel Handling Accident in the Fuel Handling and Storage Facility for Boiling and Pressurized Water Reactors" is December 12, 2016.

**ADDRESSES:** Please refer to Docket ID NRC-2016-0252 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- **Federal Rulemaking Web site:** Go to <http://www.regulations.gov> and search for Docket ID NRC-2016-0252. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual(s) listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- **NRC's Agencywide Documents Access and Management System (ADAMS):** You may obtain publicly available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then

select “Begin Web-based ADAMS Search.” For problems with ADAMS, please contact the NRC’s Public Document Room (PDR) reference staff at 1–800–397–4209, 301–415–4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The withdrawal notice for RG 1.25 is available in ADAMS under accession No. ML16105A081.

- *NRC’s PDR*: You may examine and purchase copies of public documents at the NRC’s PDR, Room O1–F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** John Parillo, Office of Nuclear Reactor Regulation, telephone 301–415–1344; email [John.Parillo@nrc.gov](mailto:John.Parillo@nrc.gov) or Mark Orr, Office of Nuclear Regulatory Research, telephone: 301–415–6003; email: [Mark.Orr@nrc.gov](mailto:Mark.Orr@nrc.gov). Both are staff of the U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

**SUPPLEMENTARY INFORMATION:** Regulatory guides may be withdrawn by the NRC when their guidance no longer provides useful information, or is superseded by technological innovations, congressional actions, or other events. The withdrawal of an RG should be thought of as the final revision of the guide.

The NRC issued RG 1.25, “Assumptions used for Evaluating the Potential Radiological Consequences of a Fuel Handling Accident in the Fuel Handling and Storage Facility for Boiling and Pressurized Water Reactors,” in March 1972 to provide guidance for the evaluation of the design basis fuel handling accident to demonstrate compliance with the NRC’s regulations in part 100 of Title 10 of the *Code of Federal Regulations*. The NRC is withdrawing RG 1.25 because the guidance contained in RG 1.25 has been superseded by more current guidance, which has been incorporated into RG 1.183, “Alternative Radiological Source Terms for Evaluating Design Basis Accidents at Nuclear Power Reactors,” and RG 1.195, “Methods and Assumptions for Evaluating Radiological Consequences of Design Basis Accidents at Light-Water Nuclear Power Reactors.” The information in RG 1.183 provides guidance for new and existing light-water reactor (LWR) plants that have adopted the alternative source term (AST), and RG 1.195 provides guidance for those LWR plants that have not adopted the AST.

The withdrawal of RG 1.25 does not alter any prior or existing NRC licensing approval or the acceptability of licensee commitments to RG 1.25. Although RG 1.25 is withdrawn, current licensees may continue to use it, and withdrawal

does not affect any existing licenses or agreements. However, RG 1.25 should not be used in future requests or applications for NRC licensing actions.

Dated at Rockville, Maryland, this 5th day of December, 2016.

For the Nuclear Regulatory Commission,  
**Thomas H. Boyce,**  
*Chief, Regulatory Guidance and Generic Issues Branch, Division of Engineering, Office of Nuclear Regulatory Research.*

[FR Doc. 2016–29661 Filed 12–9–16; 8:45 am]

**BILLING CODE 7590–01–P**

## NUCLEAR REGULATORY COMMISSION

[Docket No. 50–302; NRC–2016–0253]

### Duke Energy Florida, Inc., LLC; Crystal River Unit 3 Nuclear Generating Plant

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Exemption; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is issuing a partial exemption from three record keeping requirements in its regulations in response to a September 14, 2016, request from Duke Energy Florida, (DEF, or the licensee). Specifically, the licensee requested that the Crystal River Unit 3 Nuclear Generating Plant (CR–3), be granted a partial exemption from regulations that require retention of records for certain systems, structures, and components.

**DATES:** The exemption was issued on November 30, 2016.

**ADDRESSES:** Please refer to Docket ID NRC–2016–0253 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC–2016–0253. Address questions about NRC dockets to Carol Gallagher; telephone: 301–415–3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC’s Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select “ADAMS Public Documents” and then select “Begin Web-based ADAMS Search.” For problems with ADAMS,

please contact the NRC’s Public Document Room (PDR) reference staff at 1–800–397–4209, 301–415–4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced (if it available in ADAMS) is provided the first time that a document is referenced.

- *NRC’s PDR:* You may examine and purchase copies of public documents at the NRC’s PDR, Room O1–F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** John Hickman, Office of Nuclear Material Safety and Safeguards; U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001; telephone: 301–415–3017; email: [John.Hickman@nrc.gov](mailto:John.Hickman@nrc.gov).

### SUPPLEMENTARY INFORMATION:

#### I. Background

The CR–3 facility is a decommissioning power reactor located in Citrus County, Florida. The licensee, DEF, is the holder of CR–3 Facility Operating License No. DPR–72. The CR–3 has been shutdown since September 26, 2009. Subsequently, the licensee determined that issues with containment integrity could not be satisfactorily resolved and decided not to attempt to restart the facility. On May 28, 2011, DEF completed the removal of fuel from the reactor vessel at CR–3. By letter dated February 20, 2013 (ADAMS Accession No. ML13056A005), DEF submitted to the NRC a certification in accordance with section 50.82(a)(1)(i) of title 10 of the *Code of Federal Regulations* (10 CFR), indicating it would permanently cease power operations, and with § 50.82(a)(1)(ii) that it had permanently defueled the reactor vessel at CR–3. Because CR–3 is a permanently shutdown and defueled facility, and in accordance with § 50.82(a)(2), DEF is no longer authorized to operate the reactor or emplace nuclear fuel into the reactor vessel. The licensee is still authorized to possess and store irradiated (*i.e.*, spent) nuclear fuel. The spent fuel is currently being stored onsite in a spent fuel pool (SFP).

#### II. Request/Action

By letter dated September 14, 2016 (ADAMS Accession No. ML16258A058), DEF filed a request for NRC approval of an exemption from the record retention requirements of: (1) 10 CFR part 50, appendix B, Criterion XVII, which requires certain records be retained consistent with other regulatory requirements; (2) § 50.59(d)(3), which requires certain records be maintained until termination of a license issued