

provide for the prompt and orderly settlement of all disputes concerning rates of pay, rules, or working conditions, and (5) to provide for the prompt and orderly settlement of all disputes growing out of grievances or out of the interpretation or application of agreements concerning rates of pay, rules, or working conditions. In fulfilling its role to administer the Act, the National Mediation Board offers the parties to disputes mediation and arbitration services. On a voluntary basis, training programs in Alternative Dispute Resolution (ADR) and facilitation services are also available. These ADR programs are designed to enhance the bargaining and grievance handling skill level of the disputants and to assist the parties in the resolution of disputes. The impact of these ADR programs is that mediation and arbitration can be avoided entirely or the scope and number of issues brought to mediation or arbitration is significantly reduced. This collection is necessary to confirm the voluntary participation of the parties in the ADR process. The information provided by the parties is used by the NMB to schedule the parties for ADR training and facilitation. Based on a recent survey of those who participated in the NMB's ADR Programs, 94.6% said they were satisfied with the ADR Programs and said they recommend the program for all negotiators. Collecting the brief information on the Application for ADR Services form allows the parties to voluntarily engage the services of the NMB in the orderly settlement of all disputes and fulfill the purposes of the Act.

Requests for copies of the proposed information collection request may be accessed from www.nmb.gov or should be addressed to Denise Murdock, NMB, 1301 K Street NW., Suite 250 E, Washington, DC 20005 or addressed to the email address murdock@nmb.gov or faxed to 202-692-5081. Please specify the complete title of the information collection when making your request.

Comments regarding burden and/or the collection activity requirements should be directed to Samantha Jones at 202-692-5010 or via internet address jones@nmb.gov. Individuals who use a telecommunications device for the deaf (TDD/TDY) may call the Federal Information Relay Service (FIRS) at 1-800-877-8339.

[FR Doc. 2017-00968 Filed 1-17-17; 8:45 am]

BILLING CODE 7550-01-P

NEIGHBORHOOD REINVESTMENT CORPORATION

Audit Committee Meeting: Sunshine Act

TIME AND DATE: 2:30 p.m., Monday, January 23, 2017.

PLACE: NeighborWorks America—Gramlich Boardroom, 999 North Capitol Street NE., Washington DC 20002.

STATUS: Open (with the exception of Executive Session).

CONTACT PERSON: Jeffrey Bryson, General Counsel/Secretary, (202) 760-4101; jbryson@nw.org.

AGENDA:

- I. CALL TO ORDER
- II. Executive Session with Chief Audit Executive
- III. Internal Audit Reports with Management's Response
- IV. FY 2017 Internal Audit Plan—Proposed Change
- V. Internal Audit Status Reports
- VI. Audit of Retirement Plan Year Ending 2015 and 2014
- VII. Adjournment

The General Counsel of the Corporation has certified that in his opinion, one or more of the exemptions set forth in 5 U.S.C. 552 (b)(4) permit closure of the following portions of this meeting:

- Executive Session with the External Auditor

Jeffrey T. Bryson,

EVP & General Counsel/Corporate Secretary.

[FR Doc. 2017-01157 Filed 1-13-17; 11:15 am]

BILLING CODE 7570-02-P

NUCLEAR REGULATORY COMMISSION

[Docket Nos. 52-022 and 52-023; NRC-2013-0261]

Duke Energy Progress; Combined License Application for Shearon Harris Nuclear Power Plant Units 2 and 3

AGENCY: Nuclear Regulatory Commission.

ACTION: Exemption; issuance.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) is issuing an exemption in response to an October 13, 2016, letter from Duke Energy Progress (DEP), which requested an exemption from certain regulatory requirements that requires DEP to submit an update to the final safety analysis report (FSAR) included in their combined license (COL) application for Shearon Harris Nuclear Power Plant (Harris) Units 2 and 3 by December 31, 2016. The NRC

staff reviewed this request and determined that it is appropriate to grant the exemption, but stipulated that the update to the FSAR must be submitted prior to, or coincident with the resumption of the COL application review or by December 31, 2019, whichever comes first.

DATES: The exemption is effective on January 18, 2017.

ADDRESSES: Please refer to Docket ID NRC-2013-0261 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this action by the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2013-0261. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: Carol.Gallagher@nrc.gov. For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to pdr.resource@nrc.gov. The ADAMS accession number for each document referenced (if that document is available in ADAMS) is provided the first time that the document is referenced.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

FOR FURTHER INFORMATION CONTACT: Brian Hughes, Office of New Reactors, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-6582; email: Brian.Hughes@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Background

On February 18, 2008, DEP, submitted to the NRC a COL application for two units of Westinghouse Electric Company's AP1000 advanced pressurized water reactors to be constructed and operated at the existing Shearon Harris Nuclear Plant (Harris) site (ADAMS Accession No.

ML080580078). The NRC docketed the Shearon Harris Units 2 and 3 COL application (Docket Nos. 52–022 and 52–023) on April 23, 2008. On April 15, 2013, (ADAMS Accession No. ML13112A761) DEP submitted Revision 5 to the COL application including updates to the FSAR, per Subsection 50.71(e)(3)(iii) of title 10 of the *Code of Federal Regulations* (10 CFR). On May 2, 2013 (ADAMS Accession No. ML13123A344), DEP requested that the NRC suspend review of the Shearon Harris Nuclear Plant Units 2 and 3 COL application. On August 7, 2013 (ADAMS Accession No. ML13220B004), DEP requested an exemption from the 10 CFR 50.71(e)(3)(iii) requirements to submit the COL application FSAR update, which NRC granted through December 31, 2014. On August 1, 2014 (ADAMS Accession No. ML14216A431), DEP requested another exemption from the 10 CFR 50.71(e)(3)(iii) requirements to submit the COL application FSAR update which the NRC granted through December 31, 2015. On August 12, 2015 (ADAMS Accession No. ML15226A353), DEP requested another exemption from the 10 CFR 50.71(e)(3)(iii) requirements to submit the COL application FSAR update which NRC granted through December 31, 2016. On October 13, 2016 (ADAMS Accession No. ML16288A815), DEP requested another exemption from the 10 CFR 50.71(e)(3)(iii) requirements to submit annual updates to the FSAR during the years 2016, 2017, and 2018. In this exemption request, DEP indicated that it would provide an update to the FSAR, or take other appropriate action, no later than December 31, 2019.

II. Request/Action

Paragraph 50.71(e)(3)(iii) requires that an applicant for a COL under Subpart C of 10 CFR part 52, submit updates to their FSAR annually during the period from docketing the application to the Commission making its 10 CFR 52.103(g) finding.

Pursuant to 10 CFR 50.71(e)(3)(iii) the next annual update of the FSAR included in the Harris Units 2 and 3 COL application would be due by December 31, 2016. In a letter dated October 13, 2016 (ADAMS Accession No. ML16288A815), DEP requested that the Harris Units 2 and 3 COL application be exempt from the 10 CFR 50.71(e)(3)(iii) requirements during the years of 2016, 2017, and 2018 until December 31, 2019, or prior to a request to reactivate the Harris Units 2 and 3 COL application review.

The exemption would allow DEP to submit the next FSAR update at a later date, but still in advance of NRC's

reinstating its review of the application and in any event, by December 31, 2019. The current requirement to submit an FSAR update could not be changed, absent the exemption.

III. Discussion

Pursuant to 10 CFR 50.12 the Commission may, upon application by any interested person or upon its own initiative, grant exemptions from the requirements of 10 CFR part 50, including 10 CFR 50.71(e)(3)(iii) when: (1) The exemption(s) are authorized by law, will not present an undue risk to public health or safety, and are consistent with the common defense and security; and (2) special circumstances are present. As relevant to the requested exemption, special circumstances exist if: [a]pplication of the regulation in the particular circumstances would not serve the underlying purpose of the rule or is not necessary to achieve the underlying purpose of the rule (10 CFR 50.12(a)(2)(ii)) and if: [t]he exemption would provide only temporary relief from the applicable regulation and the licensee or applicant has made good faith efforts to comply with the regulation (10 CFR 50.12(a)(2)(v)).

The purpose of 10 CFR 50.71(e)(3)(iii) is to ensure that the NRC has the most up to date information regarding the COL application, in order to perform an efficient and effective review. The rule targeted those applications that are being actively reviewed by the NRC. Because DEP requested the NRC suspend its review of the Harris Units 2 and 3 COL application, compelling DEP to submit its FSAR on an annual basis is not necessary as the FSAR will not be changed or updated until the review is restarted. Requiring the updates would result in undue hardship on DEP, and the purpose of 10 CFR 50.71(e)(3)(iii) would still be achieved if the update is submitted prior to restarting the review and in any event by December 31, 2019.

The requested exemption to defer submittal of the next update to the FSAR included in the Harris Units 2 and 3 COL application would provide only temporary relief from the regulations in 10 CFR 50.71(e)(3)(iii). As evidenced by the proper submittal of annual updates on June 23, 2009 (ADAMS Accession No. ML091810540), April 12, 2010 (ADAMS Accession No. ML101120592), April 14, 2011 (ADAMS Accession No. ML111170902), April 12, 2012 (ADAMS Accession No. ML12122A656), and April 15, 2013 (ADAMS Accession No. ML13112A761), DEP has made good faith efforts to comply with 10 CFR 50.71(e)(3)(iii)

prior to requesting suspension of the review. In its subsequent requests dated August 1, 2014, August 12, 2015, and October 13, 2016, DEP asked the NRC to grant exemption from 10 CFR 50.71(e)(3)(iii) until December 31, 2019, or prior to any request to reactivate Harris Units 2 and 3 COL application review. For the reasons stated above, the application of 10 CFR 50.71(e)(3)(iii) in this particular circumstance can be deemed unnecessary and the granting of the exemption would allow only temporary relief from a rule that the applicant had made good faith efforts to comply with, therefore special circumstances are present.

Authorized by Law

The exemption is a schedule exemption from the requirements of 10 CFR 50.71(e)(3)(iii). The exemption would allow DEP to submit the next Harris Units 2 and 3 COL application FSAR update on or before December 31, 2019, in lieu of the required scheduled submittals on December 31, 2016, December 31, 2017, and December 31, 2018. As stated above, 10 CFR 50.12 allows the NRC to grant exemptions from the requirements of 10 CFR part 50. The NRC staff has determined that granting DEP the requested exemption from the requirements of 10 CFR 50.71(e)(3)(iii) will provide only temporary relief from this regulation and will not result in a violation of the Atomic Energy Act of 1954, as amended, or the NRC's regulations. Therefore, the exemption is authorized by law.

No Undue Risk to Public Health and Safety

The underlying purpose of 10 CFR 50.71(e)(3)(iii) is to provide for a timely and comprehensive update of the FSAR associated with a COL application in order to support an effective and efficient review by the NRC staff and issuance of the NRC staff's safety evaluation report. The requested exemption is solely administrative in nature, in that it pertains to the schedule for submittal to the NRC of revisions to an application under 10 CFR part 52, for which a license has not been granted. In addition, since the review of the application has been suspended, any update to the application submitted by DEP will not be reviewed by the NRC at this time. Plant construction cannot proceed until the NRC's review of the application is completed, a mandatory hearing is completed, and a license is issued. Additionally, based on the nature of the requested exemption as described above, no new accident precursors are created by the exemption; thus neither

the probability, nor the consequences of postulated accidents are increased. Therefore, there is no undue risk to public health and safety.

Consistent With Common Defense and Security

The requested exemption would allow DEP to submit the next FSAR update prior to requesting the NRC to resume the review and, in any event, on or before December 31, 2019. This schedule change has no relation to security issues. Therefore, the common defense and security is not impacted.

Special Circumstances

Special circumstances, in accordance with 10 CFR 50.12(a)(2)(ii) are present whenever: (1) Application of the regulation in the particular circumstances would not serve the underlying purpose of the rule or is not necessary to achieve the underlying purpose of the rule (10 CFR 50.12(a)(2)(ii)). The underlying purpose of 10 CFR 50.71(e)(3)(iii) is to ensure that the NRC has the most up-to date information in order to perform its review of a COL application efficiently and effectively. Because the requirement to annually update the FSAR was intended for active reviews and the Harris Units 2 and 3 COL application review is now suspended, the application of this regulation in this particular circumstance is unnecessary in order to achieve its underlying purpose. If the NRC were to grant this exemption, and DEP was then required to update its FSAR by December 31, 2019, or prior to any request to restart of their review, the purpose of the rule would still be achieved.

Special circumstances in accordance with 10 CFR 50.12(a)(2)(v) are present whenever the exemption would provide only temporary relief from the regulation and the applicant has made good faith efforts to comply with this regulation. Because of the assumed and imposed new deadline of December 31, 2016, DEP's exemption request seeks only temporary relief from the requirement that it file an update to the FSAR included in the Harris Units 2 and 3 COL application. Additionally DEP submitted the required annual updates to its FSAR throughout the application process until asking for suspension of its review.

Therefore, since the relief from the requirements of 10 CFR 50.71(e)(3)(iii) would be temporary and the applicant has made good faith efforts to comply with the rule, and the underlying purpose of the rule is not served by application of the rule in this circumstance, the special circumstances

required by 10 CFR 50.12(a)(2)(ii) and 50.12(a)(2)(v) for the granting of an exemption from 10 CFR 50.71(e)(3)(iii) exist.

Eligibility for Categorical Exclusion From Environmental Review

With respect to the exemption's impact on the quality of the human environment, the NRC has determined that this specific exemption request is eligible for categorical exclusion as identified in 10 CFR 51.22(c)(25) provided that:

(i) There is no significant hazards consideration;

The criteria for determining whether there is no significant hazards consideration are found in 10 CFR 50.92. The proposed action involves only a schedule change regarding the submission of an update to the application for which the licensing review has been suspended. Therefore, there is no significant hazards consideration because granting the proposed exemption would not:

(1) Involve a significant increase in the probability or consequences of an accident previously evaluated; or

(2) Create the possibility of a new or different kind of accident from any accident previously evaluated; or

(3) Involve a significant reduction in a margin of safety.

(ii) There is no significant change in the types or significant increase in the amounts of any effluents that may be released offsite;

The proposed action involves only a schedule change which is administrative in nature, and does not involve any changes to be made in the types or significant increase in the amounts of effluents that may be released offsite.

(iii) There is no significant increase in individual or cumulative public or occupational radiation exposure;

Since the proposed action involves only a schedule change which is administrative in nature, it does not contribute to any significant increase in occupational or public radiation exposure.

(iv) There is no significant construction impact;

The proposed action involves only a schedule change which is administrative in nature; the application review is suspended until further notice, and there is no consideration of any construction at this time, and hence the proposed action does not involve any construction impact.

(v) There is no significant increase in the potential for or consequences from radiological accidents;

The proposed action involves only a schedule change which is administrative in nature, and does not impact the probability or consequences of accidents.

(vi) The requirements from which an exemption is sought involve:

(B) Reporting requirements;

The exemption request involves submitting an updated FSAR by DEP; and

(G) Scheduling requirements;

The proposed exemption relates to the schedule for submitting FSAR updates to the NRC.

IV. Conclusion

Accordingly, the Commission has determined that, pursuant to 10 CFR 50.12(a), the exemption is authorized by law, will not present an undue risk to the public health and safety, and is consistent with the common defense and security. Also special circumstances are present. Therefore, the Commission hereby grants DEP a one-time exemption from the requirements of 10 CFR 50.71(e)(3)(iii) pertaining to the Harris Units 2 and 3 COL application to allow submittal of the next FSAR update prior to any request to the NRC to resume the review, and in any event no later than December 31, 2019.

Pursuant to 10 CFR 51.22, the Commission has determined that the exemption request meets the applicable categorical exclusion criteria set forth in 10 CFR 51.22(c)(25), and the granting of this exemption will not have a significant effect on the quality of the human environment.

This exemption is effective upon issuance.

Dated at Rockville, Maryland, this 9th day of January 2017.

For the Nuclear Regulatory Commission.

Francis M. Akstulewicz,
*Director, Division of New Reactor Licensing,
Office of New Reactors.*

[FR Doc. 2017-01035 Filed 1-17-17; 8:45 am]

BILLING CODE 7590-01-P

RAILROAD RETIREMENT BOARD

Proposed Collection; Comment Request

Summary: In accordance with the requirement of Section 3506(c)(2)(A) of the Paperwork Reduction Act of 1995 which provides opportunity for public comment on new or revised data collections, the Railroad Retirement Board (RRB) will publish periodic summaries of proposed data collections.

Comments are invited on: (a) Whether the proposed information collection is necessary for the proper performance of