

that reimbursement of antidumping duties occurred and the subsequent assessment of doubled antidumping duties.

Notification Regarding Administrative Protective Order

This notice also serves as a reminder to parties subject to administrative protective order (APO) of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Timely written notification of the return or destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

This notice is issued and published in accordance with sections 751(a)(1) and 777(i)(1) of the Act and 19 CFR 351.213(d)(4).

Dated: January 26, 2017.

Gary Taverman,

Associate Deputy Assistant Secretary for Antidumping and Countervailing Duty Operations.

[FR Doc. 2017-02109 Filed 1-31-17; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

Meeting of the Renewable Energy and Energy Efficiency Advisory Committee

AGENCY: International Trade Administration, U.S. Department of Commerce.

ACTION: Notice of an open meeting.

SUMMARY: The Renewable Energy and Energy Efficiency Advisory Committee (REEEAC) will hold a meeting on Wednesday, March 1, 2017 at the U.S. Department of Commerce Herbert C. Hoover Building in Washington, DC. The meeting is open to the public with registration instructions provided below.

DATES: March 1, 2017, from approximately 8:30 a.m. to 5:00 p.m. Eastern Standard Time (EST). Members of the public wishing to participate must register in advance with Victoria Gunderson at the contact information below by 5:00 p.m. EST on Friday, February 24, 2017, in order to pre-register, including any requests to make comments during the meeting or for accommodations or auxiliary aids.

FOR ALL FURTHER INFORMATION, PLEASE CONTACT: Victoria Gunderson, Designated Federal Officer, Office of Energy and Environmental Industries

(OEEI), International Trade Administration, U.S. Department of Commerce at (202) 482-7890; email: *Victoria.Gunderson@trade.gov*.

SUPPLEMENTARY INFORMATION:

Background: The Secretary of Commerce established the REEEAC pursuant to discretionary authority and in accordance with the Federal Advisory Committee Act, as amended (5 U.S.C. App.), on July 14, 2010. The REEEAC was re-chartered on June 18, 2012, June 12, 2014, and June 9, 2016. The REEEAC provides the Secretary of Commerce with consensus advice from the private sector on the development and administration of programs and policies to expand the export competitiveness of the U.S. renewable energy and energy efficiency products and services.

On March 1, the REEEAC will hold the second meeting of its new charter term and hold REEEAC sub-committee working sessions, discuss next steps for each sub-committee, and hear from officials from the Department of Commerce and other agencies on major issues impacting the competitiveness of the U.S. renewable energy and energy efficiency industries.

The meeting will be open to the public and will be accessible to people with disabilities. All guests are required to register in advance by the deadline identified under the **DATES** caption. Requests for auxiliary aids must be submitted by the registration deadline. Last minute requests will be accepted, but may be impossible to fill.

A limited amount of time before the close of the meeting will be available for oral comments from members of the public attending the meeting. To accommodate as many speakers as possible, the time for public comments will be limited to two to five minutes per person (depending on number of public participants). Individuals wishing to reserve speaking time during the meeting must contact Ms. Gunderson and submit a brief statement of the general nature of the comments, as well as the name and address of the proposed participant by 5:00 p.m. EST on Friday, February 24, 2017. If the number of registrants requesting to make statements is greater than can be reasonably accommodated during the meeting, the International Trade Administration may conduct a lottery to determine the speakers. Speakers are requested to submit a copy of their oral comments by email to Ms. Gunderson for distribution to the participants in advance of the meeting. Any member of the public may submit written comments concerning the REEEAC's

affairs at any time before or after the meeting. Comments may be submitted to the Renewable Energy and Energy Efficiency Advisory Committee, c/o: Victoria Gunderson, Designated Federal Officer, Office of Energy and Environmental Industries, U.S. Department of Commerce; 1401 Constitution Avenue NW.; Mail Stop: 4053; Washington, DC 20230. To be considered during the meeting, written comments must be received no later than 5:00 p.m. EST on Friday, February 24, 2017, to ensure transmission to the REEEAC prior to the meeting. Comments received after that date will be distributed to the members but may not be considered at the meeting.

Copies of REEEAC meeting minutes will be available within 30 days following the meeting.

Dated: January 26, 2017.

Edward A. O'Malley,

Director, Office of Energy and Environmental Industries.

[FR Doc. 2017-02141 Filed 1-31-17; 8:45 am]

BILLING CODE 3510-DR-P

DEPARTMENT OF COMMERCE

International Trade Administration

[A-351-847, A-791-822, A-489-828]

Certain Carbon and Alloy Steel Cut-to-Length Plate From Brazil, South Africa, and the Republic of Turkey: Antidumping Duty Orders

AGENCY: Enforcement and Compliance, International Trade Administration, Department of Commerce.

SUMMARY: Based on affirmative final determinations by the Department of Commerce (Department) and the International Trade Commission (ITC), the Department is issuing antidumping duty orders on certain carbon and alloy steel cut-to-length plate (CTL plate) from Brazil, South Africa, and the Republic of Turkey (Turkey).

DATES: Effective January 26, 2017.

FOR FURTHER INFORMATION CONTACT: Mark Kennedy at (202) 482-7883 (Brazil); Julia Hancock or Susan Pulongbarit at (202) 482-1394 or (202) 482-4031, respectively (South Africa); or Dmitry Vladimirov at (202) 482-0665 (Turkey); AD/CVD Operations, Enforcement and Compliance, International Trade Administration, U.S. Department of Commerce, 1401 Constitution Avenue NW., Washington, DC 20230.

SUPPLEMENTARY INFORMATION:

Background

In accordance with sections 735(d) and 777(i)(1) of the Tariff Act of 1930, as amended (the Act), and 19 CFR 351.210(c), on December 5, 2016, the Department published its affirmative final determinations in the less-than-fair-value (LTFV) investigations of CTL plate from Brazil, South Africa, and Turkey.¹ On January 19, 2017, the ITC notified the Department of its affirmative determination that an industry in the United States is materially injured within the meaning of section 735(b)(1)(A)(i) of the Act, by reason of the LTFV imports of CTL plate from Brazil, South Africa, and Turkey, and of its determination that critical circumstances do not exist with respect to imports of subject merchandise from Brazil and Turkey that are subject to the Department's affirmative critical circumstances findings.²

Scope of the Orders

The product covered by these orders is CTL plate. For a complete description for the scope of the Brazil and Turkey orders, see Appendix I of this notice. For a complete description for the scope of the South Africa order, see Appendix II of this notice.³

Antidumping Duty Orders

On January 19, 2017, in accordance with section 735(d) of the Act, the ITC notified the Department of its final determinations in these investigations, in which it found that an industry in the

United States is materially injured by reason of imports of CTL plate from Brazil, South Africa, and Turkey, and that critical circumstances do not exist with respect to imports of subject merchandise from Brazil and Turkey that are subject to the Department's affirmative critical circumstances findings.⁴ Therefore, in accordance with section 735(c)(2) of the Act, the Department is issuing these antidumping duty orders. Because the ITC determined that imports of CTL plate from Brazil, South Africa, and Turkey are materially injuring a U.S. industry, unliquidated entries of such merchandise from Brazil, South Africa, and Turkey, entered or withdrawn from warehouse for consumption, are subject to the assessment of antidumping duties.

Therefore, in accordance with section 736(a)(1) of the Act, the Department will direct U.S. Customs and Border Protection (CBP) to assess, upon further instruction by the Department, antidumping duties equal to the amount by which the normal value of the merchandise exceeds the export price (or constructed export price) of the merchandise, for all relevant entries of CTL plate from Brazil, South Africa, and Turkey. Antidumping duties will be assessed on unliquidated entries of CTL plate from Brazil, South Africa, and Turkey entered, or withdrawn from warehouse, for consumption on or after September 22, 2016, the date of publication of the *Preliminary Determinations*,⁵ but will not include entries occurring after the expiration of the provisional measures period and before publication of the ITC's final injury determination as further described below.

Suspension of Liquidation

In accordance with section 735(c)(1)(B) of the Act, we will instruct CBP to continue to suspend liquidation on all relevant entries of CTL plate from Brazil, South Africa, and Turkey. These instructions suspending liquidation will remain in effect until further notice.

We will also instruct CBP to require cash deposits equal to the amounts as indicated below. Accordingly, effective on the date of publication of the ITC's final affirmative determinations, CBP will require, at the same time as importers would normally deposit estimated duties on this subject

merchandise, a cash deposit equal to the estimated weighted-average dumping margins listed below.⁶ The relevant "all-others" rate applies to all producers or exporters not specifically listed.

Provisional Measures

Section 733(d) of the Act states that instructions issued pursuant to an affirmative preliminary determination may not remain in effect for more than four months, except where exporters representing a significant proportion of exports of the subject merchandise request the Department to extend that four-month period to no more than six months. Exporters representing a significant portion of exports of the subject merchandise did not request the Department to extend the four-month period for provision measures and, accordingly, the Department did not extend the four-month period to six months. In the underlying investigation, the Department published the *Preliminary Determinations* on September 22, 2016. Therefore, the four-month period beginning on the date of the publication of the *Preliminary Determinations* ended on January 20, 2017. Furthermore, section 737(b) of the Act states that definitive duties are to begin on the date of publication of the ITC's final injury determination.

Therefore, in accordance with section 733(d) of the Act and our practice, we will instruct CBP to terminate the suspension of liquidation and to liquidate, without regard to antidumping duties, unliquidated entries of CTL plate from Brazil, South Africa, and Turkey entered, or withdrawn from warehouse, for consumption after January 20, 2017, the date the provisional measures expired, until and through the day preceding the date of publication of the ITC's final injury determination in the **Federal Register**. Suspension of liquidation will resume on the date of publication of the ITC's final determination in the **Federal Register**.

Critical Circumstances

With regard to the ITC's negative critical circumstances determination on imports of CTL plate from Brazil and Turkey, we will instruct CBP to lift suspension and to refund any cash deposits made to secure the payment of estimated antidumping duties with respect to CTL plate from Brazil and Turkey entered, or withdrawn from warehouse, for consumption on or after June 24, 2016 (*i.e.*, 90 days prior to the date of publication of the *Preliminary Determinations*), but before September

¹ See *Certain Carbon and Alloy Steel Cut-to-Length Plate From Brazil, South Africa, and the Republic of Turkey: Affirmative Final Determinations of Sales at Less Than Fair Value and Affirmative Final Determinations of Critical Circumstances for Brazil and the Republic of Turkey*, 81 FR 87544 (December 5, 2016) (*Final Determinations*).

² See Letter to Christian Marsh, Deputy Assistant Secretary for Enforcement and Compliance, from Rhonda K. Schmidlein, Chairman of the International Trade Commission, entitled, "Notification of International Trade Commission", dated January 19, 2017 (ITC Letter).

³ Due to the possibility of overlapping coverage between the scopes of the CTL Plate antidumping duty orders for Brazil and Turkey and pre-existing antidumping duty orders on Certain Hot-Rolled Steel Flat Products from Brazil and Turkey, the scopes of these CTL Plate antidumping orders specifically exclude any such overlapping products. See *Certain Hot-Rolled Steel Flat Products from Australia, Brazil, Japan, the Republic of Korea, the Netherlands, the Republic of Turkey, and the United Kingdom: Amended Final Affirmative Antidumping Determinations for Australia, the Republic of Korea, and the Republic of Turkey and Antidumping Duty Orders*, 81 FR 67962 (October 3, 2016). With respect to South Africa, there is no pre-existing antidumping order which could result in overlapping coverage. As a result, the scope of the South African CTL Plate antidumping duty order does not contain the exclusion contained in the scopes of the Brazil and Turkey CTL Plate antidumping duty orders.

⁴ See ITC Letter.

⁵ See *Certain Carbon and Alloy Steel Cut-to-Length Plate from Brazil, South Africa, and the Republic of Turkey: Affirmative Preliminary Determinations of Sales at Less Than Fair Value*, 81 FR 65337 (September 22, 2016) (*Preliminary Determinations*).

⁶ See section 736(a)(3) of the Act.

22, 2016 (*i.e.*, the date of publication of the *Preliminary Determinations*).

Estimated Weighted-Average Dumping Margins

The weighted-average dumping duty percentages are as follows:

BRAZIL	
Exporter/producer	Weighted-average dumping margins (percent)
Companhia Siderurgica Nacional	74.52
Usinas Siderurgicas de Minas Gerais SA	74.52
All Others	74.52

SOUTH AFRICA	
Exporter/producer	Weighted-average dumping margins (percent)
Evrav Highveld Steel and Vanadium Corp.	94.14
All Others	87.72

TURKEY	
Exporter/producer	Weighted-average dumping margins (percent)
Ereğli Demir ve Çelik Fabrikalari T.A.Ş.	50.00
All Others	42.02

This notice constitutes the antidumping duty orders with respect to CTL plate from Brazil, South Africa, and Turkey pursuant to section 736(a) of the Act. Interested parties can find a list of antidumping duty orders currently in effect at <http://enforcement.trade.gov/stats/iastats1.html>.

These orders are issued and published in accordance with section 736(a) of the Act and 19 CFR 351.211(b).

Dated: January 26, 2017.

Ronald K. Lorentzen,

Acting Assistant Secretary for Enforcement and Compliance.

Appendix I

Scope of the Orders for Brazil and Turkey

The products covered by these orders are certain carbon and alloy steel hot-rolled or forged flat plate products not in coils, whether or not painted, varnished, or coated with plastics or other non-metallic substances (cut-to-length plate). Subject merchandise includes plate that is produced by being cut-to-length from coils or from

other discrete length plate and plate that is rolled or forged into a discrete length. The products covered include (1) Universal mill plates (*i.e.*, flat-rolled products rolled on four faces or in a closed box pass, of a width exceeding 150 mm but not exceeding 1250 mm, and of a thickness of not less than 4 mm, which are not in coils and without patterns in relief), and (2) hot-rolled or forged flat steel products of a thickness of 4.75 mm or more and of a width which exceeds 150 mm and measures at least twice the thickness, and which are not in coils, whether or not with patterns in relief. The covered products described above may be rectangular, square, circular or other shapes and include products of either rectangular or non-rectangular cross-section where such non-rectangular cross-section is achieved subsequent to the rolling process, *i.e.*, products which have been "worked after rolling," (*e.g.*, products which have been beveled or rounded at the edges).

For purposes of the width and thickness requirements referenced above, the following rules apply:

(1) Except where otherwise stated where the nominal and actual thickness or width measurements vary, a product from a given subject country is within the scope if application of either the nominal or actual measurement would place it within the scope based on the definitions set forth above unless the product is already covered by an order existing on that specific country (*i.e.*, *Certain Hot-Rolled Steel Flat Products from Australia, Brazil, Japan, the Republic of Korea, the Netherlands, the Republic of Turkey, and the United Kingdom: Amended Final Affirmative Antidumping Determinations for Australia, the Republic of Korea, and the Republic of Turkey and Antidumping Duty Orders*, 81 FR 67962 (October 3, 2016)); and

(2) where the width and thickness vary for a specific product (*e.g.*, the thickness of certain products with non-rectangular cross-section, the width of certain products with non-rectangular shape, etc.), the measurement at its greatest width or thickness applies.

Steel products included in the scope of these orders are products in which: (1) Iron predominates, by weight, over each of the other contained elements; and (2) the carbon content is 2 percent or less by weight.

Subject merchandise includes cut-to-length plate that has been further processed in the subject country or a third country, including but not limited to pickling, oiling, levelling, annealing, tempering, temper rolling, skin passing, painting, varnishing, trimming, cutting, punching, beveling, and/or slitting, or any other processing that would not otherwise remove the merchandise from the scope of these orders if performed in the country of manufacture of the cut-to-length plate.

All products that meet the written physical description, are within the scope of these orders unless specifically excluded or covered by the scope of an existing order. The following products are outside of, and/or specifically excluded from, the scope of these orders:

(1) Products clad, plated, or coated with metal, whether or not painted, varnished or

coated with plastic or other non-metallic substances;

(2) military grade armor plate certified to one of the following specifications or to a specification that references and incorporates one of the following specifications:

- MIL-A-12560,
- MIL-DTL-12560H,
- MIL-DTL-12560J,
- MIL-DTL-12560K,
- MIL-DTL-32332,
- MIL-A-46100D,
- MIL-DTL-46100-E,
- MIL-46177C,
- MIL-S-16216K Grade HY80,
- MIL-S-16216K Grade HY100,
- MIL-S-24645A HSLA-80;
- MIL-S-24645A HSLA-100,
- T9074-BD-GIB-010/0300 Grade HY80,
- T9074-BD-GIB-010/0300 Grade HY100,
- T9074-BD-GIB-010/0300 Grade HSLA80,
- T9074-BD-GIB-010/0300 Grade HSLA100, and
- T9074-BD-GIB-010/0300 Mod. Grade HSLA115,

except that any cut-to-length plate certified to one of the above specifications, or to a military grade armor specification that references and incorporates one of the above specifications, will not be excluded from the scope if it is also dual- or multiple-certified to any other non-armor specification that otherwise would fall within the scope of these orders;

(3) stainless steel plate, containing 10.5 percent or more of chromium by weight and not more than 1.2 percent of carbon by weight;

(4) CTL plate meeting the requirements of ASTM A-829, Grade E 4340 that are over 305 mm in actual thickness;

(5) Alloy forged and rolled CTL plate greater than or equal to 152.4 mm in actual thickness meeting each of the following requirements:

(a) Electric furnace melted, ladle refined & vacuum degassed and having a chemical composition (expressed in weight percentages):

- Carbon 0.23–0.28,
- Silicon 0.05–0.20,
- Manganese 1.20–1.60,
- Nickel not greater than 1.0,
- Sulfur not greater than 0.007,
- Phosphorus not greater than 0.020,
- Chromium 1.0–2.5,
- Molybdenum 0.35–0.80,
- Boron 0.002–0.004,
- Oxygen not greater than 20 ppm,
- Hydrogen not greater than 2 ppm, and
- Nitrogen not greater than 60 ppm;

(b) With a Brinell hardness measured in all parts of the product including mid thickness falling within one of the following ranges:

- (i) 270–300 HBW,
- (ii) 290–320 HBW, or
- (iii) 320–350HBW;

(c) Having cleanliness in accordance with ASTM E45 method A (Thin and Heavy): A not exceeding 1.5, B not exceeding 1.0, C not exceeding 0.5, D not exceeding 1.5; and

(d) Conforming to ASTM A578–S9 ultrasonic testing requirements with acceptance criteria 2 mm flat bottom hole;

(6) Alloy forged and rolled steel CTL plate over 407 mm in actual thickness and meeting the following requirements:

(a) Made from Electric Arc Furnace melted, Ladle refined & vacuum degassed, alloy steel with the following chemical composition (expressed in weight percentages):

- Carbon 0.23–0.28,
- Silicon 0.05–0.15,
- Manganese 1.20–1.50,
- Nickel not greater than 0.4,
- Sulfur not greater than 0.010,
- Phosphorus not greater than 0.020,
- Chromium 1.20–1.50,
- Molybdenum 0.35–0.55,
- Boron 0.002–0.004,
- Oxygen not greater than 20 ppm,
- Hydrogen not greater than 2 ppm, and
- Nitrogen not greater than 60 ppm;

(b) Having cleanliness in accordance with ASTM E45 method A (Thin and Heavy): A not exceeding 1.5, B not exceeding 1.5, C not exceeding 1.0, D not exceeding 1.5;

(c) Having the following mechanical properties:

(i) With a Brinell hardness not more than 237 HBW measured in all parts of the product including mid thickness; and having a Yield Strength of 75ksi min and UTS 95ksi or more, Elongation of 18% or more and Reduction of area 35% or more; having charpy V at –75 degrees F in the longitudinal direction equal or greater than 15 ft. lbs (single value) and equal or greater than 20 ft. lbs (average of 3 specimens) and conforming to the requirements of NACE MR01–75; or

(ii) With a Brinell hardness not less than 240 HBW measured in all parts of the product including mid thickness; and having a Yield Strength of 90 ksi min and UTS 110 ksi or more, Elongation of 15% or more and Reduction of area 30% or more; having charpy V at –40 degrees F in the longitudinal direction equal or greater than 21 ft. lbs (single value) and equal or greater than 31 ft. lbs (average of 3 specimens);

(d) Conforming to ASTM A578–S9 ultrasonic testing requirements with acceptance criteria 3.2 mm flat bottom hole; and

(e) Conforming to magnetic particle inspection in accordance with AMS 2301;

(7) Alloy forged and rolled steel CTL plate over 407 mm in actual thickness and meeting the following requirements:

(a) Made from Electric Arc Furnace melted, ladle refined & vacuum degassed, alloy steel with the following chemical composition (expressed in weight percentages):

- Carbon 0.25–0.30,
- Silicon not greater than 0.25,
- Manganese not greater than 0.50,
- Nickel 3.0–3.5,
- Sulfur not greater than 0.010,
- Phosphorus not greater than 0.020,
- Chromium 1.0–1.5,
- Molybdenum 0.6–0.9,
- Vanadium 0.08 to 0.12
- Boron 0.002–0.004,
- Oxygen not greater than 20 ppm,
- Hydrogen not greater than 2 ppm, and
- Nitrogen not greater than 60 ppm.

(b) Having cleanliness in accordance with ASTM E45 method A (Thin and Heavy): A not exceeding 1.0(t) and 0.5(h), B not exceeding 1.5(t) and 1.0(h), C not exceeding 1.0(t) and 0.5(h), and D not exceeding 1.5(t) and 1.0(h);

(c) Having the following mechanical properties: A Brinell hardness not less than 350 HBW measured in all parts of the product including mid thickness; and having a Yield Strength of 145ksi or more and UTS 160ksi or more, Elongation of 15% or more and Reduction of area 35% or more; having charpy V at –40 degrees F in the transverse direction equal or greater than 20 ft. lbs (single value) and equal or greater than 25 ft. lbs (average of 3 specimens);

(d) Conforming to ASTM A578–S9 ultrasonic testing requirements with acceptance criteria 3.2 mm flat bottom hole; and

(e) Conforming to magnetic particle inspection in accordance with AMS 2301.

The products subject to these orders are currently classified in the Harmonized Tariff Schedule of the United States (HTSUS) under item numbers: 7208.40.3030, 7208.40.3060, 7208.51.0030, 7208.51.0045, 7208.51.0060, 7208.52.0000, 7211.13.0000, 7211.14.0030, 7211.14.0045, 7225.40.1110, 7225.40.1180, 7225.40.3005, 7225.40.3050, 7226.20.0000, and 7226.91.5000.

The products subject to these orders may also enter under the following HTSUS item numbers: 7208.40.6060, 7208.53.0000, 7208.90.0000, 7210.70.3000, 7210.90.9000, 7211.19.1500, 7211.19.2000, 7211.19.4500, 7211.19.6000, 7211.19.7590, 7211.90.0000, 7212.40.1000, 7212.40.5000, 7212.50.0000, 7214.10.0000, 7214.30.0010, 7214.30.0080, 7214.91.0015, 7214.91.0060, 7214.91.0090, 7225.11.0000, 7225.19.0000, 7225.40.5110, 7225.40.5130, 7225.40.5160, 7225.40.7000, 7225.99.0010, 7225.99.0090, 7226.11.1000, 7226.11.9060, 7226.19.1000, 7226.19.9000, 7226.91.0500, 7226.91.1530, 7226.91.1560, 7226.91.2530, 7226.91.2560, 7226.91.7000, 7226.91.8000, and 7226.99.0180.

The HTSUS subheadings above are provided for convenience and customs purposes only. The written description of the scope of these orders is dispositive.

Appendix II

Scope of the Order for South Africa

The products covered by this order are certain carbon and alloy steel hot-rolled or forged flat plate products not in coils, whether or not painted, varnished, or coated with plastics or other non-metallic substances (cut-to-length plate). Subject merchandise includes plate that is produced by being cut-to-length from coils or from other discrete length plate and plate that is rolled or forged into a discrete length. The products covered include (1) Universal mill plates (*i.e.*, flat-rolled products rolled on four faces or in a closed box pass, of a width exceeding 150 mm but not exceeding 1250 mm, and of a thickness of not less than 4 mm, which are not in coils and without patterns in relief), and (2) hot-rolled or forged flat steel products of a thickness of 4.75 mm or more and of a width which exceeds 150 mm and measures at least twice the thickness, and which are not in coils, whether or not with patterns in relief. The covered products described above may be rectangular, square, circular or other shapes and include products of either rectangular or non-rectangular cross-section where such

non-rectangular cross-section is achieved subsequent to the rolling process, *i.e.*, products which have been “worked after rolling”, (*e.g.*, products which have been beveled or rounded at the edges).

For purposes of the width and thickness requirements referenced above, the following rules apply:

(1) Except where otherwise stated where the nominal and actual thickness or width measurements vary, a product from a given subject country is within the scope if application of either the nominal or actual measurement would place it within the scope based on the definitions set forth above; and

(2) where the width and thickness vary for a specific product (*e.g.*, the thickness of certain products with non-rectangular cross-section, the width of certain products with non-rectangular shape, etc.), the measurement at its greatest width or thickness applies.

Steel products included in the scope of this order are products in which: (1) Iron predominates, by weight, over each of the other contained elements; and (2) the carbon content is 2 percent or less by weight.

Subject merchandise includes cut-to-length plate that has been further processed in the subject country or a third country, including but not limited to pickling, oiling, levelling, annealing, tempering, temper rolling, skin passing, painting, varnishing, trimming, cutting, punching, beveling, and/or slitting, or any other processing that would not otherwise remove the merchandise from the scope of this order if performed in the country of manufacture of the cut-to-length plate.

All products that meet the written physical description, are within the scope of this order unless specifically excluded or covered by the scope of an existing order. The following products are outside of, and/or specifically excluded from, the scope of this order:

(1) Products clad, plated, or coated with metal, whether or not painted, varnished or coated with plastic or other non-metallic substances;

(2) military grade armor plate certified to one of the following specifications or to a specification that references and incorporates one of the following specifications:

- MIL–A–12560,
- MIL–DTL–12560H,
- MIL–DTL–12560J,
- MIL–DTL–12560K,
- MIL–DTL–32332,
- MIL–A–46100D,
- MIL–DTL–46100–E,
- MIL–46177C,
- MIL–S–16216K Grade HY80,
- MIL–S–16216K Grade HY100,
- MIL–S–24645A HSLA–80;
- MIL–S–24645A HSLA–100,
- T9074–BD–GIB–010/0300 Grade HY80,
- T9074–BD–GIB–010/0300 Grade HY100,
- T9074–BD–GIB–010/0300 Grade HSLA80,
- T9074–BD–GIB–010/0300 Grade HSLA100, and
- T9074–BD–GIB–010/0300 Mod. Grade HSLA115,

except that any cut-to-length plate certified to one of the above specifications, or to a military grade armor specification that references and incorporates one of the above

specifications, will not be excluded from the scope if it is also dual- or multiple-certified to any other non-armor specification that otherwise would fall within the scope of this order;

(3) stainless steel plate, containing 10.5 percent or more of chromium by weight and not more than 1.2 percent of carbon by weight;

(4) CTL plate meeting the requirements of ASTM A-829, Grade E 4340 that are over 305 mm in actual thickness;

(5) Alloy forged and rolled CTL plate greater than or equal to 152.4 mm in actual thickness meeting each of the following requirements:

(a) Electric furnace melted, ladle refined & vacuum degassed and having a chemical composition (expressed in weight percentages):

- Carbon 0.23–0.28,
- Silicon 0.05–0.20,
- Manganese 1.20–1.60,
- Nickel not greater than 1.0,
- Sulfur not greater than 0.007,
- Phosphorus not greater than 0.020,
- Chromium 1.0–2.5,
- Molybdenum 0.35–0.80,
- Boron 0.002–0.004,
- Oxygen not greater than 20 ppm,
- Hydrogen not greater than 2 ppm, and
- Nitrogen not greater than 60 ppm;

(b) With a Brinell hardness measured in all parts of the product including mid thickness falling within one of the following ranges:

- (i) 270–300 HBW,
- (ii) 290–320 HBW, or
- (iii) 320–350 HBW;

(c) Having cleanliness in accordance with ASTM E45 method A (Thin and Heavy): A not exceeding 1.5, B not exceeding 1.0, C not exceeding 0.5, D not exceeding 1.5; and

(d) Conforming to ASTM A578–S9 ultrasonic testing requirements with acceptance criteria 2 mm flat bottom hole;

(6) Alloy forged and rolled steel CTL plate over 407 mm in actual thickness and meeting the following requirements:

(a) Made from Electric Arc Furnace melted, Ladle refined & vacuum degassed, alloy steel with the following chemical composition (expressed in weight percentages):

- Carbon 0.23–0.28,
- Silicon 0.05–0.15,
- Manganese 1.20–1.50,
- Nickel not greater than 0.4,
- Sulfur not greater than 0.010,
- Phosphorus not greater than 0.020,
- Chromium 1.20–1.50,
- Molybdenum 0.35–0.55,
- Boron 0.002–0.004,
- Oxygen not greater than 20 ppm,
- Hydrogen not greater than 2 ppm, and
- Nitrogen not greater than 60 ppm;

(b) Having cleanliness in accordance with ASTM E45 method A (Thin and Heavy): A not exceeding 1.0, D not exceeding 1.5;

(c) Having the following mechanical properties:

(i) With a Brinell hardness not more than 237 HBW measured in all parts of the product including mid thickness; and having a Yield Strength of 75ksi min and UTS 95ksi or more, Elongation of 18% or more and Reduction of area 35% or more; having

charpy V at –75 degrees F in the longitudinal direction equal or greater than 15 ft. lbs (single value) and equal or greater than 20 ft. lbs (average of 3 specimens) and conforming to the requirements of NACE MR01–75; or

(ii) With a Brinell hardness not less than 240 HBW measured in all parts of the product including mid thickness; and having a Yield Strength of 90 ksi min and UTS 110 ksi or more, Elongation of 15% or more and Reduction of area 30% or more; having charpy V at –40 degrees F in the longitudinal direction equal or greater than 21 ft. lbs (single value) and equal or greater than 31 ft. lbs (average of 3 specimens);

(d) Conforming to ASTM A578–S9 ultrasonic testing requirements with acceptance criteria 3.2 mm flat bottom hole; and

(e) Conforming to magnetic particle inspection in accordance with AMS 2301;

(7) Alloy forged and rolled steel CTL plate over 407 mm in actual thickness and meeting the following requirements:

(a) Made from Electric Arc Furnace melted, ladle refined & vacuum degassed, alloy steel with the following chemical composition (expressed in weight percentages):

- Carbon 0.25–0.30,
- Silicon not greater than 0.25,
- Manganese not greater than 0.50,
- Nickel 3.0–3.5,
- Sulfur not greater than 0.010,
- Phosphorus not greater than 0.020,
- Chromium 1.0–1.5,
- Molybdenum 0.6–0.9,
- Vanadium 0.08 to 0.12
- Boron 0.002–0.004,
- Oxygen not greater than 20 ppm,
- Hydrogen not greater than 2 ppm, and
- Nitrogen not greater than 60 ppm.

(b) Having cleanliness in accordance with ASTM E45 method A (Thin and Heavy): A not exceeding 1.0(t) and 0.5(h), B not exceeding 1.5(t) and 1.0(h), C not exceeding 1.0(t) and 0.5(h), and D not exceeding 1.5(t) and 1.0(h);

(c) Having the following mechanical properties: A Brinell hardness not less than 350 HBW measured in all parts of the product including mid thickness; and having a Yield Strength of 145ksi or more and UTS 160ksi or more, Elongation of 15% or more and Reduction of area 35% or more; having charpy V at –40 degrees F in the transverse direction equal or greater than 20 ft. lbs (single value) and equal or greater than 25 ft. lbs (average of 3 specimens);

(d) Conforming to ASTM A578–S9 ultrasonic testing requirements with acceptance criteria 3.2 mm flat bottom hole; and

(e) Conforming to magnetic particle inspection in accordance with AMS 2301.

The products subject to this order are currently classified in the Harmonized Tariff Schedule of the United States (HTSUS) under item numbers: 7208.40.3030, 7208.40.3060, 7208.51.0030, 7208.51.0045, 7208.51.0060, 7208.52.0000, 7211.13.0000, 7211.14.0030, 7211.14.0045, 7225.40.1110, 7225.40.1180, 7225.40.3005, 7225.40.3050, 7226.20.0000, and 7226.91.5000.

The products subject to this order may also enter under the following HTSUS item

numbers: 7208.40.6060, 7208.53.0000, 7208.90.0000, 7210.70.3000, 7210.90.9000, 7211.19.1500, 7211.19.2000, 7211.19.4500, 7211.19.6000, 7211.19.7590, 7211.90.0000, 7212.40.1000, 7212.40.5000, 7212.50.0000, 7214.10.0000, 7214.30.0010, 7214.30.0080, 7214.91.0015, 7214.91.0060, 7214.91.0090, 7225.11.0000, 7225.19.0000, 7225.40.5110, 7225.40.5130, 7225.40.5160, 7225.40.7000, 7225.99.0010, 7225.99.0090, 7226.11.1000, 7226.11.9060, 7226.19.1000, 7226.19.9000, 7226.91.0500, 7226.91.1530, 7226.91.1560, 7226.91.2530, 7226.91.2560, 7226.91.7000, 7226.91.8000, and 7226.99.0180.

The HTSUS subheadings above are provided for convenience and customs purposes only. The written description of the scope of this order is dispositive.

[FR Doc. 2017–02204 Filed 1–31–17; 8:45 am]

BILLING CODE 3510–DS–P

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

RIN 0648–XF191

Pacific Fishery Management Council; Public Meeting

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Notice of public meeting.

SUMMARY: The Pacific Fishery Management Council's (Pacific Council) Ad Hoc Groundfish Electronic Monitoring Technical Advisory Committee and Groundfish Electronic Monitoring Policy Advisory Committee (GEM Committees) will hold a joint work session, which is open to the public.

DATES: The meeting will be held Wednesday, February 22, 2017, from 9 a.m. until 5 p.m. (Pacific Standard Time) or when business for the day has been completed.

ADDRESSES: The work session will be held at the Radisson Hotel Portland Airport; Concourse Meeting Room, 6233 NE 78th Court, Portland, OR 97218; telephone: (503) 251–2000.

Council address: Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 101, Portland, OR 97220.

FOR FURTHER INFORMATION CONTACT: Mr. Brett Wiedoff, Staff Officer, Pacific Council; telephone: (503) 820–2280.

SUPPLEMENTARY INFORMATION: The primary purpose of the work session is to discuss development of an impact analysis for the Pacific Council's adopted alternatives for an electronic monitoring program for bottom trawl and midwater trawl vessels that target