

# Rules and Regulations

Federal Register

Vol. 82, No. 92

Monday, May 15, 2017

This section of the FEDERAL REGISTER contains regulatory documents having general applicability and legal effect, most of which are keyed to and codified in the Code of Federal Regulations, which is published under 50 titles pursuant to 44 U.S.C. 1510.

The Code of Federal Regulations is sold by the Superintendent of Documents.

## PENSION BENEFIT GUARANTY CORPORATION

### 29 CFR Part 4022

#### Benefits Payable in Terminated Single-Employer Plans; Interest Assumptions for Paying Benefits

**AGENCY:** Pension Benefit Guaranty Corporation.

**ACTION:** Final rule.

**SUMMARY:** This final rule amends the Pension Benefit Guaranty Corporation's regulation on Benefits Payable in Terminated Single-Employer Plans to prescribe interest assumptions under the regulation for valuation dates in June 2017. The interest assumptions are used for paying benefits under terminating single-employer plans covered by the pension insurance system administered by PBGC.

**DATES:** Effective June 1, 2017.

**FOR FURTHER INFORMATION CONTACT:** Deborah C. Murphy (*Murphy.Deborah@pbgc.gov*), Assistant General Counsel for Regulatory Affairs, Pension Benefit Guaranty Corporation, 1200 K Street NW., Washington, DC 20005, 202-326-4400 ext. 3451. (TTY/TDD users may call the Federal relay service toll-free at 1-800-877-8339 and ask to be connected to 202-326-4400 ext. 3451.)

**SUPPLEMENTARY INFORMATION:** PBGC's regulation on Benefits Payable in Terminated Single-Employer Plans (29 CFR part 4022) prescribes actuarial assumptions—including interest assumptions—for paying plan benefits under terminating single-employer plans covered by title IV of the Employee Retirement Income Security Act of 1974. The interest assumptions in the regulation are also published on PBGC's Web site (*http://www.pbgc.gov*).

PBGC uses the interest assumptions in Appendix B to Part 4022 to determine whether a benefit is payable as a lump sum and to determine the amount to pay. Appendix C to Part 4022 contains interest assumptions for private-sector pension practitioners to refer to if they wish to use lump-sum interest rates determined using PBGC's historical methodology. Currently, the rates in Appendices B and C of the benefit payment regulation are the same.

The interest assumptions are intended to reflect current conditions in the financial and annuity markets. Assumptions under the benefit payments regulation are updated monthly. This final rule updates the benefit payments interest assumptions for June 2017.<sup>1</sup>

The June 2017 interest assumptions under the benefit payments regulation will be 1.00 percent for the period during which a benefit is in pay status and 4.00 percent during any years preceding the benefit's placement in pay status. In comparison with the interest assumptions in effect for May 2017, these interest assumptions are unchanged.

PBGC has determined that notice and public comment on this amendment are impracticable and contrary to the public interest. This finding is based on the

need to determine and issue new interest assumptions promptly so that the assumptions can reflect current market conditions as accurately as possible.

Because of the need to provide immediate guidance for the payment of benefits under plans with valuation dates during June 2017, PBGC finds that good cause exists for making the assumptions set forth in this amendment effective less than 30 days after publication.

PBGC has determined that this action is not a "significant regulatory action" under the criteria set forth in Executive Order 12866.

Because no general notice of proposed rulemaking is required for this amendment, the Regulatory Flexibility Act of 1980 does not apply. See 5 U.S.C. 601(2).

#### List of Subjects in 29 CFR Part 4022

Employee benefit plans, Pension insurance, Pensions, Reporting and recordkeeping requirements.

In consideration of the foregoing, 29 CFR part 4022 is amended as follows:

#### PART 4022—BENEFITS PAYABLE IN TERMINATED SINGLE-EMPLOYER PLANS

■ 1. The authority citation for part 4022 continues to read as follows:

**Authority:** 29 U.S.C. 1302, 1322, 1322b, 1341(c)(3)(D), and 1344.

■ 2. In appendix B to part 4022, Rate Set 284, as set forth below, is added to the table.

#### Appendix B to Part 4022—Lump Sum Interest Rates For PBGC Payments

\* \* \* \* \*

Rate set	For plans with a valuation date		Immediate annuity rate (percent)	Deferred annuities (percent)					
	On or after	Before		$i_1$	$i_2$	$i_3$	$n_1$	$n_2$	
*	*		*	*	*	*	*	*	*
284	6-1-17	7-1-17	1.00	4.00	4.00	4.00	4.00	7	8

<sup>1</sup> Appendix B to PBGC's regulation on Allocation of Assets in Single-Employer Plans (29 CFR part 4044) prescribes interest assumptions for valuing

benefits under terminating covered single-employer plans for purposes of allocation of assets under

ERISA section 4044. Those assumptions are updated quarterly.

■ 3. In appendix C to part 4022, Rate Set 284, as set forth below, is added to the table.

**Appendix C to Part 4022—Lump Sum Interest Rates For Private-Sector Payments**

\* \* \* \* \*

Rate set	For plans with a valuation date		Immediate annuity rate (percent)	Deferred annuities (percent)					
	On or after	Before		$i_1$	$i_2$	$i_3$	$n_1$	$n_2$	
*	*		*	*	*	*	*	*	*
284	6-1-17	7-1-17	1.00	4.00	4.00	4.00	7	8	

Issued in Washington, DC.  
**Deborah Chase Murphy**,  
*Assistant General Counsel for Regulatory Affairs, Pension Benefit Guaranty Corporation.*  
 [FR Doc. 2017-09469 Filed 5-12-17; 8:45 am]  
**BILLING CODE 7709-02-P**

**DEPARTMENT OF HOMELAND SECURITY**

**Coast Guard**

**33 CFR Part 117**

[Docket No. USCG-2017-0395]

**Drawbridge Operation Regulation; Willamette River at Portland, OR**

**AGENCY:** Coast Guard, DHS.  
**ACTION:** Notice of deviation from drawbridge regulation.

**SUMMARY:** The Coast Guard has issued a temporary deviation from the operating schedule that governs the Burnside Bridge across the Willamette River, mile 12.4, at Portland, OR. This deviation is necessary to accommodate the annual Rose Festival Grand Floral Parade event. The deviation allows the bridge to remain in the closed-to-navigation position to allow safe roadway movement of event participants.

**DATES:** This deviation is effective from 7 a.m. to 2 p.m. on June 10, 2017.

**ADDRESSES:** The docket for this deviation, USCG-2017-00395 is available at <http://www.regulations.gov>. Type the docket number in the "SEARCH" box and click "SEARCH." Click on Open Docket Folder on the line associated with this deviation.

**FOR FURTHER INFORMATION CONTACT:** If you have questions on this temporary deviation, call or email Mr. Steven Fischer, Bridge Administrator, Thirteenth Coast Guard District; telephone 206-220-7282, email [d13-pf-d13bridges@uscg.mil](mailto:d13-pf-d13bridges@uscg.mil).

**SUPPLEMENTARY INFORMATION:** Multnomah County owns the Burnside

Bridge, crossing the Willamette River, mile 12.4, at Portland, OR, and has requested a temporary deviation from the operating schedule. The requested deviation is to accommodate the Rose Festival Grand Floral Parade event. To facilitate this event, the draw of this bridge will be allowed to be kept in the closed-to-navigation position to marine traffic from 7 a.m. to 2 p.m. on June 10, 2017. The Burnside Bridge provides a vertical clearance of 41 feet in the closed-to-navigation position referenced to Columbia River Datum 0.0. The normal operating schedule is in 33 CFR 117.897. Waterway usage on this part of the Willamette River includes vessels ranging from commercial tug and barge to small pleasure craft. The Coast Guard contacted all known users of the Willamette River for comment, and we received no objections for this deviation.

Vessels able to pass through the bridge in the closed-to-navigation position may do so at any time. The bridge will be able to open for emergencies, and there is no immediate alternate route for vessels to pass. The Coast Guard will inform the users of the waterway, through our Local and Broadcast Notices to Mariners, of the change in operating schedule for the bridges so that vessels can arrange their transits to minimize any impact caused by the temporary deviation.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedules immediately at the end of the effective period of this temporary deviation. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: May 10, 2017.  
**Steven M. Fischer**,  
*Bridge Administrator, Thirteenth Coast Guard District.*

[FR Doc. 2017-09724 Filed 5-12-17; 8:45 am]  
**BILLING CODE 9110-04-P**

**DEPARTMENT OF HOMELAND SECURITY**

**Coast Guard**

**33 CFR Part 117**

[Docket No. USCG-2017-0355]

**Drawbridge Operation Regulation; Lake Washington Ship Canal, Seattle, WA**

**AGENCY:** Coast Guard, DHS.  
**ACTION:** Notice of deviation from drawbridge regulation.

**SUMMARY:** The Coast Guard has issued a temporary deviation from the operating schedule that governs the Montlake Bridge across Lake Washington Ship Canal, mile 5.2, at Seattle, WA. The deviation is necessary to accommodate the Emerald City Bike Ride event. This deviation allows the bridge span to remain in the closed-to-navigation position.

**DATES:** This deviation is effective from 6 a.m. to 9 a.m. on May 28, 2017.

**ADDRESSES:** The docket for this deviation, [USCG-2017-0355] is available at <http://www.regulations.gov>. Type the docket number in the "SEARCH" box and click "SEARCH." Click on Open Docket Folder on the line associated with this deviation.

**FOR FURTHER INFORMATION CONTACT:** If you have questions on this temporary deviation, call or email Mr. Steven Fischer, Bridge Administrator, Thirteenth Coast Guard District; telephone 206-220-7282, email [d13-pf-d13bridges@uscg.mil](mailto:d13-pf-d13bridges@uscg.mil).

**SUPPLEMENTARY INFORMATION:** The Washington Department of Transportation (bridge owner) has requested a temporary deviation from the operating schedule for the Montlake Bridge across Lake Washington Ship Canal, at mile 5.2, at Seattle, WA. The deviation is necessary to accommodate event participants to cross the bridge safely. The Montlake Bridge is a double leaf bascule bridge; and in the closed-to-