

**Federal Register** of November 3, 2017. The document announced the availability of a draft guidance for industry. The document was published with the incorrect docket number. This document corrects that error.

**FOR FURTHER INFORMATION CONTACT:** Lisa Granger, Office of Policy, Food and Drug Administration, 10903 New Hampshire Ave. Bldg. 32, Rm. 3330, Silver Spring, MD 20993-0002, 301-796-9115, [lisa.granger@fda.hhs.gov](mailto:lisa.granger@fda.hhs.gov).

**SUPPLEMENTARY INFORMATION:** In the **Federal Register** of Friday, November 3, 2017 (82 FR 51277), in FR Doc. 2017-23947, the following correction is made:

On page 51277, in the second column, in the header of the document, “[Docket FDA-2014-D-1147]” is corrected to read “[Docket No. FDA-2014-D-1167]”.

Dated: November 9, 2017.

**Anna K. Abram,**

*Deputy Commissioner for Policy, Planning, Legislation, and Analysis.*

[FR Doc. 2017-24948 Filed 11-16-17; 8:45 am]

BILLING CODE 4164-01-P

## DEPARTMENT OF HEALTH AND HUMAN SERVICES

### Food and Drug Administration

[Docket No. FDA-2015-D-2245]

#### Unique Device Identification: Direct Marking of Devices; Guidance for Industry and Food and Drug Administration Staff; Availability

**AGENCY:** Food and Drug Administration, HHS.

**ACTION:** Notice of availability.

**SUMMARY:** The Food and Drug Administration (FDA or Agency) is announcing the availability of the guidance entitled “Unique Device Identification: Direct Marking of Devices.” This document is intended to clarify when direct marking of devices with a unique device identifier (UDI) is required, and to assist industry and FDA staff in understanding direct marking requirements.

**DATES:** The announcement of the guidance is published in the **Federal Register** on November 17, 2017.

**ADDRESSES:** You may submit either electronic or written comments on Agency guidances at any time as follows:

#### *Electronic Submissions*

Submit electronic comments in the following way:

- *Federal eRulemaking Portal:* <https://www.regulations.gov>. Follow the instructions for submitting comments.

Comments submitted electronically, including attachments, to <https://www.regulations.gov> will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else’s Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your comments, that information will be posted on <https://www.regulations.gov>.

- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see “Written/Paper Submissions” and “Instructions”).

#### *Written/Paper Submissions*

Submit written/paper submissions as follows:

- *Mail/Hand delivery/Courier (for written/paper submissions):* Dockets Management Staff (HFA-305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

- For written/paper comments submitted to the Dockets Management Staff, FDA will post your comment, as well as any attachments, except for information submitted, marked and identified, as confidential, if submitted as detailed in “Instructions.”

*Instructions:* All submissions received must include the Docket No. FDA-2015-D-2245 for “Unique Device Identification: Direct Marking of Devices.” Received comments will be placed in the docket and, except for those submitted as “Confidential Submissions,” publicly viewable at <https://www.regulations.gov> or at the Dockets Management Staff between 9 a.m. and 4 p.m., Monday through Friday.

- **Confidential Submissions**—To submit a comment with confidential information that you do not wish to be made publicly available, submit your comments only as a written/paper submission. You should submit two copies total. One copy will include the information you claim to be confidential with a heading or cover note that states “THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION.” The Agency will review this copy, including the claimed confidential information, in its consideration of comments. The second copy, which will have the claimed confidential information

redacted/blacked out, will be available for public viewing and posted on <https://www.regulations.gov>. Submit both copies to the Dockets Management Staff. If you do not wish your name and contact information to be made publicly available, you can provide this information on the cover sheet and not in the body of your comments and you must identify this information as “confidential.” Any information marked as “confidential” will not be disclosed except in accordance with 21 CFR 10.20 and other applicable disclosure law. For more information about FDA’s posting of comments to public dockets, see 80 FR 56469, September 18, 2015, or access the information at: <https://www.gpo.gov/fdsys/pkg/FR-2015-09-18/pdf/2015-23389.pdf>.

*Docket:* For access to the docket to read background documents or the electronic and written/paper comments received, go to <https://www.regulations.gov> and insert the docket number, found in brackets in the heading of this document, into the “Search” box and follow the prompts and/or go to the Dockets Management Staff, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

You may submit comments on any guidance at any time (see 21 CFR 10.115(g)(5)).

An electronic copy of the guidance document is available for download from the internet. See the **SUPPLEMENTARY INFORMATION** section for information on electronic access to the guidance. Submit written requests for a single hard copy of the guidance document entitled “Unique Device Identification: Direct Marking of Devices” to the Office of the Center Director, Guidance and Policy Development, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, Rm. 5431, Silver Spring, MD 20993-0002, or the Office of Communication, Outreach, and Development, Center for Biologics Evaluation and Research, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 71, Rm. 3128, Silver Spring, MD 20993-0002. Send one self-addressed adhesive label to assist that office in processing your request.

**FOR FURTHER INFORMATION CONTACT:** Christina Savisaar, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, Rm. 3303, Silver Spring, MD 20993-0002, 301-496-6404, email: [GUDIDSupport@fda.hhs.gov](mailto:GUDIDSupport@fda.hhs.gov).

**SUPPLEMENTARY INFORMATION:**

## I. Background

Section 801.45 (21 CFR 801.45) requires a device to be directly marked with a UDI when the device is intended to be used more than once and intended to be reprocessed before each use. However, “intended to be used more than once” and “intended to be reprocessed” are not defined in the UDI regulations. This guidance provides FDA’s interpretation of these terms, clarifies when direct marking of devices with a UDI is required, provides recommendations for how labelers should comply with the UDI direct marking requirements, and clarifies the criteria for exceptions to the direct marking requirement.

In the **Federal Register** of June 26, 2015, FDA published the notice of availability of “Draft Guidance for Industry and Food and Drug Administration Staff: Unique Device Identification: Direct Marking of Devices” (80 FR 36821) (the “Draft Guidance”). In the notice of availability, FDA also solicited feedback on two questions related to interpretation of “intended to be reprocessed”: (1) Should the definition of “reprocessing” for purposes of UDI direct marking requirements include cleaning alone without subsequent disinfection and/or sterilization of the device? and (2) what public health benefits would be served by requiring a UDI direct marking to be affixed to devices intended to be reused for which reprocessing instructions include cleaning only and not disinfection and/or sterilization? Interested persons were invited to comment by September 24, 2015. FDA considered the comments received on the draft guidance, including comments responding to the specific questions in the notice of availability, and revised the guidance as appropriate in response to these comments.

## II. Significance of Guidance

This guidance is being issued consistent with FDA’s good guidance practices regulation (21 CFR 10.115). The guidance represents the current thinking of FDA on “Unique Device Identification: Direct Marking of Devices.” It does not establish any rights for any person and is not binding on FDA or the public. You can use an alternative approach if it satisfies the requirements of the applicable statutes and regulations. This guidance is not subject to Executive Order 12866.

## III. Electronic Access

Persons interested in obtaining a copy of the guidance may do so by downloading an electronic copy from

the internet. A search capability for all Center for Devices and Radiological Health guidance documents is available at <https://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/GuidanceDocuments/default.htm>. Guidance documents are also available at <https://www.fda.gov/BiologicsBloodVaccines/GuidanceComplianceRegulatoryInformation/default.htm> or <https://www.regulations.gov>. Persons unable to download an electronic copy of “Unique Device Identification: Direct Marking of Devices” may send an email request to [CDRH-Guidance@fda.hhs.gov](mailto:CDRH-Guidance@fda.hhs.gov) to receive an electronic copy of the document. Please use the document number 1400031 to identify the guidance you are requesting.

## IV. Paperwork Reduction Act of 1995

This guidance refers to previously approved collections of information described in FDA regulations. These collections of information are subject to review by the Office of Management and Budget (OMB) under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501–3520). The collections of information in 21 CFR part 801 have been approved under OMB control number 0910–0485; the collections of information in 21 CFR part 807, subpart E, have been approved under OMB control number 0910–0120; the collections of information in 21 CFR part 814, subparts A through E, have been approved under OMB control number 0910–0231; the collections of information in 21 CFR part 820 have been approved under OMB control number 0910–0073; and the collections of information in 21 CFR part 830 pertaining to GUIDID labeler accounts and data submissions addressed in this draft guidance document have been approved under OMB control number 0910–0720.

Dated: November 14, 2017.

**Leslie Kux,**

*Associate Commissioner for Policy.*

[FR Doc. 2017–24992 Filed 11–16–17; 8:45 am]

**BILLING CODE 4164–01–P**

## DEPARTMENT OF HEALTH AND HUMAN SERVICES

### National Institutes of Health

#### National Institute of Mental Health; Notice of Closed Meeting

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended, notice is hereby given of the following meeting.

The meeting will be closed to the public in accordance with the provisions set forth in sections

552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

*Name of Committee:* National Institute of Mental Health Special Emphasis Panel; Member Conflicts: Mental Health Services Research.

*Date:* December 7, 2017.

*Time:* 11:30 a.m. to 12:30 p.m.

*Agenda:* To review and evaluate grant applications.

*Place:* National Institutes of Health, Neuroscience Center, 6001 Executive Boulevard, Rockville, MD 20852 (Telephone Conference Call).

*Contact Person:* Karen Gavin-Evans, Ph.D., Scientific Review Officer, Division of Extramural Activities, National Institute of Mental Health, NIH, Neuroscience Center, 6001 Executive Boulevard, Room 6153, MSC 9606, Bethesda, MD 20892, 301–451–2356, [gavinevanskm@mail.nih.gov](mailto:gavinevanskm@mail.nih.gov).

(Catalogue of Federal Domestic Assistance Program No. 93.242, Mental Health Research Grants, National Institutes of Health, HHS)

Dated: November 13, 2017.

**Melanie J. Pantoja,**

*Program Analyst, Office of Federal Advisory Committee Policy.*

[FR Doc. 2017–24899 Filed 11–16–17; 8:45 am]

**BILLING CODE 4140–01–P**

## DEPARTMENT OF HEALTH AND HUMAN SERVICES

### National Institutes of Health

#### National Heart, Lung, and Blood Institute; Notice of Closed Meeting

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended, notice is hereby given of a meeting of the NHLBI Institutional Training Mechanism Review Committee.

The meeting will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

*Name of Committee:* Heart, Lung, and Blood Initial Review Group; NHLBI Institutional Training Mechanism Review Committee.