

(2) Directions, instructions, and minimum speed necessary. The operator of any vessel in the regulated area shall:

(i) Stop the vessel immediately when directed to do so by any Official Patrol and then proceed only as directed.

(ii) All persons and vessels shall comply with the instructions of the Official Patrol.

(iii) Vessel operators may request permission to enter and transit through a regulated area by contacting the PATCOM on VHF-FM channel 16. When authorized to transit through the regulated area, vessels shall proceed at the minimum speed necessary to maintain a safe course that minimizes wake near the race course or marine event area.

(d) *Enforcement Period.* This rule will be enforced from noon through 6 p.m. on May 24, 2018, unless cancelled earlier by the Captain of the Port once all operations are completed.

Dated: April 30, 2018.

**Scott. E. Anderson,**

*Captain, U.S. Coast Guard, Captain of the Port Delaware Bay.*

[FR Doc. 2018-09436 Filed 5-3-18; 8:45 am]

BILLING CODE 9110-04-P

## DEPARTMENT OF HOMELAND SECURITY

### Coast Guard

#### 33 CFR Part 117

[Docket No. USCG-2016-0257]

RIN 1625-AA09

#### Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ

**AGENCY:** Coast Guard, DHS.

**ACTION:** Notice of proposed rulemaking; reopening comment period.

**SUMMARY:** The Coast Guard is reopening the comment period to solicit additional comments concerning the notice of proposed rulemaking (NPRM), which published on June 30, 2017. Reopening the comment period will allow the public to provide input on the proposed change to the regulation governing the DELAIR Memorial Railroad Bridge across the Delaware River, mile 104.6, at Pennsauken Township, NJ.

**DATES:** The comment period for the proposed rule published June 30, 2017, at 82 FR 29800, is reopened. Comments and related material must reach the Coast Guard on or before August 17, 2018.

**ADDRESSES:** You may submit comments identified by docket number USCG-

2016-0257 using Federal eRulemaking Portal at <http://www.regulations.gov>. See the "Public Participation and Request for Comments" portion of the **SUPPLEMENTARY INFORMATION** section below for instructions on submitting comments.

**FOR FURTHER INFORMATION CONTACT:** If you have questions on this proposed rule, call or email Mr. Hal R. Pitts, Fifth Coast Guard District (dpb); telephone (757) 398-6222, email [Hal.R.Pitts@uscg.mil](mailto:Hal.R.Pitts@uscg.mil).

#### SUPPLEMENTARY INFORMATION:

##### I. Background and Purpose

On June 30, 2017, we published a notice of proposed rulemaking (NPRM) entitled, "Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ" in the **Federal Register** (82 FR 29800). The original comment period closed on August 18, 2017. The NPRM proposed changes to the regulation governing the DELAIR Memorial Railroad Bridge across the Delaware River, mile 104.6, at Pennsauken Township, and contained useful background and analysis related to the proposed changes. The installation of the remote operation system did not change the operational schedule of the bridge.<sup>1</sup> The public is encouraged to review the NPRM.

On April 12, 2017, we published a temporary deviation entitled "Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ" in the **Federal Register** (82 FR 17561). During the initial test deviation performed from 8 a.m. on April 24, 2017, through 7:59 a.m. on October 21, 2017, the bridge owner identified deficiencies in the remote operation center procedures, bridge to vessel communications, and equipment redundancy.

The bridge owner implemented policies and provided training to address the procedural and communications deficiencies, and implemented backup systems to mitigate potential equipment and systems failures. These changes were not fully evaluated during the temporary deviation ending October 21, 2017. Therefore, the Coast Guard decided to issue a second temporary deviation ("Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ" in the **Federal Register** (82 FR 48419), to complete the

evaluation of the changes incorporated into the remote operation system.

On December 6, 2017, we published a notice of proposed rulemaking; reopening of comment period (NPRM); entitled "Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ" in the **Federal Register** (82 FR 57561). This notice included a request for comments and related material to reach the Coast Guard on or before January 15, 2018.

On January 22, 2018, we published a notice of temporary deviation; reopening of comment period; entitled "Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ" in the **Federal Register** (83 FR 2909). This notice included a request for comments and related material to reach the Coast Guard on or before March 2, 2018.

On February 15, 2018, we published a notice of proposed rulemaking; reopening comment period; entitled "Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ" in the **Federal Register** (see 83 FR 6821). This notice included a request for comments and related material to reach the Coast Guard on or before March 2, 2018.

The Coast Guard has reviewed 25 comments posted to the docket, six reports with supporting documentation submitted by the bridge owner during the initial and second temporary deviations, and other information concerning the remote operation system of the DELAIR Memorial Railroad Bridge. Through this review, the Coast Guard found that further testing and evaluation of the remote operation system of the drawbridge is necessary before making a decision on the proposed regulation. The Coast Guard has issued a third temporary deviation from 8 a.m. on April 19, 2018, through 7:59 a.m. on October 16, 2018, to provide sufficient time for further testing and evaluation of the remote operation system of the DELAIR Memorial Railroad Bridge.

During this temporary deviation, the following changes have been implemented: (1) The on-site bridge tender will be removed from the bridge, (2) qualified personnel will return and operate the bridge within 60 minutes if the remote operation system is considered in a failed condition,<sup>2</sup> and

<sup>1</sup> A full description of the remote operational system is outlined in the aforementioned publication, which can be found at <http://www.regulations.gov>. (see **ADDRESSES** for more information).

<sup>2</sup> The conditions in which the remote operation system will be considered in a failed condition are detailed in the Supplementary Information: III. Discussion of Proposed Rule section of the Notice of Proposed Rulemaking (NPRM), which can be found at: <http://www.regulations.gov>. (see **ADDRESSES** for more information).

(3) comments concerning the utility and value of the automated identification system (AIS) are requested.

## II. Public Participation and Request for Comments

We view public participation as essential to effective rulemaking, and will consider all comments and material received during the comment period. Your comment can help shape the outcome of this rulemaking. If you submit a comment, please include the docket number for this rulemaking, indicate the specific section of this document to which each comment applies, and provide a reason for each suggestion or recommendation.

We encourage you to submit comments through the Federal eRulemaking Portal at <http://www.regulations.gov>. If your material cannot be submitted using <http://www.regulations.gov>, contact the person in the **FOR FURTHER INFORMATION CONTACT** section of this document for alternate instructions. We accept anonymous comments. All comments received will be posted without change to <http://www.regulations.gov> and will include any personal information you have provided. For more about privacy and the docket, visit <http://www.regulations.gov/privacyNotice>.

Documents mentioned in this NPRM as being available in this docket, as well as all public comments, will be in our online docket at <http://www.regulations.gov> and can be viewed by following that website's instructions. Additionally, if you go to the online docket and sign up for email alerts you will be notified when comments are posted or a final rule is published.

**M.L. Austin,**

Rear Admiral, U.S. Coast Guard, Commander,  
Fifth Coast Guard District.

[FR Doc. 2018-09531 Filed 5-3-18; 8:45 am]

**BILLING CODE 9110-04-P**

## FEDERAL COMMUNICATIONS COMMISSION

### 47 CFR Parts 1, 2, 15, 25, 30, and 101

[AU Docket No. 18-85; FCC 18-43]

### Auctions of Upper Microwave Flexible Use Licenses for Next-Generation Wireless Services; Comment Sought on Competitive Bidding Procedures for Auctions 101 (28 GHz) and 102 (24 GHz); Bidding in Auction 101 Scheduled To Begin November 14, 2018

**AGENCY:** Federal Communications Commission.

**ACTION:** Proposed rule; proposed auction procedures.

**SUMMARY:** In this document, the Commission announces auctions of Upper Microwave Flexible Use Service licenses in the 27.5–28.35 GHz (28 GHz) and 24.25–24.45 and 24.75–25.25 GHz (24 GHz) bands, designated as Auctions 101 and 102, respectively. This document proposes and seeks comment on competitive bidding procedures and minimum opening bids to be used for Auctions 101 and 102.

**DATES:** Comments are due on or before May 9, 2018, and reply comments are due on or before May 23, 2018. Bidding in Auction 101 for licenses in the 28 GHz band is scheduled to commence on November 14, 2018. Bidding in Auction 102 for licenses in the 24 GHz band is scheduled to commence subsequent to the conclusion of bidding in Auction 101.

**ADDRESSES:** Comments may be filed using the Commission's Electronic Comment Filing System (ECFS) or by filing paper copies. *Electronic Filing of Documents in Rulemaking Proceedings*, 63 FR 24121 (May 1, 1998). All filings in response to the *Auctions 101 and 102 Comment Public Notice* must refer to AU Docket No. 18-85. The Commission strongly encourages interested parties to file comments electronically, specifying the particular auction(s) (*i.e.*, Auction 101 and/or Auction 102) to which their comments are directed, and request that an additional copy of all comments and reply comments be submitted electronically to the following email address: [auction101-102@fcc.gov](mailto:auction101-102@fcc.gov).

*Electronic Filers:* Comments may be filed electronically using the internet by accessing the ECFS: <https://www.fcc.gov/ecfs/>. Filers should follow the instructions provided on the website for submitting comments. In completing the transmittal screen, filers should include their full name, U.S. Postal Service mailing address, and the applicable docket number, AU Docket No. 18-85.

*Paper Filers:* Parties who choose to file by paper must file an original and one copy of each filing. If more than one docket or rulemaking number appears in the caption of this proceeding, filers must submit two additional copies for each additional docket or rulemaking number. Filings can be sent by hand or messenger delivery, by commercial overnight courier, or by first-class or overnight U.S. Postal Service mail. All filings must be addressed to the Commission's Secretary, Office of the Secretary, Federal Communications Commission.

All hand-delivered or messenger-delivered paper filings for the Commission's Secretary must be delivered to FCC Headquarters at 445 12th St. SW, Room TW-A325, Washington, DC 20554. The filing hours are 8:00 a.m. to 7:00 p.m. All hand deliveries must be held together with rubber bands or fasteners. Any envelopes and boxes must be disposed of before entering the building. Commercial overnight mail (other than U.S. Postal Service Express Mail and Priority Mail) must be sent to 9050 Junction Drive, Annapolis Junction, MD 20701.

U.S. Postal Service first-class, Express, and Priority mail must be addressed to 445 12th Street SW, Washington, DC 20554.

**FOR FURTHER INFORMATION CONTACT:** For auction legal questions, Erik Beith or Kathryn Hinton in the Wireless Telecommunications Bureau's Auctions and Spectrum Access Division at (202) 418-0660. For general auction questions, the Auctions Hotline at (717) 338-2868. For Upper Microwave Flexible Use Service questions, Nancy Zaczek or Janet Young in the Wireless Telecommunications Bureau's Broadband Division at (202) 418-2487.

**SUPPLEMENTARY INFORMATION:** This is a summary of the Public Notice (*Auctions 101 and 102 Comment Public Notice*), AU Docket No. 18-85, FCC 18-43, adopted and released on April 17, 2018. The *Auctions 101 and 102 Comment Public Notice* includes the following attachments: Attachment A, Summary of Licenses to be Auctioned; and Attachment B, Bid Formula for Auction 101. The complete text of the *Auctions 101 and 102 Comment Public Notice*, including all attachments, is available for public inspection and copying from 8:00 a.m. to 4:30 p.m. Eastern Time (ET) Monday through Thursday or from 8:00 a.m. to 11:30 a.m. ET on Fridays in the FCC Reference Information Center, 445 12th Street SW, Room CY-A257, Washington, DC 20554. The complete text is also available on the Commission's website at [www.fcc.gov/auction/101-102/](http://www.fcc.gov/auction/101-102/) or by using the search function for AU Docket No. 18-85 on the Commission's ECFS web page at [www.fcc.gov/cgb/ecfs/](http://www.fcc.gov/cgb/ecfs/). Alternative formats are available to persons with disabilities by sending an email to [FCC504@fcc.gov](mailto:FCC504@fcc.gov) or by calling the Consumer & Governmental Affairs Bureau at (202) 418-0530 (voice), (202) 418-0432 (TTY). Pursuant to sections 1.415 and 1.419 of the Commission's rules, 47 CFR 1.415, 1.419, interested parties may file comments and reply comments on or before the dates